Extract of the 2019 White Paper on Fire Service

Materials created by the Fire and Disaster Management Agency were extracted and translated by the International Fire Service Information Center

The Fire and Disaster Management Agency (FDMA)

Extract of the 2019 White Paper on Fire Service Table of Contents

Chapte	er 1 Current Status and Challenges for Disasters	
Sectio	n1 Fire Prevention /Japanese original P.71	1
[Cur	rent Status and Recent Trends with Fires]	1
[Cur	rent Status of Fire Prevention Administration] / Japanese original P.85	3
1.	Current Status of Residential Fire Prevention Measures	3
2.	Fire Prevention Properties	3
3.	Fire Prevention Management System	4
	(1) Fire Prevention Managers	4
	(2) Supervisors of Fire Prevention Management	
	(3) Periodic Inspection and Reporting System for Fire Prevention Properties	5
4.	Disaster Prevention Management System	5
	(1) Disaster Prevention Managers	5
	(2) Supervisors of Disaster Prevention Management	
5.	Onsite Inspections and Corrections of Violations	6
	(1) Current Status of Onsite Inspections and Corrections of Violations	
	(2) Fire Safety Certification Mark	6
	(3) Initiation of a System for Publicly Announcing Violating Properties	7
6.	Fire Protection Equipment, etc.	
	(1) Current Status of Fire Prevention Consent	
	(2) Current Status of the Installation of Fire Protection Equipment, etc	
	(3) Fire Protection Equipment Engineers and Fire Protection Equipment Inspectors	
	(4) Flame Retardancy Regulations	
	(5) Regulations for Equipment and Tools that Use Fire	
7.	Inspection System for Fire Protection Machinery and Tools, etc.	
	(1) Inspections	
	(2) Self-labeling	
	Performance Inspections of Technical Standards for Fire Protection Equipment, etc	
	Current Status of Investigations into the Causes of Fires	
	Promoting Countermeasures to Product Fires	12
Sectio		
	/Japanese original P.99	
-	rent Status and Recent Trends in Disasters at Facilities for Hazardous Materials]	
1.	Fire Accidents	
	(1) Number of Fire Accidents at Facilities for Hazardous Materials and their Damage	
	(2) Causative Factors behind the Fire Accidents at Facilities for Hazardous Materials	
	(3) Fire Accidents at Unauthorized Facilities	
	(4) Fire Accidents during the Transportation of Hazardous Materials	
-	(5) Fire Accidents during the Temporary Storage or Handling	
2.	Spillage Accidents	
	(1) Number of Spillage Accidents at Facilities for Hazardous Materials and their Damage	
	(2) Causative Factors behind the Spillage Accidents at Facilities for Hazardous Materials	
	(3) Spillage Accidents at Unauthorized Facilities	
	(4) Spillage Accidents during the Transportation of Hazardous Materials	
	(5) Spillage Accidents during the Temporary Storage or Handling	
	rent Status of Hazardous Materials Administration] /Japanese original P.103	
1.	Regulations on Hazardous Materials	
	(1) Regulatory Structure for Hazardous Materials	
	(2) Current Status of Facilities for Hazardous Materials	
	(3) Hazardous Material Engineers	
	(4) Safety Systems at Offices	
	(5) Safety Inspections	
	(6) Onsite Inspections and Orders	21

2.	Securing Petroleum Pipelines	21
	(1) Safety Regulations for the Petroleum Pipeline Business	
	(2) Ensuring the Safety of Petroleum Pipelines	
Sectio		
ocodo	/Japanese original P.111	22
[Cur	rent Status and Recent Trends in Disasters at Petroleum Industrial Complexes]	
-	Number of Accidents and Damage	
	Characteristics of Accidents	
۷.	(1) Number of General Accidents by Type of Accident	
	(2) Number of General Accidents by Cause of Accident.	
	(3) Number of General Accidents by Type of Specified Business Establishment	
	(4) Number of General Accidents at Specified Business Establishment by Type of Business Category	23
[Cur	rent Status of Damage Countermeasures at Petroleum Industrial Complexes]	~ ~
	/Japanese original P.114	
	Current Status of Special Disaster Prevention Areas	
2.	Disaster Prevention Systems in Prefectures and at Firefighting Agencies	
	(1) Establishing Disaster Prevention Schemes	
	(2) Emergency Responses when Disasters Occur	
	(3) Maintaining the Firefighting Capabilities of Municipalities Containing Special Disaster Prevention Areas	
3.	Disaster Prevention Systems at Specified Business Establishments	
	(1) Establishing Disaster Prevention Organizations for Self-defense	
	(2) Installation of High Capacity Foam Systems	
	(3) Enhancing Disaster Prevention Systems for Self-defense	
4.	Layout Regulations for Business Establishments	
	(1) Layout Regulations	27
	(2) Status for New Establishment Notifications, etc.	27
5.	Other Disaster Countermeasures	27
	(1) Establishing Disaster Response Systems	27
	(2) Establishing Green Buffer Zones for Disaster Prevention	27
6.	Recent Disaster Countermeasures at Petroleum Industrial Complexes	28
	(1) Liaison Conferences of the FDMA and Related Ministries to Examine Disaster Prevention Measures	
	at Petroleum Industrial Complexes, etc.	28
	(2) Earthquake and Tsunami Measures for Petroleum Industrial Complexes, etc.	28
	(3) Skill Contest for Self-defense Disaster Prevention Organizations at Petroleum Industrial Complexes, etc	28
	(4) Holding Investigative Committee Meetings to Strengthen the Disaster Prevention Systems of	
	Petroleum Industrial Complexes, etc.	29
Chapte	er 2 Fire and Disaster Prevention Organizations and Activities	
Sectio		. 30
	Fire Defense Organizations	
	(1) Standing Firefighting Agencies	
	(2) Volunteer Fire Corps	
2.	Fire and Disaster Defense Facilities, etc.	
	(1) Maintenance of Fire Trucks and Other Vehicles	
	(2) Fire Defense Communication Equipment	
	(3) Water Sources for Firefighting	
Sactio	n 4 Education and Training Structure /Japanese original P.204	
	Education and Training for Firefighters	
	On-the-job Training	
3.	Education and Training at Fire Academies	
	(1) Establishment of Fire Academies	
	(2) Types of Education and Training	
	(3) Enhancing and Strengthening the Education and Training at Fire Academies	
	(4) Enrollment in Education and Training	
4.	Education and Training and Technical Assistance at the Fire and Disaster Management College	
	(1) Facilities and Equipment	36

.,	nt in Education and Training	
	I Assistance for Fire Academies	
.,	_ectures	
	ance Service System /Japanese original P.209	
•	tion of Ambulance Services	
.,	ce Service Dispatch	
	ransported by the Severity of Their Injury or Illness	
	ransported by Ambulance by Age Group and Type of Accident	
()	quired to Arrive at the Scene	
	quired to Check the Patient into a Hospital	
	Treatment Administered by Ambulance Team Members	
	tion Structure for Ambulance Services	
	of Municipalities Offering Ambulance Services	
. ,	of Ambulance Teams, Ambulance Team Members and Associate Ambulance Team Members	
.,	the Number of EMTs and Ambulance Teams with EMTs	
	of Ambulances	
	ce Services along National and Other Expressways	
-	Coordination between Firefighting and Medical Care	
	nce of People Using Ambulance Transport at Medical Institutions	
	Is on Patient Transport and Their Acceptance	
()	ce Medical Care Structure	
	of More Sophisticated Ambulance Services	
. ,	on of Education for Ambulance Service Personnel	
	in the Treatment Scope of EMTs	
. ,	ment of Medical Control System	
	mergency Resuscitation Statistics (Utstein data)	
	e System /Japanese original P.230	
	tion Status for Rescue Activities	
.,	of Rescue Activities and Number of People Rescued	
	ntation Status of Rescue Activities by Type of Incident	
-	tion Structure for Rescue Activities	
	of Rescue Crews and Number of Rescue Crew Members	
	ion of Rescue Equipment for Rescue Activities	
	ional Firefighting and Rescue Skills Meets	
-	ated Fire Service Support and National Fire-Service Team for Disaster Response	
-	nese Original P.241	
•	Support System for Fire Service	
	upport Agreement for Fire Services	
	ment of Integrated Support System for Fire Service	
	re-Service Teams for Disaster Response	56
. ,	of National Fire-Service Teams for Disaster Response and Their Enshrinement in	
	Revisions to the Fire Organization Act	
	tion of and Dispatch Plans for National Fire-Service Teams	
(3) Number	of National Fire-Service Teams Registered and Their Equipment	61
Attachment		.
	Extent of fire damage by prefecture /Japanese original P.324	
	Trends in the number of facilities for hazardous material /Japanese original P.360	67
Attachment 2-1-2	Trends in the number of firefighting agencies and volunteer firefighter	
	/Japanese original P.373	68




Japanese Original P.71

Current Status and Recent Trends with Fires

Looking at the number of fires since 2008, there has been a downward trend. The number of fires that occurred in 2018 totaled 37,981, a decrease of 1,392 (3.5%) compared to the previous year, or 72.5% compared to the number from ten years prior (i.e., the number of fires in 2008).

Furthermore, the number of fatalities from fires has also largely been trending downward since 2008. The number of fatalities from fires in 2018 was 1,427, a decrease of 29 (2.0%) compared to the previous year, or 72.5% of that from ten years ago (based on the number of fatalities from fires in 2008). (Fig. 1-1-1, Table 1-1-1)





(Notes) 1 Prepared based on "Fire Reports".

2 The figures for each year are calculated from fires that occurred between January and December. The same holds true in this section hereinafter unless otherwise noted.
3 See the left axis for the number of fires, number of fatalities, number of fires ratio, building floor area burned ratio, number of fatalities ratio.

See the left axis for the number of fires, number of fatalities, number of fires ratio, building floor area burned ratio, number of fatalities ratio, and amount of damages ratio, and the right axis for the building floor area burned and the amount of damages.

4 The number of fires ratio, building floor area burned ratio, number of fatalities ratio, and amount of damages ratio are ratios found by taking the values from 2007 to be 100.

Table1-1-1 Status of fires

Table 1-1-1 Status of I	1103					(During each year)
Classification	Unit	Unit 2008		2018 (B)	Change (B) - (A) (C)	Rate of change (C) / (A) X 100 (%)
No. of fires		52,394	39,373	37,981	△ 1,392	△ 3.5
Building fires		30,053	21,365	20,764	△ 601	△ 2.8
Forest fires		1,891	1,284	1,363	79	6.2
Vehicle fires	Fires	5,358	3,863	3,660	△ 203	△ 5.3
Ship fires		101	72	69	△ 3	△ 4.2
Aircraft fires		3	6	1	△ 5	△ 83.3
Other fires		14,988	12,783	12,124	△ 659	△ 5.2
No. of buildings burned		40,588	30,824	29,962	△ 862	△ 2.8
Totally destroyed		8,628	6,967	7,138	171	2.5
Half destroyed	Buildings	2,761	1,677	1,658	△ 19	△ 1.1
Partially destroyed		11,548	8,063	7,833	△ 230	△ 2.9
Minor fire		17,651	14,117	13,333	△ 784	△ 5.6
Building floor area burned	m	1,317,231	1,069,932	1,063,583	△ 6,349	△ 0.6
Building surface area burned	m	148,018	111,304	117,981	6,677	6.0
Forest area burned	а	83,916	93,808	60,624	△ 33,184	△ 35.4
Fatalities	People	1,969	1,456	1,427	△ 29	△ 2.0
Injured	People	7,998	6,052	6,114	62	1.0
No. of households affected		26,805	18,853	18,180	△ 673	△ 3.6
Totally destroyed		5,923	4,163	3,978	△ 185	△ 4.4
Half destroyed	Households	2,139	1,305	1,233	△ 72	△ 5.5
Partially destroyed		18,743	13,385	12,969	△ 416	△ 3.1
No. of people affected	People	66,533	41,518	39,758	△ 1,760	△ 4.2
Amount of damages		108,417	89,323	84,627	△ 4,696	△ 5.3
Building fires		99,841	81,599	76,353	△ 5,246	△ 6.4
Forest fires		606	900	202	△ 698	△ 77.6
Vehicle fires		2,819	2,283	2,227	△ 56	△ 2.5
Ship fires	Millions	171	619	859	240	38.8
Aircraft fires		1,192	43	730	687	1597.7
Other fires		3,371	3,105	3,172	67	2.2
Explosions		417	772	1,084	312	40.4
Fire outbreak rate	Fires/10,000	4.1	3.1	3.0	△ 0.1	_

(Notes) 1 Prepared from "Fire Reports".

2 The figures for each year are calculated from fires that occurred between January and December. The same holds true in this section hereinafter unless otherwise noted.

3 "Building fires" refer to fires that burn buildings or the contents contained therein. The same holds true in this section hereinafter unless otherwise noted.

"Forest fires" refer to fires that burn forests, wilderness, or grassland. The same holds true in this section hereinafter unless otherwise noted. 5 "Vehicle fires" refer to fires that burn automotive vehicles, railway vehicles, trailer vehicles, or their cargo. The same holds true in this section

hereinafter unless otherwise noted. 6

"Ship fires" refer to fires that burn ships or their cargo. The same holds true in this section hereinafter unless otherwise noted.

"Aircraft fires" refer to fires that burn aircraft or their cargo. The same holds true in this section hereinafter unless otherwise noted. "Other fires" refer to fires other than building fires, forest fires, vehicle fires, ship fires, and aircraft fires (fires involving vacant land, fields, 8 roads, flood plains, waste collection sites, outdoor item collection sites, train tracks, utility poles, etc.). The same holds true in this section hereinafter unless otherwise noted.

9 Fatalities includes those people who were injured by fires and passed away within 48 hours. The same holds true in this section hereinafter unless otherwise noted

10 The fire outbreak rate refers to the number of fires per 10,000 people. The same holds true in this section hereinafter unless otherwise noted.

11 The amount of damages and so forth includes cases that are still under investigation, and is subject to change. The same holds true in this section hereinafter unless otherwise noted.

12 The symbol '
'
indicates negative numbers. The same holds true in this section hereinafter unless otherwise noted.

13 The rate of change was found by rounding up less than whole numbers with the displayed units. The same holds true in this section hereinafter unless otherwise noted.

14 The population for 2006 was found from the Basic Resident Register as of March 31, the population for 2015 was found from a Survey on the Current Status of Fire and Disaster Prevention and Earthquake Countermeasures as of March 31 for each year, and the population for 2016 was found from the Basic Resident Register as of January 1.

15 If a fire is spread across more than two types of fires, it is aggregated into the number of fires based on which type had the larger amount of damages. For the amount of damages, this is aggregated for each type of fire by the objects damaged in the fire (building, vehicle, forest, ship, aircraft, or other). The same holds true in this section hereinafter unless otherwise noted.

The amount of damages from "Explosions" is posted to "Explosions" within "Amount of damages" without regard to the type of fire.

17 The figures in the total column may not align with the totals for each figure due to rounding. The same holds true in this section hereinafter unless otherwise noted.

-omitted-

Japanese Original P.85

Current Status of Fire Prevention Administration

1. Current Status of Residential Fire Prevention Measures

The number of residential fires in 2018 (10,269, excluding those from arson) accounted for roughly 50% of the total number of building fires (19,430, excluding those from arson). Furthermore, the number of fatalities from residential fires (946, excluding suicides by arson), accounted for roughly 90% of the total number of fatalities from building fires (1,051, excluding suicides by arson). (Attachment 1-1-25, untranslated) In addition, elderly people age 65 or older accounted for approximately 70% of fatalities from residential fires.

As a result of the revision of the Fire Service Act in 2004, the installation of residential fire alarms became mandatory for newly-built residences from June 2006, and for existing residences by June 2011 in all cities, towns, and villages nationwide in accordance with the ordinances of each municipality. The Fire and Disaster Management Agency (FDMA) held the Committee on

Measures to Install Residential Fire Alarms, and based on the Basic Policy on Measures to Install Residential Fire Alarms established at this committee, various initiatives have been deployed to ensure that residential fire alarms are thoroughly installed and maintained. This is done by fire departments throughout Japan in cooperation with volunteer fire corps, women's (female) firefighting clubs, voluntary disaster prevention organizations, and others. As of June 1, 2019, the nationwide installation rate*¹ was 82.3% and the ordinance compliance rate*² was 67.9%. When viewed by prefecture, Fukui Prefecture had the highest installation rate, and the highest ordinance compliance rate. (**Table 1-1-15**)

2. Fire Prevention Properties

The Fire Service Act defines the primary properties that are subject to fire prevention administration, such as architectural structures, as "fire prevention properties." It also mandates the establishment of personnel structures for fire prevention, the installation of fire protection equipment, etc.^{*3} and the use of flame retardant materials at those fire prevention properties listed in Appended Table I of the Ordinance of Enforcement for the Fire

 Table 1-1-15
 Residential fire alarm installation and ordinance compliance rates by prefecture (June 1, 2019)

Prefecture	Installation rate	Ordinance compliance rate	Prefecture	Installation rate	Ordinance compliance rate
All of Japan	82.3%	67.9%	Mie	76.8% (39)	64.4% (28)
Hokkaido	82.0% (19)	67.6% (18)	Shiga	82.7% (17)	62.2% (34)
Aomori	75.1% (41)	59.0% (39)	Kyoto	87.9% (6)	73.2% (6)
Iwate	83.8% (13)	66.9% (21)	Osaka	83.8% (13)	77.0% (5)
Miyagi	91.4% (2)	65.0% (26)	Hyogo	87.2% (8)	70.4% (12)
Akita	81.8% (21)	67.4% (19)	Nara	74.0% (42)	63.0% (31)
Yamagata	81.7% (22)	60.8% (38)	Wakayama	79.1% (31)	62.5% (32)
Fukushima	77.4% (37)	54.5% (44)	Tottori	83.0% (15)	63.6% (30)
Ibaraki	72.5% (44)	58.8% (40)	Shimane	82.6% (18)	61.7% (35)
Tochigi	76.8% (39)	62.4% (33)	Okayama	78.0% (35)	65.0% (26)
Gunma	70.7% (45)	54.1% (45)	Hiroshima	87.5% (7)	80.6% (3)
Saitama	77.5% (36)	65.2% (25)	Yamaguchi	80.9% (24)	67.7% (17)
Chiba	80.0% (27)	65.5% (24)	Tokushima	80.0% (27)	68.4% (15)
Tokyo	89.3% (3)	72.2% (7)	Kagawa	77.1% (38)	64.0% (29)
Kanagawa	84.1% (12)	72.2% (7)	Ehime	78.9% (33)	66.8% (22)
Niigata	86.5% (9)	71.2% (11)	Kochi	68.5% (46)	46.4% (46)
Toyama	86.4% (10)	67.8% (16)	Fukuoka	81.7% (22)	71.7% (10)
Ishikawa	88.1% (5)	84.0% (2)	Saga	73.8% (43)	56.5% (43)
Fukui	94.5% (1)	88.6% (1)	Nagasaki	78.4% (34)	58.0% (42)
Yamanashi	79.1% (31)	70.3% (13)	Kumamoto	79.5% (29)	58.6% (41)
Nagano	82.0% (19)	66.0% (23)	Oita	85.0% (11)	69.5% (14)
Gifu	80.9% (24)	61.6% (36)	Miyazaki	82.9% (16)	71.8% (9)
Shizuoka	79.4% (30)	67.0% (20)	Kagoshima	88.7% (4)	79.1% (4)
Aichi	80.7% (26)	60.9% (37)	Okinawa	58.2% (47)	43.0% (47)

(Notes) 1 (): The numbers in parenthesis show the rank in order starting with the prefecture with the highest installation rate and so forth. 2 Each number contains a certain degree of error due to the sample survey.

*1 The "installation rate" refers to the share of households that have installed residential fire alarms in at least one location of the sections of their home in which they are obligated to do so by municipal fire prevention ordinances (including households that are exempt from installing residential fire alarms on account of having installed fire alarm systems, etc.) out of the total number of households.

^{*2} The "ordinance compliance rate" refers to the share of households that have installed residential fire alarms in every section of their home in which they are obligated to do so by municipal fire prevention ordinances (including households that are exempt from installing residential fire alarms on account of having installed fire alarm systems, etc.) out of the total number of households.

^{*3} Fire protection equipment, etc.: Equipment for extinguishing fires, evacuation, and other fire prevention activities (fire extinguishers, sprinkler systems, automatic fire alarms, fire escape equipment, guide lamps, etc.)

Service Act according to their purpose, size, and so forth.

As of March 31, 2019, the number of fire prevention properties throughout Japan totaled 4,185,804 (this number is from the Survey on the Actual Conditions of Fire Prevention Properties (targeting those fire prevention properties listed in Appended Table I of the Ordinance of Enforcement for the Fire Service Act that are listed in (1) through (16-3) and have a total area of $150m^2$ or larger, and those listed in (17) through (19)); the same hereinafter).

Moreover, the number of fire prevention properties in the 21 major cities (special wards of Tokyo and ordinancedesignated cities) was 1,188,488, accounting for 28.4% of the total number of fire prevention properties throughout Japan. Those properties that are particularly concentrated

in urban areas include underground malls (86.9% of the national total), semi-underground malls*4 (85.7% of the national total), stores engaged in sex-related businesses, etc. (53.1% of the national total). (Table 1-1-16)

3. Fire Prevention Management System

(1) Fire Prevention Managers

The Fire Service Act requires that people with management authority for fire prevention properties that contain large numbers of people (hereinafter referred to as "management officials") appoint fire prevention managers^{*5} who form the core of voluntary fire prevention management structures, and to have them perform operations necessary for fire prevention management that

Table 1-1-16 Number of fire prevention properties

(As of March 31, 2019) 21 major Percentage 21 major Percentage Classification of fire prevention properties Nationwide Classification of fire prevention properties Nationwide cities (%) cities (%) 4,428 a Theaters, etc. 653 14.7 (3) Nursery schools, etc. 35.388 7,529 21.3 (1)65,435 6,175 9.4 (4) Child development support 3.139 485 15.5 b Public halls etc. centers, etc. C 843 131 15.5 (5) Welfare centers for 20,409 3,326 16.3 a Cabarets, etc. (6) disabled persons, etc 9,823 1.860 18.9 82,284 15.314 18.6 b Game centers, etc. Subtotal (2) с Stores engaged in sex-related 192 102 53.1 16.652 3.980 23.9 d Kindergartens, etc. businesses, etc. d Karaoke box and stores, etc. 2,592 638 24.6 (7) Schools 126,499 28,237 22.3 2,781 11.2 Restaurants, etc 507 18.2 (8) Libraries, etc 7,638 857 а (3) b Eating and drinking houses 84,391 17,088 20.2 Special bathhouses 1,438 657 45.7 а (9)(4) 160.298 28.834 18.0 b General bathhouses 4.327 1.030 23.8 Department stores, etc Railroad depots 60,480 7,337 12.1 (10) 3,876 1,394 36.0 а Hotels, etc. (5) b Apartment houses, etc 1,357,705 520,302 38.3 (11)Temples and shrines, etc. 58,319 12,191 20.9 492.825 (1) Hospitals that require patient 6.765 1.094 16.2 72.485 14.7 Factories, etc assistance for evacuation (12)(2) Clinics with 19 beds or less 3.502 680 428 148 34.6 19.4 Studios that need patient assistance for b evacuation 2,432 28.2 (3) Hospitals(not including those listed 9.576 25.4 52.184 14.733 in (1)), Clinics with 19 beds or а Parking lots, etc. less(not including those listed in (2)) (13)and maternity homes with beds (4) Clinics with no in-patient capacity 44,024 8,269 18.8 705 97 13.8 b Aircraft hangars maternity homes without beds Subtotal 63.867 12.475 19.5 (14) Warehouses 334.154 55.082 16.5 (1) Short-term welfare facilities for the 42.508 7.943 485.979 109.892 22.6 (6) 18.7 (15) Offices, etc. elderly 242 32 13.2 Specified multipurpose fire 373.532 140.500 37.6 а (2) Shelters prevention properties (16)19.8 Unspecified multipurpose 271 916 124 598 h 162 32 b 458 (3) Nurseries fire prevention properties 474 (4) Welfare facilities for disabled 73 15.4 61 53 86.9 (16-2) Underground malls children (5) Support facilities for the disabled 6.567 1062 16.2 (16-3) Semi-underground malls 7 6 857 49,953 9,142 18.3 8,926 1,518 17.0 Subtotal (17)Cultural properties (1) Elderly daycare centers, etc. 23.124 3.931 17.0 (18) Arcades 1,266 472 37.3 19.2 0 0 (2) Rehabilitation facilities 224 43 (19) Mountain forests 4,185,804 1,188,488 28.4 Total

Prepared based on "The Survey on the Actual Conditions of Fire Prevention Properties" (targeting those fire prevention properties listed in (Notes) 1 Appended Table I of the Ordinance of Enforcement for the Fire Service Act that are listed in (1) through (16-3) and have a total area of 150m² or larger, and those listed in (17) through (19); the same hereinafter).

The 21 major cities refer to the 23 wards of Tokyo and 20 ordinance-designated cities (Sapporo City, Sendai City, Saitama City, Chiba City, 2 Yokohama City, Kawasaki City, Sagamihara City, Niigata City, Shizuoka City, Hamamatsu City, Nagoya City, Kyoto City, Osaka City, Sakai City, Kobe City, Okayama City, Hiroshima City, Kitakyushu City, Fukuoka City, and Kumamoto City).

*4 Semi-underground mall: A combination of an underground passage and shops established in the basement of a building that stand in a row facing this underground passage.

stipulate the implementation of firefighting, reporting, and evacuation drills.

As of March 31, 2019, the number of fire prevention properties that were legally required to establish fire prevention management structures and appoint fire prevention managers totaled 1,074,294 nationwide. Of these, 881,000 properties, which corresponds to 82.0%, have appointed fire prevention managers and notified firefighting agencies to this effect.

Additionally, the number of fire prevention properties where the fire prevention manager has prepared a fire prevention plan for fire prevention management^{*6} in order to carry out proper fire prevention management operations at their own office and notified firefighting agencies to this effect was 825,194, or 76.8% of the total number of properties. (Attachment 1-1-40, untranslated)

(2) Supervisors of Fire Prevention Management

For properties like high-rise buildings (buildings that are taller than 31m high), underground malls, semiunderground malls, and other specified properties subject to fire prevention measures*7 at or above a certain size where management authority has been divided up, the Fire Service Act stipulates that fire prevention managers are to be appointed to carry out fire prevention management for each area where management authority exists. At the same time, it also states that supervisors of fire prevention management are to be appointed in consultation with fire prevention managers in order to carry out fire prevention management for the building as a whole in an integrated manner. It also mandates that each management official is obligated to ensure the safety of the entire fire prevention property by preparing firefighting plans for fire prevention management for said property as a whole, and by conducting firefighting, reporting, and evacuation drills.

As of March 31, 2019, the number of fire prevention properties that were required to appoint supervisors of fire prevention management totaled 89,258 nationwide. Of these, 54,423, or 61.0%, have appointed supervisors of fire prevention management and notified firefighting agencies to this effect. Furthermore, the number of fire prevention properties that have prepared overall fire prevention plans in order to carry out fire prevention management for the building as a whole in an integrated manner, and that have notified firefighting agencies to this effect was 52,064, or 58.3% of the total number of properties. (Attachment 1-1-41, untranslated)

(3) Periodic Inspection and Reporting System for Fire Prevention Properties

To prevent fires from occurring and mitigate the damage they do, it is important for not only firefighting agencies but also personnel from the fire prevention properties, to perform fire prevention maintenance on said properties and to strive to comply with fire prevention laws and ordinances.

Therefore, the Fire Service Act mandates that management officials at fire prevention properties with certain purposes or structures have people with expertise in fire prevention (hereinafter referred to as "qualified inspectors of fire prevention properties") perform inspections and report the inspection results to firefighting agencies once a year.

These qualified inspectors of fire prevention properties consist of people with a certain level of fire prevention knowledge, such as fire protection equipment engineers^{*8} with three or more years of practical experience in construction work for fire protection equipment, etc., or people with three or more years of practical experience as fire prevention managers. They must also complete a training course offered by a corporation that has been registered by the Minister of Internal Affairs and Communications, and have been issued a certificate attesting that they have acquired the necessary knowledge and skills regarding inspections for fire prevention properties.

As of March 31, 2019, the number of such inspectors totaled 31,849.

In addition, fire prevention properties for which periodic inspection reports have been mandated and for which three years have passed since the start of management are exempted from the obligation of inspections and reports for three years if they are certified as being in good compliance with the standards of the Fire Service Act through an inspection conducted by a firefighting agency on the basis of an application from the management officials from said fire prevention property.

Fire prevention properties that have been acknowledged as being in compliance with the inspection standards by a qualified inspector of fire prevention properties may display a "Fire Prevention Standard Inspection Certificate of Completion." Those that have been acknowledged as having excellent compliance with the standards in fire prevention laws and ordinances by firefighting agencies may display a "Fire Prevention Certificate of Excellence."

4. Disaster Prevention Management System

(1) Disaster Prevention Managers

In order to handle imminent threats such as major earthquakes, the Fire Service Act mandates that those people with authority for the management of largescale and high-rise buildings and the like (hereinafter referred to as "management officials") are to prepare firefighting plans for disaster prevention management^{*9}

^{*5} Fire prevention managers: People who have been appointed from among those management officials who have certain qualifications, such as having completed a training course on fire prevention management for fire prevention properties, and who are in a managerial or supervisory position where they can appropriately carry out the operations necessary for fire prevention management at said properties.

^{*6} Firefighting plan for fire prevention management: These are plans that establish matters which are necessary for fire prevention management. Said plans are prepared by fire prevention managers, with fire prevention management operations carried out on the basis of said plans.

^{*7} Specified properties subject to fire prevention measures: Certain properties under fire prevention measures that include department stores, restaurants, and other properties that can accommodate large numbers of people, as well as hospitals, nursing homes for the elderly, kindergartens, and other properties used by people who would require assistance during a disaster.

^{*8} Fire protection equipment engineer: A person with expert knowledge of fire protection equipment etc. who has been issued a fire protection equipment engineer certification.

^{*9} Firefighting plans for disaster prevention management: These are plans that establish matters which are necessary for disaster prevention management.

suited to earthquakes and other disasters, appoint disaster prevention managers^{*10} responsible for emergency preparedness and evacuation drills related to damage specific to earthquakes, and establish fire defense organizations for self-protection^{*11} to carry out the necessary operations in order to mitigate damage from fires and other disasters.

As of March 31, 2019, the number of properties under disaster prevention measures that were legally required to establish disaster prevention management systems and appoint disaster prevention managers totaled 10,037 throughout Japan. Of these, 8,588, or 85.6%, have appointed disaster prevention managers and notified firefighting agencies to this effect.

Furthermore, the number of properties under disaster prevention measures at which the disaster prevention manager has prepared firefighting plans for disaster prevention management, in order to carry out the appropriate disaster prevention management operations at their own offices and other establishments, and notified firefighting agencies to this effect was 8,058, or 80.3% of the total. The number of said properties that have established fire defense organizations for self-protection came to 8,870, or 88.4% of the total. (Attachment 1-1-42, untranslated)

(2) Supervisors of Disaster Prevention Management

For those buildings that require disaster prevention management where management authority has been divided up, the Fire Service Act stipulates that disaster prevention managers are to be appointed to carry out disaster prevention for each area where management authority exists. At the same time, it also stipulates that supervisors of disaster prevention management are to be appointed in consultation with disaster prevention managers in order to carry out disaster prevention management for the building as a whole in an integrated manner. Each management official is obligated to ensure fire and disaster safety for the disaster prevention property as a whole.

As of March 31, 2019, the number of fire prevention properties that were required to appoint supervisors of disaster prevention management totaled 2,999 nationwide. Of these, 2,700, or 90.0%, have appointed supervisors of disaster prevention management and notified firefighting agencies to this effect. Furthermore, the number of disaster prevention properties that have prepared firefighting plans in order to carry out disaster prevention management for the building as a whole in an integrated manner, and that have notified firefighting agencies to this effect, was 2,601, or 86.7% of the total. (Attachment 1-1-43, untranslated)

5. Onsite Inspections and Corrections of Violations

(1) Current Status of Onsite Inspections and Corrections of Violations

Firefighting agencies enter fire prevention properties to perform onsite inspections pursuant to the regulations of Article 4 of the Fire Service Act when it is necessary to do so for the sake of fire prevention.

The number of times onsite inspections were carried out by firefighting agencies throughout Japan in FY2018 totaled 862,630. (Attachment 1-1-44, untranslated)

Fire chiefs or fire station chiefs may order measures that must be taken with respect to deficiencies in fire prevention management at fire prevention properties, such as failure to install fire protection equipment, or other problems brought to light through onsite inspections. Such measures include appointing fire prevention managers and installing fire protection equipment or special fire protection equipment, etc., pursuant to the regulations in Article 8, Article 8-2, or Article 17-4 of the Fire Service Act. In addition, in cases where this is recognized as posing a hazard for fire prevention, necessary measures such as repairs, relocation, elimination of hazards, as well as prohibition or restriction of use of the relevant fire prevention property may be ordered pursuant to the regulations in Article 5, Article 5-2, or Article 5-3 of the Fire Service Act. The act also states that in the event that such an order is issued, public notice shall be given.

In cases where violations of fire prevention laws or ordinances are discovered as a result of such onsite inspections, the fire chief or fire station chief works to redress these violations to bring them back into legal compliance, such as by issuing warnings or other remedial instructions, orders, etc. (Attachment 1-1-45, 46, 47, 48, untranslated)

Particularly for specified violating properties (this refers to specified fire prevention properties with a floor area of 1,500m² or more, or unspecified fire prevention properties with 11 or more floors excluding the basement where sprinkler systems, indoor fire hydrants, or fire alarm systems have not been installed in a majority of sections where such equipment must be installed), strict guidance is imposed based on the severity of the violation, such as those that pose a significant hazard to human life in the event that a fire should break out.

As of March 31, 2019, there were 189 specified violating properties, and therefore it is necessary to continue working to thoroughly correct these violations in a focused manner. (Table 1-1-17)

(2) Fire Safety Certification Mark

This new labeling system, which fire departments throughout Japan were notified of in October 2013, provides users with information on a building's compliance with laws and ordinances related to fire prevention and construction. Applications began

^{*10} Disaster prevention managers: People who have been appointed from among those management officials who have certain qualifications, such as having completed a training course on disaster prevention management, and who are in a managerial or supervisory position where they can appropriately carry out the operations necessary for disaster prevention management at disaster prevention properties.

^{*11} Fire defense organizations for self-protection: These are personal organizations comprised of people like employees at properties under fire prevention measures. They carry out the operations necessary in order to mitigate the damage from fires and other disasters when they occur based on the roles established in the firefighting plan.

Category By FY	No. of violating properties at the start of the FY (a)	No. of properties that corrected their violations during the FY (b)	Correction rate (%) (c=b/ax100)
FY2009	301	63	20.9%
FY2010	299	69	23.1%
FY2011	389	37	9.5%
FY2012	179	46	25.7%
FY2013	230	54	23.5%
FY2014	249	56	22.5%
FY2015	331	100	30.2%
FY2016	359	125	34.8%
FY2017	392	151	38.5%
FY2018	240	96	39.6%
FY2019	189	_	-

Table 1-1-17 Trends in the improvement status of specified violating properties

(Notes) 1 Prepared based on "The Survey on the Actual Conditions of Fire Prevention Properties".

2 "No. of violating properties at the start of the FY" is the sum of properties that remained in violation from two fiscal years before and violating properties that newly became aware they were in violation during the previous fiscal year at the end of the previous fiscal year for each fiscal year (as of March 31).

3 "No. of properties that corrected their violations during the FY" is the number of properties that corrected their violation during the fiscal year (it does not include those that newly became aware of their violation or that were abandoned).

	•					(Cases)	
Gist of Breakdown	Consent		Dis	sent	Total		
application	FY2017	FY2018	FY2017	FY2018	FY2017	FY2018	
New construction	219,947	213,645	15	10	219,962	213,655	
Extension	19,254	18,533	6	5	19,260	18,538	
Reconstruction	653	665	0	0	653	665	
Relocation	138	101	0	0	138	101	
Repair	130	132	0	0	130	132	
Remodeling	126	110	0	0	126	110	
Change of classification	4,094	3,975	4	3	4,098	3,978	
Other	3,074	2,690	2	1	3,076	2,691	
Total	247,416	239,851	27	19	247,443	239,870	

Table 1-1-18 Process status for fire prevention consent

(Note) Prepared based on "The Survey on the Actual Conditions of Fire Prevention Properties"

being tendered and received on April 1, 2014, and hotels, Japanese-style hotels, and other facilities began sequentially putting the silver display marks out on display starting from August 1, 2014.

In addition, those hotels and other facilities that have been issued silver display marks for three years in a row and which meet the standards related to laws and ordinances on fire prevention and construction are allowed to display a gold display mark.

Visitors to the FDMA's website can check to confirm hotels that have been issued the Fire Safety Certification Mark throughout Japan (reference URL: https://www. fdma.go.jp/relocation/kasai_yobo/hyoujiseido/).

(3) Initiation of a System for Publicly Announcing Violating Properties

The System for Publicly Announcing Violating Properties, in accordance with the December 2013 notice, is a system for announcing the details of legal violations on the websites of municipal governments based on the ordinances of said municipalities. This is aimed at specified properties under fire prevention measures that have not yet installed sprinkler systems, indoor fire hydrants, or fire alarm systems, despite being obligated to do so. This announcement system was initiated in all ordinance-designated cities starting from April 2015. Furthermore, fire departments overseeing populations of 200,000 people or more started utilizing this public announcement system beginning April 2018, and those of less than 200,000 people have also started utilizing it sequentially.

(Cases)

Information on things like the implementation status of the public announcement system and its scheduled implementation period for municipalities throughout Japan can be confirmed via the FDMA's website (reference URL: https://www.fdma.go.jp/relocation/publication/).

6. Fire Protection Equipment, etc.

(1) Current Status of Fire Prevention Consent

Fire prevention consent is a system that was established with the goal of boosting the safety of buildings by having personnel from firefighting agencies get involved in fire prevention for buildings starting from the design stage in their capacity as experts on fire prevention.

When it comes to the operation of this system, the firefighting agencies offer finely-detailed examinations and instructions based on legal regulations related to building fire prevention from the perspective of fire prevention safety and firefighting activities. They also work to enhance structures and strengthen cooperation, ensuring that this work is handled promptly.

The number of cases processed regarding fire prevention consent work throughout Japan in FY2018 totalled 239,870, with only 19 of these failing to receive consent. (Table 1-1-18)

(2) Current Status of the Installation of Fire Protection Equipment, etc.

The Fire Service Act states that the relevant personnel from fire prevention properties must install and properly maintain the necessary fire protection equipment, etc. according to the purpose, size, structure, and capacity of the property in question.

A look at the installation status of primary fire protection equipment, etc. in specified fire prevention properties throughout Japan reveals that, as of March 31, 2019, the installation rate for sprinkler systems (number installed vs. number that need to be installed) was 99.7%, while the rate for automatic fire alarms was 99.1%. (Table 1-1-19)

With respect to the technical standards pertaining to fire protection equipment, etc., regulations are being successively set in place in accordance with technological progress and societal demands. In recent years, a fire occurred at a medical clinic in Fukuoka City, Fukuoka Prefecture in October 2013 (which left ten people dead and five injured). In light of this, it was mandated that Clinics with 19 beds or less or Hospitals that need patient assistance for evacuation must install sprinkler systems

 Table 1-1-19
 Installation status of sprinkler systems and fire alarm systems at specified properties

 under fire prevention measures throughout Japan
 (As of March 31, 2019)

	_	_	Equipment type	Ν	lumber of Spi	rinkler system	s	Numbe	er of Automati		ch 31, 2019 vstems
Classifi propert	ies		Equipment condition	Needs to be installed	Installed	Violations	Installation rate (%)	Needs to be installed	Installed	Violations	Installation rate (%)
nder i	-	a	tion measures	786	786	0	100.0	3,747	3,736	11	99.7
(1)		b	Public halls, etc.	540	537	3	99.4	31,262	31,216	46	99.9
		a	Cabarets, etc.	4	4	0	100.0	457	447	10	97.
		b	Game centers, etc.	711	705	6	99.2	9,017	8,992	25	99.
(2)		с	Stores engaged in sex-related businesses, etc.	0	0	0	-	165	163	2	98.
	(d	Karaoke box and stores, etc.	10	10	0	100.0	2,630	2,613	17	99
	i	a	Restaurants, etc.	2	2	0	100.0	1,973	1,945	28	98
(3)	I	b	Eating and drinking houses	121	121	0	100.0	34,976	34,630	346	99
(4)	Dep	artme	ent stores, etc.	7,572	7,542	30	99.6	86,586	86,137	449	99
(5)	i	a	Hotels, etc.	2,244	2,234	10	99.6	67,555	66,134	1,421	97
		(1)	Hospitals that they need patient assistance for evacuation	3,766	3,749	17	99.5	6,128	6,118	10	99
		(2)	Clinics with 19 beds or less that they need patient assistance for evacuation	1,269	1,266	3	99.8	3,032	3,027	5	99
	а	(3)	Hospitals(not including those listed in (1)), Clinics with 19 beds or less(not including those listed in (2)) and maternity homes with beds	3,568	3,564	4	99.9	9,229	9,224	5	99
		(4)	Clinics with no in-patient capacity, maternity homes without beds	191	191	0	100.0	20,995	20,953	42	99
			Subtotal	8,794	8,770	24	99.7	39,384	39,322	62	99
		(1)	Short-term welfare facilities for the elderly	40,398	40,329	69	99.8	42,693	42,656	37	99
(6)		(2)	Shelters	204	203	1	99.5	231	231	0	100
(6)	b	(3)	Nurseries	122	119	3	97.5	150	148	2	98
	D	(4)	Welfare facilities for disabled children	422	421	1	99.8	485	484	1	99
		(5)	Support facilities for the disabled	6,072	6,049	23	99.6	7,033	7,019	14	99
			Subtotal	47,218	47,121	97	99.8	50,592	50,538	54	99
		(1)	Elderly daycare centers, etc.	1,384	1,379	5	99.6	15,201	15,154	47	99
		(2)	Rehabilitation facilities	52	21	31	40.4	212	212	0	100
		(3)	Nursery schools, etc.	115	111	4	96.5	29,721	29,710	11	100
	с	(4)	Child development support centers, etc.	42	42	0	100.0	1,428	1,426	2	99
		(5)	Welfare centers for disabled persons, etc.	612	610	2	99.7	15,966	15,884	82	99
			Subtotal	2,205	2,163	42	98.1	62,528	62,386	142	99
	(d	Kindergartens, etc.	216	216	0	100.0	14,616	14,610	6	100
(9)	i	a	Special bathhouses	19	19	0	100.0	1,371	1,368	3	99
(16)	i	a	Specified multipurpose fire prevention properties	20,038	19,981	57	99.7	204,950	202,171	2,779	9
16-2)	Und	ergro	bund malls	59	59	0	100.0	61	61	0	100
16-3)	Sem	ni-Uno	derground malls	4	4	0	100.0	7	7	0	100
			Total	90,543	90,274	269	99.7	611,877	606,476	5,401	99

(Notes) 1 Prepared based on "The Survey on the Actual Conditions of Fire Prevention Properties".

2 For the installation rate, the digits in the second decimal place were rounded off.

as a general rule, regardless of their floor area. The installation of these sprinkler systems has been in force since April 1, 2016 as a result of the Partial Revision of the Order for Enforcement of the Fire Service Act and other legislation (promulgated on October 16, 2014). At the time of enforcement, transitional measures that equipment should be installed by June 30, 2025 were set for existing facilities.

Moreover, a large scale urban fire occurred in Itoigawa City, Niigata Prefecture in December 2016 (which left 30,213.45m² of burned floor area). In light of this, it was mandated that restaurants with equipment or appliances that use fire must install fire extinguishing equipment as a general rule, regardless of their floor area. The installation of these has been carried out since October 1, 2019 as a result of the Partial Revision of the Order for Enforcement of the Fire Service Act and other legislation (promulgated on March 28, 2018).

Regarding properties that violate the Fire Service Act, such as a violation of the obligation to install fire protection equipment, etc., the government will proactively issue administrative orders and other measures based on the Fire Service Act to further promote prompt and effective handling of violations.

(3) Fire Protection Equipment Engineers and Fire Protection Equipment Inspectors

Efforts are made to ensure the performance of fire protection equipment, etc. via the inspector system for fire protection machinery and tools. However, if there are deficiencies or defects at the installation stage, then such equipment will be rendered incapable of performing properly when a fire does occur. To prevent such circumstances, the installation and maintenance of certain fire protection equipment, etc. can only be performed by fire protection equipment engineers.

Furthermore, fire protection equipment, etc. must be properly maintained on a daily basis to ensure that it is capable of performing at any time. As a result, it has been mandated that periodic inspections be performed and the inspection results be reported. These inspections, which are a prerequisite for maintenance, require knowledge and skills with regard to fire protection equipment, etc. Therefore, the relevant personnel from fire prevention properties must have fire protection equipment engineers or fire protection equipment inspectors (people who have completed certain training courses offered by corporations that have been registered by the Commissioner of the FDMA and been issued a fire protection equipment inspector certificate) perform the inspections on the fire protection equipment, etc.

Efforts are made to improve the quality of these fire protection equipment engineers and fire protection equipment inspectors by mandating that they undergo retraining at certain fixed intervals after they have received their license in order for them to acquire new knowledge and skills concerning the fire protection equipment, etc. Moreover, these people will be ordered to return their license or face a similar punishment in the event that they violate any of the fire prevention laws or ordinances.

As of March 31, 2019, the total number of fire protection equipment engineers came to 1,201,667 (Attachment 1-1-49, untranslated). In addition, the number of fire protection equipment inspectors totaled 713 special inspectors (for special fire protection equipment,

etc.), 158,124 Class 1 inspectors (for mechanical systems) and 149,195 Class 2 inspectors (for electrical systems).

Programs for displaying that inspections have been performed, in which certificates of completion verifying that inspections of fire protection equipment, etc. have been properly carried out are posted, have been independently instituted at the prefectural level. This is done in an effort to clarify responsibilities and have the relevant personnel from fire prevention properties perform the proper inspections.

(4) Flame Retardancy Regulations

A. Usage Status of Flame Retardant Materials

The use of flame-resistant materials for various objects that are likely to ignite within buildings simultaneously prevents fires from starting and suppresses the spread of fires during their initial stages when they do occur. As such, this is extremely effective when it comes to preventing fires. Therefore, fire prevention properties that must give forethought to fire prevention due to their structural features or configuration, such as high-rise buildings and underground malls, as well as fire prevention properties like theaters, hotels, and hospitals that are used by large unspecified numbers of people and people requiring special consideration have been designated as "flame retardancy and fire prevention properties." The Fire Service Act mandates that these properties use materials with the prescribed flame retardant performance (hereinafter referred to as "flame retardant materials") for curtains, stage curtains, plywood display boards, carpets, and other goods used (hereinafter referred to as "goods under the flame retardancy requirement").

As of March 31, 2019, the number of flame retardancy and fire prevention properties totaled 977,729. The conformance rate (share of the flame retardancy and fire prevention properties where flame retardant materials are used for all of the goods under the flame retardancy requirements at said properties) at flame retardancy and fire prevention properties using curtains and stage curtains was 88.1%, while it was 87.7% at those using carpets, and 84.7% at those using plywood display boards. (**Table 1-1-20**)

B. Public Awareness of Flame Retardant Materials for Bedding and Other Goods

Aside from those goods under the flame retardancy requirement stipulated in the Fire Service Act such as curtains and carpets, the use of fireproof materials for futons, pajamas, automobile and motorcycle body covers, etc. is also extremely effective at preventing fires. Therefore, the FDMA spreads public awareness of these by uploading videos detailing their effects to its website (reference URL: https://www.fdma.go.jp/relocation/html/ life/yobou_contents/fire_retardant/).

(5) Regulations for Equipment and Tools that Use Fire

From the perspective of fire prevention, the location, construction, management, and handling of equipment and tools that use fire, including home gas burners, stoves, hot-water heaters, fireplaces, kitchen equipment, and sauna equipment, are regulated via the fire prevention ordinances established by each municipality. These are established pursuant to the Ministerial Ordinance Establishing Standards for Enacting Ordinances on the

Catego	pries of flame retardancy and fire prevention properties	No. of flame retardancy and fire prevention	Use of curtains, stage curtains,	left using goods unde	es on the all of the er the flame requirement	Use of carpets	left using goods unde	es on the all of the er the flame requirement	Use of plywood display	left using goods unde	es on the all of the er the flame requirement
		properties	etc.		Compliance rate (%)			Compliance rate (%)	boards		Compliance rate (%)
(1)	a Theaters, etc.	4,286	2,654	2,525	95.1	1,979	1,874	94.7	480	458	95.4
(1)	b Public halls, etc.	63,092	42,494	38,783	91.3	25,295	22,618	89.4	4,445	3,907	87.9
	a Cabarets, etc.	843	413	321	77.7	436	362	83.0	46	43	93.5
	b Game centers, etc.	9,476	4,710	4,250	90.2	4,357	4,010	92.0	669	591	88.3
(2)	c Stores engaged in sex- related businesses, etc.	192	121	104	86.0	99	85	85.9	7	4	57.1
	d Karaoke box and stores, etc.	2,571	1,365	1,224	89.7	1,121	1027	91.6	185	167	90.3
(2)	a Restaurants, etc.	2,703	1,682	1,434	85.3	1,548	1,341	86.6	173	137	79.2
(3)	b Eating and drinking houses	80,588	39,924	33,150	83.0	23,815	19,984	83.9	4,268	3,663	85.8
(4)	Department stores, etc.	152,895	64,028	58,429	91.3	33,408	29,766	89.1	8,312	7,169	86.2
(5)	a Hotels, etc.	57,869	46,115	42,399	91.9	37,524	34,722	92.5	2,847	2,523	88.6
	a Hospitals, etc.	60,758	44,918	42,328	94.2	24,999	23,241	93.0	4,110	3,723	90.6
(6)	b Special elderly nursing homes, etc.	47,835	39,633	37,663	95.0	22,705	21,489	94.6	3,811	3,516	92.3
	c Elderly daycare centers, etc.	79,687	59,289	55,334	93.3	33,529	30,623	91.3	5,533	5,023	90.8
	d Kindergartens, etc.	15,981	12,478	11,649	93.4	6,492	5,972	92.0	1,070	955	89.3
(9)	a Special bathhouses	1,405	1,078	948	87.9	1,024	942	92.0	65	48	73.8
(12)	b Studios	428	175	155	88.6	132	120	90.9	83	67	80.7
(16)	a Specified multipurpose fire prevention properties	322,706	145,464	116,427	80.0	95,149	77,093	81.0	17,788	13,687	76.9
(16)	b Unspecified multipurpose fire prevention properties	20,834	3,157	2,448	77.5	2,137	1,636	76.6	915	712	77.8
(16-2)	Underground malls	61	54	43	79.6	47	40	85.1	16	14	87.5
(16-3)	Semi-underground malls	7	6	4	66.7	5	4	80.0	1	1	100.0
(10-3)	High-rise buildings	53,512	24,079	20,489	85.1	21,306	18,600	87.3	4,172	3,548	85.0
	Total	977,729	533,837	470,107	88.1	337,107	295,549	87.7	58,996	49,956	84.7

Table 1-1-20 Number of flame retardancy and fire prevention properties and the usage status of flame retardant goods (As of March 31, 2019)

(Notes) 1 Prepared based on "The Survey on the Actual Conditions of Fire Prevention Properties".

2 High-rise buildings (buildings that are taller than 31m) are not classified within Appended Table I of the Ordinance of Enforcement for the Fire Service Act. Moreover, fire prevention properties that correspond to high-rise buildings were counted in the "High-rise buildings" field within the "Classification of fire prevention properties" column.

Location, Construction, and Management of Eligible Equipment that Uses Fire and the Handling of Eligible Tools that Use Fire.

7. Inspection System for Fire Protection Machinery and Tools, etc.

(1) Inspections

Fire protection machinery or tools that are subject to inspection (hereinafter referred to as "machinery and tools subject to inspection") are prohibited from being sold, displayed for commercial purposes, and so forth unless they pass inspections and include a label indicating this pursuant to the regulations of Article 21-2 of the Fire Service Act.

The machinery and tools subject to inspection include the 12 items stipulated in Article 37 of the Order for Enforcement of the Fire Service Act, including fire extinguishers and enclosed sprinkler heads.

These inspections consist of "model approvals" (approval indicating that the shape and other factors of the machinery and tools conform with the technical specifications established in ministerial ordinances) and "model compliance inspections" (inspections conducted to confirm that the shape and other factors of the individual machinery and tools subject to inspection are identical to the shape, etc. for models of said equipment that have received model approval). (Attachment 1-1-50, untranslated)

Moreover, for machinery and tools subject to inspection with regard to the development of new technologies, inspections can be carried out via the technical specifications established by the Minister of Internal Affairs and Communications for those items that conform to the technical standards established by said ministerial ordinance in terms of their shape, etc. or those acknowledged as having performance that meets or exceeds this level. Through this, the aim is to enhance the inspection system so as to promote technological innovation with machinery and tools subject to inspection.

Regarding the inspection system, it came to light that cases of misconduct occurred in October 2008, including test samples being secretly switched out during model compliance inspections for fire hoses. Furthermore, in March 2010 it was discovered that fire-extinguishing foam used in compressed air foam apparatuses on fire trucks, which had not been inspected, was being sold. As part of the public service corporation program review carried out in May 2010, evaluation results were issued to the effect that reassessments were to be made with a view towards expanding both voluntary screenings and increasing involvement of the private sector when it comes to inspections. Based on this, the Act for Partial Revision of the Fire Service Act, enacted on April 1, 2013, established collection orders via the Minister of Internal Affairs and Communications and strengthened penal provisions in cases where machinery and tools subject to inspection were not in compliance with the standards, or in cases where machinery and tools which lacked labels indicating their compliance were circulating on the market. It also relaxed requirements in order to promote the entry of private companies into the registered inspection body market, among other stipulations.

Moreover, the Partial Revision of the Order for the Enforcement of the Fire Service Act, enacted on April 1, 2013, made machinery and tools subject to inspections (mainly fire hoses and couplers used by firefighting agencies and electric leak alarms), for which there has been a decline in need due to changes in building configurations, into items that are subject to self-labeling. At the same time, the ordinance for Partial Revision of the ordinance of Enforcement for the Fire Service Act, enacted on April 1, 2014, newly added residential fire alarms, which are required to be installed in all homes, to the machinery and tools subject to inspection.

(2) Self-labeling

With the self-labeling system, it is the responsibility of manufacturers to confirm their compliance with the specifications on their own according to the regulations in Article 21-16 (3) of the Fire Service Act. The system also gives approval for labeling models that have been reported to the Minister of Internal Affairs and Communications in advance.

Machinery and tools that are subject to self-labeling (hereinafter referred to as "machinery and tools subject to self-labeling") are prohibited from being sold, displayed for commercial purposes, and so forth unless they include a label pursuant to the regulations of Article 21-16 (2) of the Fire Service Act.

Similar to machinery and tools subject to inspection, the Act for Partial Revision of the Fire Service Act, enacted on April 1, 2013, established collection orders via the Minister of Internal Affairs and Communications and strengthened penal provisions for machinery and tools subject to self-labeling which are not in compliance with the standards, or which lacked labels indicating their compliance.

Items that fall under the category of machinery and tools subject to self-labeling include power fire pumps and fire suction hoses. Furthermore, as a result of the Partial Revision of the Order for Enforcement of the Fire Service Act and other legislation enacted on April 1, 2014, fire hoses, couplers, and electric leak alarms that had previously been counted as machinery and tools subject to inspection, as well as disposable aerosol fire extinguishers in general widespread circulation but which frequently suffer from rupture accidents, etc. were newly added to this category.

The number of reports from manufacturers in FY2018 totaled 23 for power fire pumps, 50 for fire hoses, 0 for fire suction hose, 4 for couplers, 0 for disposable aerosol fire extinguishers, and 0 for electric leak alarms.

8. Performance Inspections of Technical Standards for Fire Protection Equipment, etc.

When it comes to the technical standards for fire protection equipment, etc., oftentimes details like materials or dimensions are prescribed in specification documents, etc. This makes it difficult for new technologies to gain acceptance, even when they offer satisfactory performance. Therefore, technical development in the fields of fire and other disaster prevention is promoted, and performance regulations are adopted to ensure that even more effective fire prevention and safety measures can be established.

The basic philosophy behind this is to judge whether equipment offers performance that is at or above the level of performance of the installed fire protection equipment, etc. based on the conventional technical standards. Equipment that has been confirmed to be at or above the conventional performance level is approved for installation in place of existing fire protection equipment, etc.

The performance demanded of fire protection equipment, etc. is divided up into three categories. These are "initial spread inhibition performance," which is performance for inhibiting the spread of fires during their initial stages, "evacuation safety support performance," which is performance that supports safe evacuating during fires, and "firefighting activity support performance," which is performance that supports the activities of firefighting teams. For those for which a certain level of knowledge has been obtained, equivalence will be assessed by objective verification methods (methods of objectively and impartially verifying newly developed technologies and technical innovations).

At the same time, a certification system via the Minister of Internal Affairs and Communications has been established aimed at equipment for which evaluations of its equivalence cannot be performed solely through the existing objective verification methods (such as special fire protection equipment, etc.). Under this system, applications are made for each property under fire prevention measures regarding special fire protection equipment, etc. for which general inspection standards have not have established. The Minister of Internal Affairs and Communications will then perform an examination based on the evaluation results from a performance evaluation agency (the Japan Fire Equipment Inspection Institute or a registered inspection body), and equipment that has been acknowledged as having the necessary level of performance can be installed. As of March 31, 2019, 68 cases of special fire protection equipment, etc. have been approved. (Attachment 1-1-51, untranslated)

The expectation is that, by applying these regulations, new equipment using new technologies will be proactively developed and disseminated.

9. Current Status of Investigations into the Causes of Fires

Advances in science and technology have brought increasing sophistication for industry and changes in social conditions. This has resulted in a tendency towards the frequent occurrence of fires which are large in scale or which assume aspects of complexity, and investigating the causes behind these fires requires sophisticated expertise.

No.	Date of fire	Location	Building purpose, etc.	Responses by the FDMA
1	May 13, 2012	Fukuyama City, Hiroshima Prefecture	Hotel (10 casualties)	Revised the Order for Enforcement of the Fire Service Act and other legislation, and strengthened installation standards for automatic fire alarms. Also restructured and began applying a labeling system that provides users with information on buildings that conform to fire prevention standards.
2		Nagasaki City, Nagasaki Prefecture	Group home (12 casualties)	Revised the Order for Enforcement of the Fire Service Act and other legislation. Strengthened installation standards for sprinkler systems and mandated that automatic fire alarms and fire notification alarms be interlinked.
3	August 15, 2013	Fukuchiyama City, Kyoto Prefecture	Fireworks festival (59 casualties)	Revised the Order for Enforcement of the Fire Service Act and the Fire Prevention Ordinance (Example). Mandated the submission of plans related to operations necessary for fire prevention at outdoor event venues at or above a certain size, and mandated that fire extinguishers be prepared.
4	October 11, 2013	Fukuoka City, Fukuoka Prefecture	Medical clinic (15 casualties)	Revised the Order for Enforcement of the Fire Service Act and other legislation. Reassessed the installation standards for fire extinguishing equipment, indoor fire hydrants, sprinkler systems, power fire pump equipment, and fire alarms that notify firefighting agencies.

 Table 1-1-21
 Recent investigations into the causes of fires conducted by the Commissioner of the

 FDMA and responses based on their results

In addition, investigating the causes of fires and clarifying the extent of damage caused by both fires and firefighting is crucial in order to examine the future of the fire prevention administration.

Investigating the causes of fires is unequivocally the role of local governments, but it is the duty of the national government to complement them in this. In cases where there has been a request from a firefighting agency, or the Commissioner of the FDMA has deemed that there is a particular necessity in doing so, an investigation into the causes of a fire can be carried out by the Commissioner of the FDMA.

Investigation teams formed from personnel from the FDMA according to the type of fire carry out the investigations into the causes of the fire through this system in coordination with firefighting agencies. Reviews are conducted based on the knowledge and data obtained from the investigations, and this is reflected in policies for fire prevention administration. Cases where responses such as the revision of fire prevention laws and ordinances were carried out based on the results of recent investigations into the causes of fires conducted by the Commissioner of the FDMA are shown in **Table 1-1-21**.

In an effort to improve the effectiveness of investigations into the causes of product fires, the Act for Partial Revision of the Fire Service Act (Law No. 38 from 2012), enacted on April 1, 2013, grants firefighting agencies the right to order manufacturers and importers to submit materials, and the right to collect reports.

10. Promoting Countermeasures to Product Fires

In recent years, as the causes of fires have grown extremely diverse, products close to the general public in their daily lives have begun causing fires as well, including automobiles and other vehicles, electronic appliances, and burning appliances. Given strong demand to ensure consumer safety and peace of mind, the FDMA has been strengthening its initiatives to combat these product fires.

For such fires, the FDMA has established a structure whereby it collects fire information from firefighting agencies in a comprehensive manner and aggregates the number of fires for each type of product which serves as an ignition source. It then provides the public with warnings and alerts quickly and effectively by announcing information like the names of faulty products and their manufacturers every quarter.

Fires that occurred in FY2018 which firefighting agencies deemed to have been caused by defects in automobiles and other vehicles, as well as electronic




Fig. 1-1-19 Trends in the survey results on product fires over the past five years

⁽Note) See the FDMA website for details (URL : https://www.fdma.go.jp/mission/prevention/cause/34530.html).

appliances and burning appliances were aggregated. From this, it was discovered that of the total of 735 product fires, 186 were fires deemed to have been caused by product defects, 454 were fires that could not be determined to have occurred from a defect in a specified product as the direct cause although the cause was identified, as well as fires where the cause could not be identified, and 95 were fires that are still currently under investigation. (Fig. 1-1-19)

The results of these investigations are reported to firefighting agencies throughout Japan. Furthermore, the collected fire information is shared between the Consumer Affairs Agency, the Ministry of Economy, Trade and Industry, the Ministry of Land, Infrastructure, Transport and Tourism, and the National Institute of Technology and Evaluation (NITE), which work together to promote countermeasures to product fires.

With respect to investigations into the causes of fires carried out by firefighting agencies throughout Japan, efforts are also being made to improve the investigation skills of firefighting agencies. Examples of this include providing them with technical support such as scientific investigation based on the expert knowledge, equipment, and materials of the National Research Institute of Fire and Disaster, etc. In addition to working to enhance investigations into the causes of fires and the structures for this, the FDMA also strives to proactively collect information on product fires and strengthen collaborations with relevant agencies. Through this, it is moving forward with ensuring consumer safety and peace of mind, while preventing fire accidents caused by products.

-omitted-

Countermeasures for Disasters at Facilities for Hazardous Materials

Japanese Original P.99

Current Status and Recent Trends in Disasters at Facilities for Hazardous Materials

Accidents at facilities for hazardous materials^{*1} are broadly classified into fires (including explosions) and spills of hazardous materials^{*2}. The number of fire and spillage accidents at facilities for hazardous materials has been trending upward since 1994. In FY2018, there were 206 fires and 403 spills for a total of 609 accidents. This represents an increase of 45 accidents compared with the previous year, and is the highest number ever. (**Fig. 1-2-1**)

1. Fire Accidents

The number of fire accidents that occurred at facilities for hazardous materials in 2018 was 206. This is an increase of roughly 1.9-times compared with the 107 such accidents in 1993, which had the lowest number of fire accidents since 1989, despite the fact that the number of facilities for hazardous materials has decreased. Accidents attributable to human factors such as inadequate maintenance and inadequate operating checks account for the majority of the primary causes for these fires.

(1) Number of Fire Accidents at Facilities for Hazardous Materials and their Damage

The number of fire accidents that occurred at facilities for hazardous materials in 2018 was 206 (11 more than the previous year). The amount of damages totaled 2,419 million yen (a decrease of 249 million yen year-on-year), and they resulted in 2 deaths (the same as the previous year) and 120 people injured (an increase of 69 people year-on-year). (**Fig. 1-2-2**)

Moreover, looking at the number of fire accidents that occurred by type of facility for hazardous materials reveals that the majority occurred at general outlets, followed by manufacturing facilities, and fuel supply depots, in that order. The sum of these 3 facility classifications accounts for 93.7% of the total accidents. (Fig. 1-2-3)

*1 Facilities for hazardous materials: These are facilities that have received authorization from municipal mayors and similar officials as facilities that store or handle hazardous materials at or above the quantities specified in the Fire Service Act. As described below, they are classified into three types: manufacturing facilities, storage facilities, and handling facilities

Classification		Details
Manufacturing facilities		Facilities that manufacture hazardous materials (e.g: Chemical plants, oil refineries)
	Indoor storage facilities	Store hazardous materials inside buildings
	Outdoor storage tanks	Store hazardous materials in tanks located outdoors (e.g: Oil tanks)
	Indoor storage tanks	Store hazardous materials in tanks located indoors
Storage facilities	Underground storage tanks	Store hazardous materials in tanks located below the ground's surface
	Simple storage tanks	Stores hazardous materials in small tanks less than 600 L
	Transfer storage tanks	Store hazardous materials in tanks that have been affixed to vehicles (e.g: Tanker trucks)
	Outdoor storage facilities	Store certain hazardous materials in containers in outdoor locations
	Fuel supply depots	Handling facilities that fuel vehicles and the like (e.g: Gas stations)
Line dine feetilities	Sales handling facilities	Stores that sell containers full of hazardous materials
Handling facilities	Transfer handling facilities	Handling facilities that transfer hazardous materials through pipes (e.g: Pipelines)
	General outlets	Handling facilities other than the above three types of handling facilities (e.g.: Boilers, private power generators)

*2 Hazardous materials: The Fire Service Act (Article 2-7) defines them as such: "The term 'hazardous materials' means the materials listed in the Names of Items column of Appended Table 1, which have the properties listed in the Nature column of said table according to the Categories specified in said table." Moreover, the properties of each hazardous material are defined for each type in the "Remarks" to Appended Table I of the Fire Service Act.

[Hazardous materials listed in Appended Tabl	le I and their characteristics]
--	---------------------------------

Category	Nature	Properties	Representative substances
Category 1	Oxidizing solids	These are solids that do not burn themselves, but which have the property of causing other substances to oxidize powerfully. When mixed with inflammable materials, they degrade as a result of heat, impacts, or friction, and give rise to extremely intense combustion.	Sodium chlorate, potassium nitrate, ammonium nitrate
Category 2	Combustible solids	These are solids that easily ignite from fire or solids that easily catch fire at relatively low temperatures (less than 40°C). They easily catch fire, are quick to combust, and are difficult to extinguish.	Red phosphorous, sulfur, iron powder, solid alcohol, lacquer putty
Category 3	Spontaneously combustible substances and water-reactive substances	These substances spontaneously combust when exposed to air, or either combust or generate combustible gasses when they come into contact with water.	Sodium, alkyl aluminum, yellow phosphorous
Category 4	Inflammable liquids	These are liquids that are inflammable.	Gasoline, kerosene, light oil, heavy oil, acetone, methanol
Category 5	Self-reactive substances	These are solids or liquids that generate large quantities of heat at relatively low temperatures or promote explosive reactions as a result of thermolysis and other reactions.	Nitroglycerin, trinitrotoluene, hydroxylamine
Category 6	Oxidizing liquids	These are liquids that do not burn themselves, but which have the property of promoting the combustion of other flammable substances they are mixed with.	Perchloric acid, hydrogen peroxide, nitric acid




Fig. 1-2-1 Trends in the number of fire and spillage accidents at facilities for hazardous materials

(Notes) 1 Prepared based on "The Accident Reports on Hazardous Materials".

2 In order to get a grasp of trends regarding the number of accidents that occur in each year, accidents are listed by splitting them up into the number of accidents caused by earthquakes with a seismic intensity of six-lower or greater (since September 1996 this was changed to a seismic intensity of six or greater) and the number attributable to other causes.





(Notes) Prepared based on "The Accident Reports on Hazardous Materials".

At the same time, 102 of the 206 fire accidents (or 49.5% of the total) were cases where a hazardous material served as the causative agent for the fire. (**Fig. 1-2-4**)

(2) Causative Factors behind the Fire Accidents at Facilities for Hazardous Materials

A look at the causative factors behind the fire accidents at facilities for hazardous materials that occurred in 2018 reveals that human factors accounted for 53.4%, physical factors accounted for 28.6%, and the total for other causes, unknown, and under investigation came to 18.0%. (Fig. 1-2-5)

When viewed by ignition source, those ignited by hightemperature surface heat were the most common at 37 (an increase of 2 year-on-year), followed by 32 from static electricity sparks (an increase of 10 year-on-year) and 21 from ignition due to overheating (a decrease of 3 year-onyear). (**Fig. 1-2-6**)


(3) Fire Accidents at Unauthorized Facilities

The number of fire accidents that occurred at facilities which were supposed to receive authorization as facilities for hazardous materials yet which failed to do so (hereinafter referred to as "unauthorized facilities") in 2018 was 2 (an increase of 1 year-on-year), leaving 0 people dead (the same as the previous year) and 1 injured (an increase of 1 year-on-year).

(4) Fire Accidents during the Transportation of Hazardous Materials


In 2018, 2 fire accidents occurred during the transportation of hazardous materials (an increase of 1

Fig. 1-2-3 Number of fire accidents by type of facility for hazardous materials



- (Notes) 1 Prepared based on "The Accident Reports on Hazardous Materials".
 - 2 Digits in the second decimal place were rounded off, so in some cases the totals may not be consistent.

Fig. 1-2-5 Number of fire accidents by causative factor



- (Notes) 1 Prepared based on "The Accident Reports on Hazardous Materials".
 - 2 Digits in the second decimal place were rounded off, so in some cases the totals may not be consistent.

year-on-year), with no casualties (the same as the previous year).


(5) Fire Accidents during the Temporary Storage or Handling

In 2018, 1 fire accident occurred during the temporary storage or handling of hazardous materials (an increase of 1 year-on-year), leaving 0 people dead (the same as the previous year) and 1 injured (an increase of 1 year-on-year).

2. Spillage Accidents

The number of spillage accidents involving hazardous materials that occurred at facilities for hazardous materials

Fig. 1-2-4 Number of fire accidents by causative agent for the fire



- (Notes) 1 Prepared based on "The Accident Reports on Hazardous Materials".
 - 2 Digits in the second decimal place were rounded off, so in some cases the totals may not be consistent.




Fig. 1-2-6 Number of fire accidents by ignition source

- (Notes) 1 Prepared based on "The Accident Reports on Hazardous Materials".
 - 2 Digits in the second decimal place were rounded off, so in some cases the totals may not be consistent.

in 2018 was 403. This is an increase of roughly 2.3-times compared with the 174 such accidents in 1994 (which had the lowest number of spillage accidents since 1989), despite the fact that the number of facilities for hazardous materials has decreased. As for the primary causative factors, accidents attributable to human factors and those caused by physical factors both occur in large numbers. However, of those accidents caused by physical factors, the number caused by age-related deterioration, such as corrosion fatigue, are on the rise.

(1) Number of Spillage Accidents at Facilities for Hazardous Materials and their Damage

The number of spillage accidents involving hazardous materials that occurred at facilities for hazardous materials

(and which did not turn into fires) in 2018 was 403 (an increase of 34 year-on-year). The amount of damages totaled 495 million yen (an increase of 61 million yen year-on-year), and they resulted in 0 deaths (the same as the previous year), with 27 people injured (a decrease of 2 people year-on-year). (Fig. 1-2-7)

Moreover, looking at the number of spillage accidents that occurred by type of facility for hazardous materials reveals that the majority occurred at general outlets, followed by fuel supply depots, and outdoor storage tank facilities, in that order. (Fig. 1-2-8)

At the same time, 98.8% of the number of spillage accidents at facilities for hazardous materials involved spills of Class 4 hazardous materials, which consist

primarily of petroleum products. Viewing this item type reveals that Class 1 petroleums (gasoline, etc.) account for most of these, followed by Class 2 petroleums (light oil, etc.), Class 3 petroleums (heavy oil, etc.), and Class 4 petroleums (gear oil, etc.), in that order. (Fig. 1-2-9)

(2) Causative Factors behind the Spillage Accidents at Facilities for Hazardous Materials

A look at the causative factors behind the spillage accidents at facilities for hazardous materials that occurred in 2018 reveals that human factors accounted for 37.2%, physical factors accounted for 53.3% and the total for other causes, unknown, and under investigation came to 9.4%.






Fig. 1-2-7 Number of spillage accidents at facilities for hazardous materials and their damage


(Nots) Prepared based on "The Accident Reports on Hazardous Materials".

Fig. 1-2-8 Number of spillage accidents by type of facility for hazardous materials




- (Notes) 1 Prepared based on "The Accident Reports on Hazardous Materials".
 - 2 Digits in the second decimal place were rounded off, so in some cases the totals may not be consistent.





- (Notes) 1 Prepared based on "The Accident Reports on Hazardous Materials".
 - 2 Digits in the second decimal place were rounded off, so in some cases the totals may not be consistent.

Fig. 1-2-10 Number of spillage accidents by causative factor



- (Notes) 1 Prepared based on "The Accident Reports on Hazardous Materials".
 - 2 Digits in the second decimal place were rounded off, so in some cases the totals may not be consistent.

When viewed by causative factor, those caused by deterioration such as corrosion fatigue were most common at 130 (an increase of 9 year-on-year), followed by 58 from inadequate operating checks (an increase of 16 year-on-year) and 35 from damage (a decrease of 7 year-on-year). (Fig. 1-2-10)

(3) Spillage Accidents at Unauthorized Facilities

The number of spillage accidents that occurred at unauthorized facilities in 2018 was 7 (an increase of 4 year-on-year), with no casualties (the same as the previous year).

(4) Spillage Accidents during the Transportation of Hazardous Materials

The number of spillage accidents that occurred during the transportation of hazardous materials in 2018 was 12 (a decrease of 1 year-on-year), leaving 0 people dead (the same as the previous year), and 1 person injured (a decrease of 4 year-on-year).

(5) Spillage Accidents during the Temporary Storage or Handling

Continuing from 2017, no spillage accidents occurred during the temporary storage or handling of hazardous materials in 2018.

S Japanese Original P.103

Current Status of Hazardous Materials Administration

1. Regulations on Hazardous Materials

(1) Regulatory Structure for Hazardous Materials

The Fire Service Act designates substances with properties such as: (1) Carrying a significant risk of causing a fire, (2) Carrying a significant risk of spreading a fire once one starts, and (3) Being difficult to extinguish when a fire does break out, as "hazardous materials." (see P.14 *2). Enacting safety regulations for the storage, handling and transportation of these hazardous materials has been posited as a move that will prevent fires, protect the lives, health, and property of the public from fires, and mitigate the damage from fires.

Regulations concerning hazardous materials have been instituted in a uniform manner throughout Japan through partial revisions to the Fire Service Act of 1959 and by enacting cabinet orders on regulations for hazardous materials. Since then, efforts like revising the relevant legislation to ensure that it contains content such as the establishment of necessary and sufficient technical standards that are safer for facilities for hazardous materials (see P.14 *1) have sequentially been carried out in striving to thoroughly ensure safety at such facilities.

An overview of the regulations on hazardous materials is shown below. (Fig. 1-2-11)

- Hazardous materials of volumes at or above the designated quantities (the quantity at which authorization is necessary to store or handle a material as designated by the Fire Service Act) cannot be stored or handled at locations other than facilities for hazardous materials. Persons attempting to establish a facility for hazardous materials must ensure it is in compliance with the standards regarding its location, structure, and equipment specified by law, and receive authorization from the municipal mayor for this.
- The transportation of hazardous materials must be carried out in accordance with the standards for ensuring safety specified by law, regardless of how large or small the quantity is.
- Standards for the storage and handling of hazardous materials in volumes less than the designated quantities are to be established via municipal ordinances.

(2) Current Status of Facilities for Hazardous Materials

A. Number of Facilities for Hazardous Materials The total number of facilities for hazardous materials




Fig. 1-2-11 Regulatory structure


							(/ 13 01 1414/011	31 of each year)
	Year	2015	2016	2017	2018	2019	Rate of ch	nange (%)
Facility		(A)	2010	2017	(B)	(C)	(C/A-1)×100	(C/B-1)×100
Manufactu	uring facilities	5,106	5,088	5,096	5,093	5,098	△ 0.2	0.1
	Indoor storage facilities	50,553	50,201	50,023	49,811	49,717	△ 1.7	△ 0.2
	Outdoor storage tanks	63,093	62,120	61,124	60,360	59,699	△ 5.4	△ 1.1
	Indoor storage tanks	11,021	10,802	10,586	10,386	10,170	△ 7.7	△ 2.1
Storage	Underground storage tanks	85,499	83,341	81,417	79,723	77,988	△ 8.8	△ 2.2
facilities	Simple storage tanks	1,019	1,002	986	961	940	△ 7.8	△ 2.2
	Transfer storage tanks	67,498	67,170	66,733	65,806	65,425	△ 3.1	△ 0.6
	Outdoor storage facilities	10,351	10,213	9,994	9,832	9,702	△ 6.3	△ 1.3
	Subtotal	289,034	284,849	280,863	276,879	273,641	△ 5.3	△ 1.2
	Fuel supply depots	62,269	61,401	60,585	59,715	58,865	△ 5.5	△ 1.4
	Class 1 sales handling facilities	1,209	1,178	1,138	1,107	1,078	△ 10.8	△ 2.6
Handling	Class 2 sales handling facilities	518	510	499	493	482	△ 6.9	△ 2.2
facilities	Transfer handling facilities	1,127	1,111	1,098	1,084	1,077	△ 4.4	△ 0.6
	General outlets	62,766	62,097	61,372	60,867	60,398	△ 3.8	△ 0.8
	Subtotal	127,889	126,297	124,692	123,266	121,900	△ 4.7	△ 1.1
	Total	422,029	416,234	410,651	405,238	400,639	△ 5.1	△ 1.1

Table 1-2-1 Trends in the number of facilities for hazardous material

(Notes) 1 Prepared based on "The Accident Reports on Hazardous Materials".

2 Digits in the second decimal place were rounded off, so in some cases the totals may not be consistent.


Fig. 1-2-12 Number of facilities for hazardous materials by classification



- (Notes) 1 Prepared based on "The Accident Reports on Hazardous Materials".
 - 2 Digits in the second decimal place were rounded off, so in some cases the totals may not be consistent.

Fig. 1-2-13 Composition rate of facilities for hazardous materials by size

(As of March 31 of each year)



- (Notes) 1 Prepared based on "The Survey on Regulation Work of Hazardous Materials".
 - 2 The factors are multiples obtained from dividing the largest quantities stored or the largest quantities handled by the specified quantities stipulated in Appended Table III of the Cabinet Order on Control of Hazardous Materials.
 - 3 Digits in the second decimal place were rounded off, so in some cases the totals may not be consistent.

(number of facilities for construction permits) as of March 31, 2019 came to 400,639. (Table 1-2-1)

A look at the share of facilities by their classification reveals that storage facilities account for the majority at 68.3%, followed by handling facilities at 30.4%, and then manufacturing facilities at 1.3%. (Fig. 1-2-12)

B. Composition of Facilities for Hazardous Materials by Size

As for the number of facilities by size (according to the maximum storage quantity or the maximum handling quantity) of the total number of facilities for hazardous materials as of March 31, 2019, those facilities for hazardous materials that hold 50 times the designated quantities or less accounted for 75.6% of the total. (Fig. 1-2-13)

(3) Hazardous Material Engineers

Hazardous material engineers are classified into three types. Class A engineers can handle all hazardous materials, Class B engineers can handle types of hazardous materials for which they have obtained approval, and Class C engineers can handle designated hazardous materials from (among) category 4. When hazardous material engineers or someone else handles hazardous materials at facilities for hazardous materials, a Class A or Class B hazardous material engineer must be present to ensure safety. As of March 31 2019, the (cumulative) total number of people who have passed the hazardous material engineer test since the hazardous material engineer system was launched came to 9,602,611 people. They play a significant role in ensuring safety at facilities for hazardous materials.

A. Hazardous Material Engineer Tests

Hazardous material engineer tests were held 3,544 times throughout Japan in FY2018 (an increase of 140 year-on-year). They were taken by 355,361 people (a decrease of 25,682 people year-on-year), with 160,195 people passing (a decrease of 183 people year-on-year) for an average pass rate of roughly 45.1% (an increase of 3 points year-on-year). (Fig. 1-2-14)

Viewing the situation by test type and category reveals that 67.6% of people took the test for Class B (category 4), followed by Class C at 8.4%. These two test types accounted for 76.0% of the total number of test takers, or 68.1% when only counting those who passed these two test types.

B. Safety Training Courses

As a general rule, the hazardous material engineers engaged in handling hazardous materials at facilities for hazardous materials must take a safety training course on handling hazardous materials offered by prefectural governors (safety training courses) every three years (starting from April 1, 2012, within three years from the first April 1 since the date on which the hazardous material engineer license was issued or the date they took the safety training course).

In FY2018, safety training courses were held a total of 1,452 times throughout Japan (a decrease of 8 times year-on-year), and were attended by 182,800 people (an increase of 12,513 people year-on-year). (Table 1-2-2)

(4) Safety Systems at Offices

As of March 31, 2019, the total number of business establishments that owned facilities for hazardous materials came to 183,082 throughout Japan.

In an effort to establish safety systems at business establishments, it has been mandated that the owners of facilities for hazardous materials that store or handle hazardous materials at or above certain quantities must carry out certain obligations. These include the appointment of hazardous materials security superintendents, and the selection of safety officers for facilities for hazardous materials (1,615 business establishments), and the preparation of fire and disaster prevention rules (43,006 business establishments). Moreover, it has been mandated that said business




Fig. 1-2-14 Status of tests for hazardous material engineers

(Note) Prepared based on "The Statistical Table for the Testing and Certification of Hazardous Material Engineer" and "The Fire Protection Engineers by the Japan Fire Engineering Qualification Center".

 Table 1-2-2
 Number of attendees at safety training courses for hazardous material engineers and a

 breakdown of this by type of hazardous material engineer certification
 (As of March 31 of each FY)

	Division	No. of	Class A		-		Class B				Class C	Total	No. of training
FY		attendees	Olass A	Category 1	Category 2	Category 3	Category 4	Category 5	Category 6	Subtotal	Class C	by type	courses
	2014	162,977	14,002	9,032	10,046	8,294	146,800	9,476	10,388	194,036	27,502	235,540	1,363
	2015	178,843	14,280	9,507	10,554	9,008	152,324	10,362	11,248	203,003	25,473	242,756	1,407
	2016	178,002	14,182	10,702	11,581	10,129	153,091	11,452	11,991	208,946	24,660	247,788	1,467
	2017	170,287	14,219	10,536	11,511	9,739	142,322	11,125	11,664	196,897	23,815	234,931	1,460
	2018	182,800	14,813	11,215	11,721	10,106	153,670	11,526	12,444	210,682	24,402	249,897	1,452




Fig. 1-2-15 Trends in orders for measures related to facilities for hazardous materials

(Note) Prepared based on "The Survey on Regulation work of Hazardous Materials".

establishments that own certain facilities for hazardous materials and that store or handle hazardous materials at or above certain quantities must establish fire defense organizations for self-protection (75 business establishments) and appoint hazardous material safety supervising managers (205 business establishments).

(5) Safety Inspections

It has been mandated that the owners of outdoor storage tanks and transfer handling facilities at or over a certain size must undergo inspections regarding the safety of facilities for hazardous materials performed by municipal mayors and similar officials (safety inspections) at regular fixed intervals according to factors like the facility's size.

In FY2018, 229 safety inspections were performed, of which 224 involved outdoor storage tanks and 5 involved transfer handling facilities.

(6) Onsite Inspections and Orders

Municipal mayors and similar officials can perform onsite inspections of facilities for hazardous materials and other such facilities to ensure that their installation, construction, and establishment of equipment, as well as their storage or handling of hazardous materials, are in compliance with the standards established in the Fire Service Act. These can be carried out when said official deems it necessary to prevent fires caused by the storage or handling of hazardous materials.

In FY2018, onsite inspections were carried out a total of 193,803 times at 177,747 facilities for hazardous materials.

In cases where violations of the Fire Service Act are discovered as a result of onsite inspections, municipal mayors and other officials can issue a variety of different orders to the owners of said facilities for hazardous materials. These include orders to comply with regulations on storage and handling, orders to take measures relating to standards for installing, constructing, or establishing equipment, and more.

In FY2018 municipal mayors or similar officials issued such orders in 263 cases. (Fig. 1-2-15)

2. Securing Petroleum Pipelines

(1) Safety Regulations for the Petroleum Pipeline Business

Regarding those petroleum pipelines which are used to transport petroleum in response to general demand, the minister in charge must formulate basic plans and listen to the opinion of the Minister of Internal Affairs and Communications regarding business licenses in order to ensure safety pursuant to the Petroleum Pipeline Business Act, enacted in 1972. Furthermore, the Minister of Internal Affairs and Communications provides licenses for construction plans and safety regulations, performs completion and safety inspections, and more.

The facilities to which the Petroleum Pipeline Business Act apply currently only include the pipelines transporting airplane fuel to Narita International Airport, with other pipelines regulated as transfer handling facilities under the Fire Service Act.

(2) Ensuring the Safety of Petroleum Pipelines

Safety inspections are carried out periodically on the pipelines transporting airplane fuel to Narita International Airport pursuant to the Petroleum Pipeline Business Act. In addition, the business operators must do everything they possibly can to ensure safety, such as having maintenance and inspections carried out in accordance with the technical standards established by law.

Section Countermeasures to Disasters at Petroleum Industrial Complexes

Japanese Original P.111

Current Status and Recent Trends in Disasters at Petroleum Industrial Complexes

1. Number of Accidents and Damage

The total number of accidents that occurred at specified business establishments^{*1} in petroleum industrial complexes and other special disaster prevention areas (hereinafter referred to as "special disaster prevention areas") in 2018 came to 398, of which 84 were accidents caused by earthquakes and tsunamis (hereinafter referred to as "earthquake-induced accidents"), and 314 were accidents other than caused by earthquakes and tsunamis (hereinafter referred to as "general accidents").

All of earthquake-induced accidents were caused by the "Eastern Iburi Earthquake" in Hokkaido, which occurred on September 6, 2018, with a maximum recorded seismic intensity of 7.

Looking at trends in the number of general accidents that have occurred reveals that the number of accidents has been on the rise since 1989, and in recent years it had been hovering around 250. However, in 2018 they increased further to 314 (an increase of 62 year-on-year). This number is the highest ever recorded. (Fig.1-3-1)

In 2018 there were 27 accidents (an increase of 17 yearon-year) in which fatalities or injuries occurred, all of which occurred in general accidents. These resulted in 1 death (an increase of 1 year-on-year), and 33 injuries (an increase of 18 year-on-year). (Fig.1-3-2)

Fig. 1-3-2 Trends in the Number of Fatal Accidents and Fatalities





Fig. 1-3-1 Trends in the number of accidents that occurred at petrochemical complexes



(Note) Prepared based on "The Overview of Accidents at Specified Business Establishments in Petroleum Industrial Complexes and Other Special Disaster Prevention Areas (2017)".

^{*1} Specified business establishments: These refer to Class 1 business establishments (business establishments where 10,000 kiloliters of petroleum or more are stored or handled, or where 2 million cubic meters of high-pressure gas or more are processed) and Class 2 business establishments (business establishments where 1,000 kiloliters of petroleum or more are stored or handled, or where 200,000 cubic meters of high-pressure gas or more are processed).

2. Characteristics of Accidents

(1) Number of General Accidents by Type of Accident

Looking at the number of general accidents by type of accident, it reveals that 146 fires (an increase of 16 year-on-year), 6 explosions (an increase of 5 year-on-year), 155 leaks (an increase of 40 year-on-year), and 7 other accidents (an increase of 1 year-on-year). (**Fig. 1-3-3**)

(2) Number of General Accidents by Cause of Accident

Looking at the number of general accidents by cause, it reveals that 133 accidents were caused by human factors (an increase of 32 year-on-year), 156 (an increase of 17 year-on-year) by physical factors, and 25 (an increase of 13 year-on-year) by other factors. The main causes were 89 cases of deterioration due to corrosion and fatigue (an increase of 27 year-on-year), 53 cases of insufficient operation confirmation (an increase of 20 year-on-year), and 37 cases of insufficient maintenance and management (a decrease of 3 year-on-year). (**Fig. 1-3-4**)

(3) Number of General Accidents by Type of Specified Business Establishment

Looking at the number of general accidents by cause, it reveals that 244 accidents, or 77.7%, were occurred at Class 1 business establishments (213 of which layout establishments*²).(**Table 1-3-1**)

(4) Number of General Accidents at Specified Business Establishment by Type of Business Category

As for the number of general accidents by cause, there were 99 petroleum and coal product manufacturing industry-related accidents (an increase of 28 year-on-

Fig. 1-3-4 Number of General Accidents by Cause of Accident





Fig. 1-3-3 Trends in the Number of General Accidents by Type of Accident



^{*2} Layout business establishments: Business establishments from among Class 1 business establishments that handle both petroleum and highpressure gases. Said business establishments are subject to layout regulations stipulating that their sites must be segmented off into six types of sections according to their purpose, with these including manufacturing facility sections and storage facility sections (see P.105).

Table 1-3-1 Number of General Accidents by Type	e of Specified Business Establishment
---	---------------------------------------

Туре	e of business establishment	No. of business establishments (A)	No. of accidents (B)	Share of the total No. of accidents(%)	No. of accidents per business establishment (B/A)
Class 1 business establishments		344	244	77.7	0.71
	Layout business establishments	160	213	67.8	1.33
	Other business establishments	184	31	9.9	0.17
Class 2 business establishments		328	70	22.3	0.21
	Total	672	314	100.0	0.47

(Notes) 1 Prepared based on "The Overview of Accidents at Specified Business Establishments in Petroleum Industrial Complexes and Other Special Disaster Prevention Areas in 2018".

2 The number of business establishments is current as of April 1, 2018.

Table 1-3-2 Number of General Accidents at Specified Business Establishments by Business Category

		Type of a	accidents		Number	of accidents	Number of accidents by business category	
Business Category	Fire	Explosion	leak	Other	Subtotal	Share of the total No. of accidents(%)	No. of business establishments	No. of accidents per business establishment
Food manufacturing-related	1				1	0.3	12	0.08
Pulp, paper, processed paper manufacturing-related	1		2		3	1.0	3	1.00
Chemical industry-related	35	2	50	4	91	29.0	227	0.40
Petroleum and coal products manufacturing industry-related	28	3	67	1	99	31.5	48	2.06
Ceramic industry-related	1		1		2	0.6	10	0.20
Steel industry-related	55	1	5		61	19.4	31	1.97
Non-ferrous metal industry-related	1		3		4	1.3	6	0.67
Industrial Machinery manufacturing-related	8		1		9	2.9	9	1.00
Electrical industry-related	10		13		23	7.3	61	0.38
Gas industry-related	1		5		6	1.9	27	0.22
Warehouse industry-related			4		4	1.3	223	0.02
Waste disposal industry-related	3				3	1.0	9	0.33
Other	2		4	2	8	2.5	6	1.33
Total	146	6	155	7	314	100.0	672	0.47

(Notes) 1 Prepared based on "The Overview of Accidents at Specified Business Establishments in Petroleum Industrial Complexes and Other Special Disaster Prevention Areas in 2018".

2 The number of business establishments is current as of April 1, 2018.

year), 91 chemical industry-related accidents (an increase of 20 year-on-year), 61 steel industry-related accidents (a decrease of 3 year-on-year), and 23 electrical industry-related accidents (an increase of 7 year-on-year). (Table 1-3-2)

S Japanese Original P.114

Current Status of Damage Countermeasures at Petroleum Industrial Complexes

In order to prevent disasters from occurring and spreading at special disaster prevention areas, where large quantities of petroleum and high pressure gasses are concentrated, a comprehensive disaster prevention system has been established by applying the various regulations from the Fire Service Act, the High Pressure Gas Safety Act, the Industrial Safety and Health Act, the Act on Prevention of Marine Pollution and Maritime Disasters, etc., as well as by applying the regulations from the Act on the Prevention of Disasters in Petroleum Industrial Complexes and Other Petroleum Facilities, which stipulates the layout of each facility section, disaster prevention equipment, etc.

1. Current Status of Special Disaster Prevention Areas

As of April 1, 2019, 84 areas in which large quantities of petroleum or high pressure gas at or above certain quantities have been designated as special disaster prevention areas in 103 municipalities in 33 prefectures based on the Act on the Prevention of Disaster in Petroleum Industrial Complexes and Other Petroleum Facilities. (**Fig. 1-3-5**) These special disaster prevention areas are under the jurisdiction of 91 fire departments.

(During 2018)


Furthermore, 667 business establishments serve as specified business establishments subject to the regulations of the Act on the Prevention of Disaster in Petroleum Industrial Complexes and Other Petroleum Facilities. Of these, 340 are Class 1 business establishments (including 158 layout business establishments) and 327 are Class 2 business establishments.

2. Disaster Prevention Systems in Prefectures and at Firefighting Agencies

(1) Establishing Disaster Prevention Schemes

The prefectures that contain special disaster prevention areas are establishing disaster prevention systems in a





No.	Special disaster prevention areas	No.	Special disaster prevention areas	No.	Special disaster prevention areas	No.	Special disaster prevention areas	No.	Special disaster prevention areas
1	Kushiro	14	North Keiyo coast	34	Kinuura	50	Etajima	68	Ainoura
2	Tomakomai	15	Central Keiyo coast	35	Port of Nagoya coast	51	Nomi	69	Kamigoto
2-2	Ishikari	16	South Keiyo coast	36	Yokkaichi coast	52	lwakuni/Otake	70	Yatsushiro
3	Muroran	19	Keihin coast	37	Owase	53	Kudamatsu	71	Oita
4	Hokuto	20	Negishi coast	38	Osaka North Port	54	Shunan	71-2	Sendai
4-2	Shiriuchi	21	Port of Niigata (East)	39	Sakai Senboku coast	55	Ube/Onoda	71-3	Kushikino
4-3	Mutsuogawara	22	Port of Niigata (West)	40	Kansai International	57	Mutsurejima	71-4	Kagoshima
5	Aomori	23	Naoetsu	41	Misaki	58	Anan	72	Kiire
6	Hachinohe	24	Toyama	42	Kobe	59	Bannosu	72-2	Shibushi
6-2	Kuji	25	Fuchu	43	Higashiharima	60	Niihama	73	Henza
7	Shiogama	26	Shinminato	44	Himeji coast	61	Namikata	75	Onaha
8	Sendai	27	Fushiki	44-2	Ako	62	Kikuma		
9	Oga	28	Port of Nanao,Mimuro	45	Northern coast in north Wakayama	63	Matsuyama		
10	Akita	29	Kanazawa Port north	46	Central coast in north Wakayama	64	Buzen		
11	Sakata	30	Fukui coast	47	Southern coast in north Wakayama	65	Kitakyushu		
11-2	Hirono	31	Shimizu	47-2	Gobo	65-2	Shirashima		
12	Iwaki	32	Atsumi	48	Mizushima coast	66	Fukuoka		
13	Kashima coast	33	Tahara	49	Fukuyama/Sasaoka	67	Fukushima		*83areas

25

comprehensive and systematic manner based on the Act on the Prevention of Disaster in Petroleum Industrial Complexes and Other Petroleum Facilities. This is being done through concerted efforts together with relevant agencies centering primarily on disaster prevention headquarters at petroleum industrial complexes and other locations (hereinafter referred to as "disaster prevention headquarters").

The disaster prevention headquarters carry out operations such as the preparation of disaster prevention plans for petroleum industrial complexes and other locations (hereinafter referred to as "disaster prevention plans"), coordination with relevant agencies when disasters strike, and the promotion of research studies on disaster prevention.

(2) Emergency Responses when Disasters Occur

When disasters occur in special disaster prevention areas, emergency response is carried out in a concerted manner by the prefecture, municipality, related agencies, specified business operators, etc. under the leadership of the disaster prevention headquarters, as stipulated by the disaster prevention plan.

The fire department plays an important role in this process by conducting defensive activities and giving instructions to disaster prevention organizations for selfdefense.

(3) Maintaining the Firefighting Capabilities of Municipalities Containing Special Disaster Prevention Areas

As of April 1, 2019, 73 large chemical firetrucks, 59 large elevated water trucks, 88 foam solution transport vehicles, 33 large elevated chemical water trucks, 3,135kL of 3% fire-extinguishing foam, 773kL of 6% fire-extinguishing foam, 34 fireboats, and other such equipment had been allocated to firefighting agencies in municipalities containing special disaster prevention areas.

Likewise, 23 foam solution storage facilities, 5 portable foam cannons, and other such equipment has been allocated to prefectures containing special disaster prevention areas in order to supplement their municipal firefighting capabilities, as well as enhance and strengthen the disaster prevention systems of said special disaster prevention areas.

In addition, the FDMA has deployed the Emergency Response Unit for Energy/Industrial Disasters ("Dragon Hyper Command Unit"), which specializes in special disasters, to 12 areas under National Fire-Service Teams, as well as firefighting robots (Scrum Force), in order to support the development of firefighting capabilities for municipalities located in special disaster prevention areas.

3. Disaster Prevention Systems at Specified Business Establishments

(1) Establishing Disaster Prevention Organizations for Self-defense

The Act on the Prevention of Disaster in Petroleum Industrial Complexes and Other Petroleum Facilities mandates that operators who establish specified business establishments (specified business operators) must set up disaster prevention organizations for self-defense, prepare fire protection equipment, appoint disaster prevention managers, formulate disaster prevention regulations, and so forth. It also stipulates that they are to establish joint disaster prevention associations,^{*3} wide- area joint disaster prevention associations,^{*4} and special disaster prevention area councils for petroleum industrial complexes (hereinafter referred to as "area councils")^{*5}.

As of April 1, 2019, disaster prevention organizations for self-defense had been established at every specified business establishment (667 business establishments). 72 joint disaster prevention associations, 11 wide-area joint disaster prevention associations, and 55 area councils had also been established. These disaster prevention organizations for self-defense, joint disaster prevention associations, and wide-area joint disaster prevention associations are equipped with 5,360 disaster prevention personnel, 85 large chemical fire trucks, 47 large elevated water trucks, 127 foam solution transport vehicles, 113 large elevated chemical water trucks, 24 high capacity foam cannons, 22 oil recovery vessels, and more.

In addition, the law states that these specified business establishments are required to install embankments to prevent oil spills, outdoor water supply equipment for firefighting, and emergency notification systems according to their size. As of April 1, 2019, 142 business establishments had installed embankments to prevent oil spills, 491 had installed outdoor water supply equipment for firefighting, and 464 had installed emergency notification systems, respectively.

(2) Installation of High Capacity Foam Systems

During the Tokachi-Oki Earthquake in September 2003, damage that included damage to numerous outdoor storage tanks and oil leaks occurred at an oil refining business establishment in Tomakomai City. In addition, approximately 54 hours after the earthquake struck, all of the floating roof outdoor storage tanks caught fire when the floating roof sank.

Before this disaster struck, it had been assumed that the fires that would occur at floating roof outdoor storage tanks would be ring fires.^{*6} But after considering the risk of earthquakes in Japan, it became necessary to expand the assumption to include fires in all of the tanks.

In light of this, the Act on the Prevention of Disaster in Petroleum Industrial Complexes and Other Petroleum Facilities was revised in June 2004, and the order for the

^{*3} Joint disaster prevention associations: Disaster prevention associations jointly established by the specified business operators involved with specified business establishments containing a single special disaster prevention area in order to carry out some of the tasks of the disaster prevention organization for self-defense.

^{*4} Wide-area joint disaster prevention associations: Joint disaster prevention associations covering a wide area jointly established by specified business operators involved with specified business establishments containing areas in which there are two or more special disaster prevention areas to carry out tasks related to disaster prevention activities by using high capacity foam cannons and other equipment.

^{*5} Special disaster prevention area councils for petroleum industrial complexes: These are councils established with the objective of having specified business operators related to specified business establishments located in a single special disaster prevention area come together to jointly draft independent standards related to disaster prevention and to carry out joint disaster prevention drills.



The high capacity foam system

enforcement of this law was revised in November 2005 to strengthen and enhance disaster prevention systems. Furthermore, it was mandated that specified business establishments must equip themselves with new high capacity foam systems by November 2008 in order to respond to fires that fully envelop floating roof outdoor storage tanks.

High capacity foam systems are a type of firefighting equipment that consist of high capacity foam cannons, feed pumps, foam mixers, and hoses. They have the capacity to spray more than 10,000 liters of foam per minute. A single high capacity foam cannon is capable of spraying up to ten times as much foam as a conventional three-piece set (consisting of a large chemical firetruck, a large elevated water truck, and a foam solution transport vehicle).

At present, high capacity foam systems with the capacity to spray anywhere from 10,000 to 40,000 liters per minute are stationed at 12 wide-area joint disaster prevention associations throughout Japan.

(3) Enhancing Disaster Prevention Systems for Self-defense

Disaster prevention activities in petroleum industrial complexes are often difficult due to the large amount of hazardous materials, complicated facilities, and the risk of large-scale disasters. Therefore, when such disasters occur, disaster prevention organizations for self-defense and joint disaster prevention associations must carry out precise disaster prevention activities. In addition, the disaster prevention personnel responsible for said activities require extensive knowledge and skills.

The FDMA has issued standardized and visually easy to understand educational textbooks for disaster management personnel education and training, and has proposed a training model that can be used by both new and experienced personnel to acquire the knowledge and skills necessary for disaster management, such as initial response in the event of a disaster and cooperation with public firefighters, in order to strengthen disaster management structures.

4. Layout Regulations for Business Establishments

(1) Layout Regulations

Because disasters are particularly likely to spread at layout business establishments that handle large amounts of petroleum and high pressure gases, regulating each individual facility at business establishments on a standalone basis is not sufficient, and from the perspective of mitigating damage it is necessary to take measures at the establishment level.

Therefore, the Act on the Prevention of Disaster in Petroleum Industrial Complexes and Other Petroleum Facilities mandates certain standards for layout establishments regarding the layout of facility areas and the securing of passageways within the premises. It also mandates that in cases where business establishments are newly established or change their facility area layouts, they must provide notification of their plans, and after completion, they must undergo confirmation to determine whether or not the work is consistent with the relevant plans.

(2) Status of New Establishment Notifications, etc.

The total number of notifications for new establishments of or changes to layout business establishments in FY2018 came to 10, while the number of confirmations in the same year was 8. (Fig. 1-3-6)

5. Other Disaster Countermeasures

(1) Establishing Disaster Response Systems

The Act on the Prevention of Disaster in Petroleum Industrial Complexes and Other Petroleum Facilities states that specified business operators must report to firefighting agencies or locations specified by municipal mayors immediately when any abnormal phenomena occur.^{*7} It also mandates that disaster prevention organizations for self-defense, joint disaster prevention associations, and wide-area joint disaster prevention associations must take the necessary measures in order to prevent disasters from occurring and spreading.

(2) Establishing Green Buffer Zones for Disaster Prevention

In order to prevent damage in special disaster prevention areas from spreading to surrounding regions, the Act on the Prevention of Disaster in Petroleum Industrial Complexes and Other Petroleum Facilities has provisions relating to the drafting of installation plans, the share of costs to borne by business operators, and special financial measures for the establishment of green buffer zones for disaster prevention by local governments in the vicinities around said areas.

^{*6} Ring fires: Fires that occur at floating roof outdoor storage tanks all the way around the tank in the gap between the floating roof and the tank's side panel before spreading out in a ring pattern.

^{*7} Abnormal phenomena: Fires, explosions, spills of oil and other substances, and other such abnormal phenomena at specified business establishments.




Fig. 1-3-6 Status of Notifications and Confirmations for New Layout Business Establishments, etc.

(Notes) 1 Prepared based on the number of notifications received in accordance with the provisions of Articles 5 and 7 of the Act on the Prevention of Disasters in Petroleum Industrial Complexes and Other Petroleum Facilities.

2 Prepared based on the number of confirmed cases as stipulated in Article 11 of the provisions of Articles 5 and 7 of the Act on the Prevention of Disasters in Petroleum Industrial Complexes and Other Petroleum Facilities

3 The number of notifications and the number of confirmations for each fiscal year do not match because a certain amount of time is required for construction after the notification of new establishment, etc., before confirmation is made.

6. Recent Disaster Countermeasures at Petroleum Industrial Complexes

(1) Liaison Conferences of the FDMA and Related Ministries to Examine Disaster Prevention Measures at Petroleum Industrial Complexes, etc.

In the wake of the fatal explosion and fire at the Yokkaichi Plant of Mitsubishi Materials Co., Ltd. that occurred in January 2014, the FDMA, the Ministry of Health, Labour and Welfare, and the Ministry of Economy, Trade and Industry, which are the ministries and agency responsible for safety at petroleum industrial complexes, have held regular liaison conferences since FY2014.

The purpose of these liaison conferences is to exchange information on incidents, share policy trends, promote efforts by business operators to prevent disasters, and work together to take action in the event of a disaster. The ministries and agency work together to prevent disasters at petroleum industrial complexes by promoting accident prevention efforts and publishing and sharing incidentrelated information on the Internet.

In FY2018, "Guidelines for Safe Operation of Drones at Plants" were drawn up to promote the further utilization of drones for daily inspections at petroleum industrial complexes and quick inspections in the event of a disaster, and these guidelines were made known to prefectural governments, fire departments, and business establishments.

It is expected that the further use of drones will lead to improved plant safety and the elimination of occupational accidents.

Fire and Disaster Management for Petroleum Industrial Complexes, etc.; Liaison Conference of FDMA, MHLW, and METI; Website run jointly by the three organizations: https://www.fdma.go.jp/relocation/neuter/topics/ fieldList4_16.html

(2) Earthquake and Tsunami Measures for Petroleum Industrial Complexes, etc.

As there is concern about damage occurring due to the Nankai Trough Earthquake or Tokyo in Land Earthquake, based on the state of the damage done by the Great East Japan Earthquake, work is being done to enhance and strengthen disaster prevention systems at petroleum industrial complexes, etc., such as revising disaster prevention assessment guidelines and handbooks for disaster prevention efforts of self-defense disaster prevention organizations.

(3) Skill Contest for Self-defense Disaster Prevention Organizations at Petroleum Industrial Complexes, etc.

The FDMA holds a "Skill Contest for Self-Defense Disaster Prevention Organizations at Petroleum Industrial Complexes, etc." with the aim of improving the skills and morale of disaster prevention personnel such as those of self-defense disaster prevention organizations at specified business establishments.

During the contest, which will be around the time of "World Tsunami Awareness Day" on November 5, the Minister of Internal Affairs and Communications and the Commissioner of the FDMA will commend selfdefense disaster prevention organizations, etc. that achieve excellent results in safety, reliability, and promptness in a training exercise to extinguish a large-scale tank fire utilizing fire-extinguishing foam agents using a large-size chemical ladders fire pumper a foam solution transport vehicle, an elevation platform truck, and a chemical fire truck in specified business establishments.



Skill contest



Commendation Ceremony for the Self-Defense Disaster Prevention Organization Skill Contest at Petroleum Industrial Complexes, etc.

(4) Holding Investigative Committee Meetings to Strengthen the Disaster Prevention Systems of Petroleum Industrial Complexes, etc.

The FDMA holds investigative committee meetings for the purpose of enhancing the disaster prevention systems of petroleum industrial complexes.

In FY2018, it researched and examined the disaster prevention plans of petroleum industrial complexes,

etc. and disaster prevention drills conducted by disaster prevention headquarters.

To further enhance the functions of disaster prevention headquarters by facilitating the exchange of information between more disaster prevention headquarters, the FDMA has compiled and published a report on excellent examples of disaster prevention plans and disaster prevention drills of petroleum industrial complexes, etc.

-omitted-

Fire Service Structure

Japanese Original P.171

Section

1. Fire Defense Organizations

(1)Standing Firefighting Agencies

Standing firefighting agencies refers to the fire departments and fire stations established in municipalities that are staffed by full-time personnel. As of April 1, 2019, there were 726 fire departments and 1,719 fire stations throughout Japan. (Table 2-1-1)

There were 165,438 firefighters, of which 5,307 were women. (Table 2-1-1, Fig. 2-1-1)

The current fire service structures found in municipalities can largely be categorized into: [1] Municipalities with both fire departments and fire stations (so-called standing fire defense) as well as volunteer fire corps (so-called nonstanding fire defense), and [2] Towns and villages with only volunteer fire corps.

As of April 1, 2019, 1,690 municipalities had switched over to a standing fire defense structure, whereas 29 towns and villages had not done so. This brings the percentage of municipalities that have switched over to a standing fire defense structure (standing ratio) to 98.3% (100% for cities and 96.9% for towns/villages). This conversion has taken place virtually nationwide, barring some towns and villages in mountainous regions or on remote islands, with 99.96% of the population now covered by standing fire defense structures.

Of these, 289 fire departments were established by special district authorities or extended associations (22 of which were established by extended associations). The 1,110 municipalities that have organized these (371 cities, 599 towns, and 140 villages) correspond to 65.7% of the

total number of municipalities that have switched to a standing fire defense structure. Furthermore, the number of municipalities outsourcing this work comes to 143 (37 cities, 86 towns, and 20 villages), which corresponds to 8.5% of the total number of municipalities that have switched to a standing fire defense structure. (Fig. 2-1-2)

(2)Volunteer Fire Corps

Volunteer fire corps are municipal, non-standing firefighting agencies. The volunteer firefighters that comprise their members have other main occupations, and engage in fire and disaster defense activities based on their love for their hometown and a desire to protect it thinking that they should be the ones to protect their own communities themselves. They do this as local government employees in special part-time positions vested with authority and responsibility.

As of April 1, 2019, the number of volunteer fire corps throughout Japan came to 2,198, while their volunteer members numbered 831,982. They have been established in every municipality. (Table 2-1-1, Fig. 2-1-1)

Volunteer fire corps have the unique qualities of being:

- Rooted in local communities (volunteers live or work within the jurisdiction)
- Able to dispatch personnel (there are roughly 5.0-times the number of volunteers as there are regular firefighters)
- Able to respond immediately (volunteers acquire the skills and knowledge to respond to disasters through routine education and training)

By harnessing these qualities, they are able to engage in the initial firefighting when fires break out and deal with any residual fires, as well as sound warnings and carry out rescue activities when storm and flood disasters occur. In

Table 2-1-1	Current status of municipal fire defense organizations	

	C	assification		As of April 1, 2018	As of April 1, 2019	Comp	arison
		assincation		AS 01 April 1, 2010	AS 01 April 1, 2019	Change	Rate of change (%)
Fire departments				728	726	△ 2	△ 0.3
		Individual	Cities	387	385	△ 2	△ 0.5
	Breakdown	Individual	Towns/villages	52	52	0	0.0
Eiro doportmonto		Special district authorities, etc.		289	289	0	0.0
Fire departments	Fire station			1,719	1,719	0	0.0
	Branch offices			3,117	3,113	△ 4	△ 0.1
	No. of firefighters			164,873	165,438	565	0.3
		Of which, No. of fe	male firefighters	5,069	5,307	238	4.7
	Volunteer fire corps			2,209	2,198	△ 11	△ 0.5
Valuetoor fire corpo	Divisions			22,422	22,388	△ 34	△ 0.2
Volunteer fire corps	No. of volun	teer fire corps mem	bers	843,667	831,982	△ 11,685	△ 1.4
		Of which, No. of fe	male members	25,981	26,625	644	2.5

. . .

(Note) Prepared based on the Survey of "The Current Status of Fire Prevention" and "Earthquake Countermeasures" and "The Report on Personnel Changes concerning Fire Departments and Volunteer Fire Corps".




Fig. 2-1-1 Trends in the number of Firefighters and Volunteer Fire Corps

(Notes) 1 Prepared based on "The Survey of the Current Status of Fire Prevention and Earthquake Countermeasures".

2 Due to the effects of the Great East Japan Earthquake, the number of firefighters and volunteer firefighters in Iwate Prefecture, Miyagi Prefecture, and Fukushima Prefecture in 2011 were tabulated using the numbers from the previous year (as of April 1, 2010).

3 Due to the effects of the Great East Japan Earthquake, the numbers for Onagawa Town, Oshika District, Miyagi Prefecture in 2012 were tabulated using the numbers from the previous year (as of April 1, 2010).

Fig. 2-1-2 Breakdown of the establishment method for fire departments

(As of April 1, 2019)

No. of fire de	aartmanta			Munici	calities		Standing/non-standing		
No. of fire dep	Janments			Cities	Towns	Villages			
	726	1,690 municipalities	1,690	793	736	161	Municipalities with standing structures		
Individual	437	437 municipalities	437	385	51	1	Individual		
		1,110 municipalities	1,110	371	599	140	Comprised of special district authorities, etc.	Establishment method	
Special district	289	143 municipalities	143	37	86	20	Outsourced		
authorities, etc.			29	—	7	22	Municipalities with non-standing structures		
			1,719	793	743	183		Total	

(Notes) 1 Prepared based on "The Report on Personnel Changes concerning Fire Departments and Volunteer Fire Corps".

2 The 23 wards of Tokyo were tabulated as a single city for individual fire defense departments.

3 Extended associations are included under "Special district authorities."

addition, when large-scale disasters occur, they engage in activities like assisting with resident evacuations and disaster prevention, as well as providing guidance to evacuated citizens in cases where they safeguard civilians. Volunteer fire corps play a major role in ensuring the safety and security of their communities, such as by overseeing fire defense activities in an across-the-board manner. This is particularly true in towns and villages without a standing fire defense structure, where fire departments and fire stations have not been established.

In addition, volunteer fire corps engage in activities that are rooted in local communities during times of normalcy, such as raising awareness of fire prevention and disseminating first-aid treatment. They also play a major role in improving local fire prevention capabilities and revitalizing local communities.

2. Fire and Disaster Defense Facilities, etc.

(1)Maintenance of Fire Trucks and Other Vehicles

Fire departments and fire stations maintain fire pumpers, ladder-equipped vehicles (including vehicles with folding ladders), chemical fire trucks, ambulances, rescue vehicles, fire prevention helicopters, and other equipment that they need for their firefighting activities.

In addition, volunteer fire corps maintain vehicles such as fire pumpers, small power pump transport vehicles, and transport vehicles for rescue supplies. (**Table 2-1-2**)

(2) Fire Defense Communication Equipment

In order to minimize the damage from fires and other disasters, it is important to quickly become aware of said fires and disasters and have firefighting agencies rapidly arrive at the scene. In addition, it is also important to collect information and quickly and clearly issue

Table 2-1-2 Number of firefighting vehicles owned

(As of April 1, 2019) (Units: vehicles, ships, machines)

	Category	Fire departments	Volunteer fire corps	Total
Fire pumpers	3	7,749	14,065	21,814
Ladder-equip	pped vehicles	1,146	0	1,146
Chemical fire	e trucks	951	4	955
Ambulances		6,364	0	6,364
Command ve	hicles	1,772	903	2,675
Rescue vehic	cles	1,243	0	1,243
Other firefigh	ting vehicles	8,990	2,041	11,031
Small power	pumps	3,563	50,420	53,983
	Equipped on vehicles	429	35,735	36,164
Breakdown	Equipped on wheeled platforms	1,844	2,680	4,524
	Other than those above	1,290	12,005	13,295
Firefighting b	oats	39	9	48
Fire and disa	aster prevention helicopters	33	0	33

(Note) Prepared based on "The Survey of the Current Status of Fire Prevention and Earthquake Countermeasures", "The Survey on the Implementation Status of Emergency Services", and "The Survey on the Implementation Status of Rescue Work".


instructions and orders at the scene of the incident. Fire defense communication equipment plays an enormous role in such contexts. Such equipment includes dedicated phone lines for reporting fires, fire defense communication networks, and more.

A. Calls to 119

Dedicated phone lines for reporting fires refer to dedicated phone lines whereby firefighting agencies can receive emergency reports related to fires and medical emergencies from people providing notification.

The telecommunication number related to emergency reports to firefighting agencies has been set to "119" as

Fig. 2-1-3 Number of reports to 119 (by the reported details)



⁽Note) Prepared based on "The Survey of the Current Status of Fire Prevention and Earthquake Countermeasures".


per regulations on telecommunication numbers.

The number of incidents reported to 119 throughout 2018 came to 8,705,751. A breakdown of the reported details shows that the number of reported cases related to medical emergencies and rescues accounted for 71.3% of the total. (Fig. 2-1-3)

Following the recent popularization of cell phones and IP phones^{*1} (hereinafter referred to as "cell phones and other types of phones"), the number of reports to 119 from cell phones and other types of phones has risen, comprising 45.2% and 24.2% of all reports, respectively. (**Fig. 2-1-4**)

Fig. 2-1-4 Number of reports to 119 (by type of

connection)



⁽Note) Prepared based on "The Survey of the Current Status of Fire Prevention and Earthquake Countermeasures".

^{*1} IP (Internet Protocol) phones: A voice call service offered through the use of IP technology at the contact point between the telephone network and the phone terminals.

(A) Location Information Notifications for Emergency Reports to 119

While the firefighting agencies that receive 119 reports ascertain the locations of the disaster and information pertaining to it through their interaction with the caller, firefighting agencies that have installed advanced fire defense command centers can display location information, such as the reported location, on a map on a monitor when they receive a 119 call.

The Location Information Notification System, which provides firefighting agencies of the location information of 119 calls originating from cell phones and other types of phones, began operating in April 2007. The Integrated Location Information Notification System, which integrates this Location Information Notification System with the already operating New Origin Location Display System^{*2} which displayed information from landline phones, began operating in October 2009.

As of April 1, 2019, the number of fire departments that are able to determine the location information when they receive a 119 call from a cell phone or another type of phone as a result of the Location Information Notification System and Integrated Location Information Notification System is now 712 (of which 596 headquarters use the Integrated Location Information System).

(B) Nonverbal Reports

When persons with hearing or speech impairments make 119 emergency calls without using voice, they are accommodated via alternative, nonverbal means through the use of FAX or email. However, there are a number of problems with these sorts of alternative means, such as the fact that in some cases reports can only be provided from locations equipped with FAX machines, and that it takes time to convey the address and status of the person providing the report.

Therefore, since 2015 the FDMA has been investigating the use of the "Net 119 Emergency report System", which would allow individuals with hearing or speech impairments to contact 119 through buttons on the screen of their smartphone, or through character input, and in 2017, compiled standards to adopt the system in fire departments throughout Japan.

When the system is introduced in accordance with the standard specifications, the location of the emergency report will be transmitted directly to the fire department with jurisdiction based on the GPS and other location information of the smartphone, so that even those with hearing or speech impairments will be able to call 119 smoothly.

The FDMA is working toward the goal of adopting this system at all fire departments by 2020, when the Tokyo Olympic and Paralympic Games will be held.

In addition, sign language and written language have been proposed as means for the hearing or speech impaired to call 119.

Since 2013, The Nippon Foundation has been implementing a model project for a "telephone relay service" in which an operator interprets from "sign language" or "text" to "voice" to provide an immediate two-way connection between hearing or speech impaired person and non-hearing or speech impaired people. The Ministry of Internal Affairs and Communications and the Ministry of Health, Labor and Welfare held a working group on telephone relay services to study the realization of telephone relay services as a public infrastructure, and published a report in December 2019.

The FDMA is also participating in the study to create circumstances where emergency calls can be made through telephone relay services.

(C) Report from foreign nationals

As the number of foreign visitors to Japan is expected to increase further in preparation for the 2020 Tokyo Olympic and Paralympic Games, there is an urgent need to respond to 119 calls from foreign nationals.

The 119 multi-language service using 3 Way Telephone Interpretation provided by the Telephone Interpretation Center will be available 24/7 in major languages to respond promptly and accurately to 119 calls by foreign nationals, or from an emergency site where a foreign national is present. The FDMA is working toward the goal of having this system installed in all fire departments in 2020.

B. Fire Defense Communications Networks, etc.

Fire and emergency wireless radios are an important piece of equipment. They are considered necessary for situations where a fire department needs to provide instructions to fire brigades, rescue crews, and others who are active at the scenes of disasters, or for situations where orders are to be given and information collected at the scenes of fires. In addition, fire defense phone lines are dedicated phone lines that are used for communications such as simultaneously relaying information and orders when reports are received between fire departments, fire stations, and branch offices.

On the other hand, the image information recorded by the cameras equipped on fire prevention helicopters are used nationwide and in local regions through the use of satellite communication networks.

(3)Water Sources for Firefighting

Water sources for firefighting are an absolutely crucial component, together with fire trucks and other equipment, when it comes to carrying out firefighting activities. Generally speaking, these are categorized into artificial sources like fire hydrants and fire cisterns, as well as natural sources like rivers, ponds, oceans, and lakes.

With artificial sources, a certain amount of water can be drawn up at any time from near the location where the fire breaks out, and so they are frequently used as water sources while fighting a fire. Ever since the Great Hanshin-Awaji Earthquake in particular, the installation of fire cisterns and other equipment that has been seismically-reinforced against earthquakes has been actively promoted as a countermeasure for water sources for firefighting to combat large-scale earthquakes. In 2014 the Standards for Water Sources for Firefighting (FDMA Bulletin No. 7 from 1964) were revised to allow for their

^{*2} New Origin Location Display System: This is a system that notifies fire departments of the location information (address information) of the person making a report with regard to 119 reports from Nippon Telegraph and Telephone East Corporation and Nippon Telegraph and Telephone West Corporation landline phones.

(mainly artificial v	vater sources)		(As of April 1 of each year)					
Category	2018	2019	Comp	arison				
Calegory	2010	2019	Difference	Percent change(%)				
No. installed nationwide	2,470,022 (100.0)	2,483,960 (100.0)	13,938	0.6				
Fire hydrants	1,919,018 (77.7)	1,930,125 (77.7)	11,107	0.6				
Fire cistern	531,057 (21.5)	534,345 (21.5)	3,288	0.6				
20m-less than 40 m	103,487	103,166	△ 321	△ 0.3				
40 m-less than 60 m	381,669	384,700	3,031	0.8				
60 m or more	45,901	46,479	578	1.3				
Wells	19,947 (0.8)	19,490 (0.8)	△ 457	△ 2.3				

Table 2-1-3 Number of water sources for firefighting installed (mainly artificial water sources)

(Notes) 1 Prepared based on "The Survey of the Current Status of Fire Prevention and Earthquake Countermeasures".
 2 The numbers in parentheses show the proportion, and their unit is %.

installation in a systematic manner. (Table 2-1-3)

Additionally, in recent years, on top of the aforementioned concerns about earthquake-proofing, due to concerns about aging water resources for firefighting, and because demand for new resources is densely populated areas full of wooden buildings is being anticipated, according to the report "Regarding the Promotion of the Reinforcement and Maintenance of Water Resources for Firefighting" (Issue No. 272, Fire and Ambulance Division's Manager, FDMA, November 24, 2017) Municipalities are setting numerical targets for short, medium, and long term incremental maintenance goals for water resources for firefighting.

In addition, with natural water sources it is often the case that water can be taken in over a long period of time without any restrictions on the amount that can be taken. As such, these sources play an important role as a water source for firefighting together with artificial water sources. On the other hand, because there are sometimes cases where these water sources cannot be used due to the season, or because there are restrictions on where water can be drawn from, an appropriate combination of both artificial and natural water sources must be established when it comes to arranging water resources for firefighting.



Japanese Original P.204

1. Education and Training for Firefighters

It is essential to improve the knowledge and skills of firefighters to enable them to appropriately handle the increasingly diverse disaster and emergency services and the increasing sophistication of fire prevention services. As such, education and training for firefighters is incredibly important.

Education and training for firefighters is offered by all fire departments, fire stations, and volunteer fire corps, as well as by the national government through the Fire and Disaster Management College and the fire academies in the various prefectures. In addition to these, there are also emergency medical technician (EMT) training institutes that offer education designed to have rescue workers from around the country acquire national qualifications as EMTs.

As this indicates, the national government, prefectures, municipalities, and others each undertake their own respective functions as they work together in a cooperative manner to provide education and training for firefighters.

2. On-the-job Training

Every firefighting agency carries out systematic education and training (on-the-job training) based on their respective regional characteristics on a routine basis. In particular, those firefighters who are required to perform rigorous team activities based on instructions and orders at the scenes of dangerous disasters require a sense of duty and abundance of energy and vigor in order to carry out their professional duties. Therefore, fire departments work to improve their knowledge and skills and lift their morale through various types of education and training.

The firefighting agencies work to promote training activities that are safe and effective. This is done through efforts like the establishment of standards for on-the-job training at the FDMA in the form of the Standards for Fire Training Etiquette, Standards for Firefighting Techniques, and Standards for Fire and Rescue Techniques, as well as safety management manuals both for during drills and during security activities.

3. Education and Training at Fire Academies

(1) Establishment of Fire Academies

The provisions of Article 51 of the Fire Organization Act mandate that prefectures must establish fire academies independently or jointly, except in cases where financial circumstances or other special circumstances prevent them from doing so. In addition, the provisions stipulate that ordinance-designated cities can also establish fire academies independently or jointly together with the prefectures. As of April 1, 2019, fire academies had been established in all 47 prefectures, seven ordinance-designated cities (Sapporo, Chiba, Yokohama, Nagoya, Kyoto, Kobe, and Fukuoka), and in the Tokyo Fire Department for a total of 55 such academies throughout Japan (in the Tokyo Metropolitan Region, there are two schools that have been jointly established: The Tokyo Metropolitan Fire Defense Training Center and the Tokyo Fire Department's Fire Academy).

With the objective of establishing and operating fire academies, the FDMA established the "Standards for the Establishment, Staffing, and Operation of Fire Academies," and works to maintain and advance the level of education and training available at fire academies.

(2) Types of Education and Training

The Education and Training Standards for Fire Academies (hereinafter referred to as "standards") have been established to serve as standards for the education and training offered at fire academies. The fire academies formulate specific curricula out of respect for the "achievement goals" stipulated in the standards and by using the "Standard subjects and class hours" found therein as reference guidelines.

The types of education and training offered include initial education, specialized education, management education, and special education for firefighters, as well as basic education, specialized education, management education, and special education for volunteer firefighters.

• Initial education refers to foundational education and training offered to all newly-hired firefighters. The standards designate that 800 hours of class time is required for this.

• Basic education refers to basic education and training offered to those people who must acquire knowledge and skills as volunteer firefighters after joining a volunteer fire corps due to their limited experience. The standards designate that 24 hours of class time is required for this.

• Specialized education refers to expert education and training related to specific fields offered to active duty firefighters and mainly those volunteer firefighters who have completed their basic education.

• Management education refers to the education and training that is generally required for fire defense management, and is offered to management personnel and prospective candidates expected to advance onto management.

• Special education refers to education offered for special objectives that fall outside the bounds of the education and training mentioned above.

(3) Enhancing and Strengthening the Education and Training at Fire Academies

Sophisticated firefighting activities are required due to the increasing size and complexity of disasters. In addition, prevention work also continues to grow increasingly sophisticated and specialized as a result of revisions to fire defense laws and ordinances.

Within this context, the knowledge and skills that firefighters need in order to properly carry out their professional duties must be further improved. Therefore, partial revisions were made to both the Standards for the Establishment, Personnel, and Operation of Fire Academies and the Education and Training Standards for Fire Academies in March 2015 with the goal of working to enhance and strengthen the education and training offered at fire academies.

As part of the revisions, facilities capable of holding practical training by simulating actual disasters (simulated firefighting training equipment, earthquake training facilities, etc.) were added to the standards. In addition, the method for calculating the number of teaching personnel at fire academies was revised out of consideration for safety management, and revisions to the required subjects and class hours were also made based on the needs and challenges of firefighting.

(4) Enrollment in Education and Training

In FY2018 a total of 32,044 firefighters attended education and training at fire academies. (**Table 2-4-1**)

As for volunteer firefighters, in FY2018 a total of 37,470 attended education and training either at fire academies or through the dispatch of teachers from said academies. (Table 2-4-2)

Since volunteer firefighters each have their own main occupations, in cases where it is determined that it will be difficult to adequately provide them with education and training at a fire academy, it has been stipulated that teachers from said academies can be dispatched locally to provide education and training. Many fire academies have adopted this approach.

Furthermore, education and training is also provided by fire academies to people other than volunteer firefighters to the extent that doing so does not interfere with the education and training of said members. In FY2018, education and training were provided to a total of 17,275 people, from local voluntary disaster prevention organizations and others.

Table 2-4-1 Holding of education and training aimed at firefighters (people)

		(people)
	FY2017	FY2018
Initial education	5,386	5,364
Specialized education	10,244	10,017
Fire Suppression Class	940	1,201
Special Disaster Class	699	704
Preventive Inspection Class	1,003	1,112
Hazardous Material Class	496	447
Fire Inspection Class	1,326	1,130
Ambulance Class	4,096	3,748
Associate Ambulance Class	8	-
Rescue Class	1,676	1,675
Management education	3,182	3,835
Introductory Management Class	1,950	2,301
Intermediate Management Class	893	1,131
Advanced Management Class	339	403
Special education	12,179	12,828
Total	30,991	32,044

(Note) Prepared based on "The Survey on Education and Training at Fire Academies".

4. Education and Training and Technical Assistance at the Fire and Disaster Management College

The Fire and Disaster Management College provides the advanced education and training needed for management to the personnel engaged in firefighting operations at the national and prefectural level, as well as to municipal volunteer firefighters. In addition, it also provides the necessary technical assistance related to education and training for fire academies at the prefectural level.

(1) Facilities and Equipment

The Fire and Disaster Management College's education and training facilities consist of a main building, a secondary building, training facilities, and a dormitory.

The main building contains a large classroom that can

(people)

Table 2-4-2 Enrollment in education and training aimed at volunteer firefighters

				FY2018	(people)
	Cate	gory	School education	Teacher dispatch	Total
Basic ed	ucation		3,925	3,983	7,908
Specializ	ed education		2,121	0	2,121
	Fire Suppression CI	ass	847	0	847
	Machinery Operation	n Class	1,274	0	1,274
Managen	nent education		7,421	106	7,527
	Introductory Manage	ement Class	1,999	82	2,081
	Supervisory Manage	ement Class (Whole)	751	0	751
		Branch Supervisor Course	2,206	24	2,230
		Local command Course	2,465	0	2,465
Special e	education		8,527	11,387	19,914
	То	tal	21,994	15,476	37,470

(Note) Prepared based on "The Survey on Education and Training at Fire Academies".

* The Intermediate Management Class was replaced with the Supervisory Management Class through the partial revisions to the education and training standards for fire academies from March 2014.

* The Supervisory Management Class was counted as having completed the Branch Supervisor Course and the Local Command Course.

accommodate 250 people, three regular classrooms, an audiovisual classroom, a scientific combustion laboratory, and a library, as well as disaster training rooms for training situational judgment and command skills by experiencing a variety of simulated disasters.

The secondary building contains an auditorium that can accommodate 300 people, as well as rescue training rooms, special classrooms, an indoor training ground, and more.

The training facilities consist of a 4-story low-rise training building and an 11-story high-rise training tower. In addition, these also include a training facility where trainees can experience the same changes in the environment as an actual fire scene by burning wood in a container.

The dormitory has a south wing that can accommodate 172 people and a north wing that can accommodate 52. In addition, it has been equipped with dedicated facilities for women, including the bathrooms, restrooms, changing rooms, and lounges women need for dormitory life.

As for education and training vehicles, the college is equipped with command vehicles, ordinary pump vehicles, pump vehicles equipped with water tanks, rescue work vehicles, special disaster chemical response vehicles, disaster support vehicles, and high-grade emergency vehicles.

(2) Enrollment in Education and Training

The Fire and Disaster Management College turned out 1,082 graduates from its comprehensive classes and specialized classes, and 635 graduates from its practical courses in FY2018. This brings the total number of its graduates from the time it was founded up through FY2018 to 62,695.

Furthermore, its capacity numbered 1,932 people in FY2019. (Table 2-4-3)

The college's classes were substantially reorganized in FY2006, following which reviews have been carried out where appropriate based on the needs of the attendees. As a result, in FY2018, 22 classes and 13 practical courses were held during the year.

Regarding the education and training contents of each course, the following subjects have been incorporated in response to new issues arising from changes in social conditions and in accordance with the objectives of each department: harassment prevention, mental health, traumatic stress management, crisis management, public relations, and litigation response.

Furthermore, efforts are being made to round-out the contents of the curriculum, such as by adding in training that simulates commanding during a fire, simulation training for receiving assistance during a large-scale earthquake, and other such drills that make using of information systems, as well as the implementation of



Training that simulates the experience of being in an actual fire (hot fire training)



Training that simulates the experience of being in an actual fire (hazardous material fire)



Drill on responding to mass casualties

Table 2-4-3 Education and training implementation status

			FY2018 (actua	l performance)				FY2019 (planned)
		Category	No. of times held (times)	Graduates (people)	No. of times held (times)	Capacity (people)	Time	Educational goals
	Co	Management Class	4	285	4	240	2 months	To provide comprehensive training in advanced knowledge and techniques related to firefighting as well as train personnel to become senior firefighters.
	Comprehensive	Advanced Management Class	1	41	1	54	2 weeks	To improve the qualifications of personnel currently serving as senior firefighters through training in advanced knowledge and skills related to firefighting.
	ive education	New Fire Chief/Principal Orientation Class	2	41	2	102	2 weeks	To provide comprehensive training in the knowledge and skills needed by newly appointed fire chiefs and fire academy principles for their positions.
	tion	Volunteer Fire Corps Management Class	2	66	2	72	1 week	To provide comprehensive training to senior management at volunteer fire corps in the knowledge and skills they will need for their positions.
		Fire Suppression Class	2	120	2	120	2 months	To provide specialized training in the skills and knowledge related to fire suppression in order to improve the quality of rescue workers and educators.
		Rescue Class	2	119	2	120	2 months	To provide specialized training in the skills and knowledge related to rescue work in order to improve the quality of rescue workers and educators.
Classes	Spe	Emergency Medical Service Class	1	48	1	48	1 month	To Improve the qualifications of rescue work instructors by having emergency rescue team leaders and others acquire advanced knowledge and skills in a comprehensive manner (including education for fostering EMTs to offer instruction).
	Specialized	Prevention Class	2	95	2	96	2 months	To provide specialized training in the skills and knowledge related to fire prevention in order to improve the quality of rescue workers and educators.
	education	Hazardous Substances Class	1	42	1	42	1 month	To provide specialized training in the skills and knowledge related to hazardous material safety in order to improve the quality of hazardous material safety workers and educators.
		Fire Survey Class	2	96	2	96	2 months	To provide specialized training in the skills and knowledge related to fire investigation in order to improve the quality of fire investigators and educators.
		New Teacher Orientation Class	1	66	1	60	2 weeks	To provide specialized training to new fire academy education and training instructors in the knowledge and skills they will need for the position.
		In-service teachers	2	63	2	72	1 week	To improve the ability of existing fire academy education and training instructors to comprehensively lead instruction on operational management, fire prevention operations, and fire suppression operations.
	Sul	btotal	22	1,082	22	1,122		
	Ēm	Commanding Officer Course	2	75	2	96	2 weeks	To provide the command support battalion cheif of Emergency Fire Response Teams with the knowledge and skills they will need for their work.
	Emergency Fire	Advanced Rescue/Special Advanced Rescue Course	1	66	1	66	2 weeks	To provide the leaders of advanced rescue teams and special advanced rescue teams with the knowledge and skills they will need for their work.
	Response	NBC Course	1	72	1	72	3 weeks	To provide NBC disaster personnel on Emergency Fire Response Teams with the knowledge and skills they will need for NBC disaster response duties.
	œ	Air Corps Officer Course	1	63	1	84	2 weeks	To provide firefighting and fire defense air patrol commanders with the knowledge and skills they will need for their work.
Pra	Crisis m	Crisis Management/Public Protection Course	1	59	1	96	1 week	To provide crisis managers, fire defense managers, and those in charge of protecting the public at local public bodies with the knowledge and skills they will need for their work.
Practical courses	Crisis management/firefighting	Voluntary Disaster Prevention Organization Training Course	1	63	1	72	1 week	To provide those in charge of training at voluntary disaster prevention organizations with the knowledge and skills they will need for their work.
es	firefighting ec	Short-term Voluntary Disaster Prevention Organization Training Course	2	95	2	128	2 days	To provide the personnel in charge of the task of training voluntary disaster prevention organizations with the basic knowledge and skills they will need for their work.
	education	Volunteer Fire Corps Revitalization Course	1	34	2	96	1 week	To provide those involved in volunteer fire corps duties and education/ training with the knowledge and skills they will need for their work.
	the	urses encouraging active involvement women	1	60	1	52	2 weeks	To support the career development of female firefighting officials who are candidates for management positions and provide them with the knowledge and skills they need to expand their career opportunities.
		pection operations nagement course	1	48	1	48	1 week	To provide personnel at or above the section head-level who supervise preventive operations at fire departments with the knowledge and skills needed to perform management for inspection operations as a whole, such as handling violations.
	Sul	btotal	12	635	13	810		
		Total	34	1,717	35	1,932		

firefighting drills (hot training) in environments similar to real fires utilizing the real fire training facilities.

Moreover, some of the classes incorporate learning in advance over the internet (e-learning) in an effort to provide efficient education and training within a limited period of time.

And, in order to expand training opportunities for women, 5% of the capacity of each department has been set as a priority quota for female firefighters to promote women's entry into the school, and a Women's Activity Promotion Course, which is a practical training course designed to support the career development of female firefighters, is available, as is a "Fire Academy Forum" with the theme of promoting women's activity.

Furthermore, in preparation for holding large international events (such as the 2020 Tokyo Olympic and Paralympic Games) the NBC course has been increased from 10 days to 15 days from 2018 until the year of the Olympic's opening ceremony 2020, in order to strengthen Japan's NBC response capabilities.

In FY2018, with the aim of improving on-site command and decision making capabilities in the event of fire in an area densely packed with wooden houses, the Fire and Disaster Management College is incorporating training utilizing units in the form of apartment buildings that form a town and can provide practical experience.

(3) Technical Assistance for Fire Academies

The education and training provided at prefectural fire academies must be enhanced and strengthened owing to the increasing diversity and growing scale of the situations resulting from natural disasters, fires, and accidents. The Fire and Disaster Management College provides the following sorts of technical assistance in order to achieve this.

A. Education and Training for Fire Academy Principals and Teachers

Education and training for newly-appointed fire academy principals and teachers is provided via classes specifically for newly appointed fire chiefs, fire academy school principals, and teachers, including existing teachers. Furthermore, the classes for newly-appointed teachers and in-service teachers provide education centered mainly around learning teaching techniques. In addition, they also incorporate practices in which teachers actually give lectures, and provide training for educational leaders at the fire academies.

The classes for people other than newly-appointed teachers and existing teachers also strive to foster educational leaders as one of their objectives, and offer training on teaching techniques and practice with giving lectures as part of this.

B. Dispatch of Lecturers

Lecturers on fire suppression duty, prevention, ambulance service, rescue, and other forms of fire service administration and firefighting techniques are dispatched in response to requests from fire academies in order to enhance the educational content at said academies. Lecturers were dispatched a total of 131 times in FY2018.

C. Editing Firefighting Textbooks

The FDMA edits the textbooks for beginners that are used at the fire academies. As of April 2019, it had issued 21 types of textbooks.

D. Providing Information on Lecturers, etc.

The FDMA provides a roster of the names of graduates from the Fire and Disaster Management College, information on lecturers, and more. This is designed to secure lecturers who have acquired a certain level of knowledge and skills in specialized areas, as well as to contribute to further improving the quality of the education and training offered by the fire academies.

(4) Special Lectures

The FDMA is planning special lectures in anticipation for the Rugby World Cup 2019 and the 2020 Tokyo Olympic and Paralympic Games to be held for four years in the prefectures where the venues for these events are located at 16 sites. In FY2019, special lectures on topics like safety management, responding to mass casualties, and NBC responses were held at four locations in Miyagi, Fukushima, Ibaraki and Chiba Prefecture.



Japanese Original P.209

1. Implementation of Ambulance Services

(1) Ambulance Service Dispatch

Ambulance services were dispatched a total of 6,605,213 times in 2018 (an increase of 263,066, or 4.1%, from the previous year). This has consistently continued to trend upward since the year 2004, when the number of cases exceeded 5 million for the first time. Looking at the daily average, ambulance services were dispatched an average of approximately 18,096 times per day (an increase of approximately 720 compared to the previous year), meaning that ambulance service teams were dispatched at a rate of once every 4.8 seconds or so (5.0 seconds in the previous year).

Furthermore, the number of people transported by ambulance has also consistently continued its upward swing, totaling 5,960,295 people (an increase of 224,209 people, or 3.9%, from the previous year). This means that one out of every 21 members of the public has been transported by an ambulance service team (one out of every 22 people in the previous year). Looking at this by the type of accident that led people to be transported by an ambulance reveals that 3,891,040 people (65.3%) were transported due to sudden illness, 912,346 people (15.3%) suffered a general injury, 441,582 people (7.4%) suffered a traffic accident, and so on. (Table 2-5-1, Table 2-5-2, Attachment 2-5-1, 2, untranslated)

The number of times fire and disaster prevention helicopters were dispatched came to 3,128 (a decrease of 242 from the previous year), and 2,318 people were transported by them (a decrease of 260 from the previous year).

(2) People Transported by the Severity of Their Injury or Illness

Of the 5,960,295 people transported by ambulances in 2018, approximately half were people with minor injuries or illnesses that did not require hospitalization (outpatient care) or other cases (cases where a doctor did not provide a diagnosis, etc.). (Table 2-5-3)

(3) People Transported by Ambulance by Age Group and Type of Accident

Viewing a breakdown of the 5,960,295 people transported by ambulance in 2018 by age group reveals that 13,317 of them were newborn infants (0.2%), 266,032 were young children (4.5%), 205,897 were youths (3.5%), 1,935,986 were adults (32.5%), and 3,539,063 were elderly people (59.4%). As the aging of society advances, the share accounted for by elderly people will continue to trend upwards year by year (an increase of 0.6% from

Table 2-5-1 Trends in the number of ambulance services and number of people transported

people tr	ansporte	ed									(During	each year)
Category		No. of ambul	ance service	dispatch			Peop	le transported	i			
Year	Total No. of ambulance service dispatch	Of which No. via ambulance (A)	Of which No. via fire and disaster prevention helicopter	Difference/ change(% previous) from	Total No. of people transported	Of which No. via ambulance	Of which No. via fire and disaster prevention helicopter	Difference/ change from previou	(%)	Of(A), No. of dispatch due to sudden illness (B)	Ratio of (B) to (A) (%)
2003	4,832,900	4,830,813	2,087	274,951	(6.0)	4,577,403	4,575,325	2,078	245,486	(5.7)	2,819,620	58.4
2004	5,031,464	5,029,108	2,356	198,564	(4.1)	4,745,872	4,743,469	2,403	168,469	(3.7)	2,953,471	58.7
2005	5,280,428	5,277,936	2,492	248,964	(4.9)	4,958,363	4,955,976	2,387	212,491	(4.5)	3,167,046	60.0
2006	5,240,478	5,237,716	2,762	▲39,950	(▲0.8)	4,895,328	4,892,593	2,735	▲63,035	(▲1.3)	3,163,822	60.4
2007	5,293,403	5,290,236	3,167	52,925	(1.0)	4,905,585	4,902,753	2,832	10,257	(0.2)	3,223,990	60.9
2008	5,100,370	5,097,094	3,276	▲193,033	(▲3.6)	4,681,447	4,678,636	2,811	▲224,138	(▲4.6)	3,102,423	60.9
2009	5,125,936	5,122,226	3,710	25,566	(0.5)	4,686,045	4,682,991	3,054	4,598	(0.1)	3,141,882	61.3
2010	5,467,620	5,463,682	3,938	341,684	(6.7)	4,982,512	4,979,537	2,975	296,467	(6.3)	3,389,044	62.0
2011	5,711,102	5,707,655	3,447	243,482	(4.5)	5,185,313	5,182,729	2,584	202,801	(4.1)	3,562,208	62.4
2012	5,805,701	5,802,455	3,246	94,599	(1.7)	5,252,827	5,250,302	2,525	67,514	(1.3)	3,648,074	62.9
2013	5,918,939	5,915,683	3,256	113,238	(2.0)	5,348,623	5,346,087	2,536	95,796	(1.8)	3,732,953	63.1
2014	5,988,377	5,984,921	3,456	69,438	(1.2)	5,408,635	5,405,917	2,718	60,012	(1.1)	3,781,249	63.2
2015	6,058,190	6,054,815	3,375	69,813	(1.2)	5,481,252	5,478,370	2,882	72,617	(1.3)	3,851,978	63.6
2016	6,213,628	6,209,964	3,664	155,438	(2.6)	5,624,034	5,621,218	2,816	142,782	(2.6)	3,975,380	64.0
2017	6,345,517	6,342,147	3,370	131,889	(2.1)	5,738,664	5,736,086	2,578	114,630	(2.0)	4,061,989	64.0
2018	6,608,341	6,605,213	3,128	262,824	(4.1)	5,962,613	5,960,295	2,318	223,949	(3.9)	4,294,924	65.0

(Note) Prepared based on "The Annual Report on Ambulance Service" and "The Survey on the Current Status of Fire and Disaster Prevention and Earthquake Countermeasures".

	During	2017	During	: 2018	Yo	(During each year
By type of accident	No. of dispatch (People transported)	Composition rate (%)	No. of dispatch (People transported)	Composition rate (%)	Difference	Rate of change (%)
Sudden illness	4,061,989	64.0	4,294,924	65.0	232,935	5.7
	(3,686,438)	(64.3)	(3,891,040)	(65.3)	204,602	5.6
Traffic accident	481,473	7.6	459,977	7.0	-21,496	-4.5
	(466,043)	(8.1)	(441,582)	(7.4)	-24,461	-5.2
General injury	965,376	15.2	997,804	15.1	32,428	3.4
	(883,375)	(15.4)	(912,346)	(15.3)	28,971	3.3
Self-inflicted injury	52,347	0.8	51,994	0.8	-353	-0.7
	(35,377)	(-0.7)	(35,156)	(0.6)	-221	-0.6
Work-related injury	53,579	0.8	58,891	0.9	5,312	9.9
	(52,189)	(0.9)	(57,500)	(1.0)	5,311	10.2
Assault	33,754	0.5	32,709	0.5	-1,045	-3.1
	(25,957)	(0.5)	(25,038)	(0.4)	-919	-3.5
Sports/athletics	42,356	0.7	43,785	0.7	1,429	3.4
	(41,950)	(0.7)	(43,349)	(0.7)	1,399	3.3
Fire	23,169	0.4	22,925	0.3	-244	-1.1
	(5,331)	(0.1)	(5,393)	(0.1)	62	1.2
Drowning	5,060	0.1	5,249	0.1	189	3.7
	(2,327)	(0.0)	(2,318)	(0.0)	-9	-0.4
Natural disaster	755	0.0	2,540	0.0	1,785	236.4
	(524)	(0.0)	(1,957)	(0.0)	1,433	273.5
Other	622,289	9.8	634,415	9.6	12,126	1.9
	(536,575)	(9.4)	(544,616)	(9.1)	8,041	1.5
Total	6,342,147	100	6,605,213	100	263,066	4.1
	(5,736,086)	(100)	(5,960,295)	(100)	224,209	3.9

Table 2-5-2 Trends in the number of ambulance dispatch by type of accident and the number of people transported (During each year)

(Notes) 1 Prepared based on "The Annual Report on Ambulance Service".

2 Digits in the second decimal place were rounded off, so in some cases the totals may not be consistent.

Table 2-5-3 Number of people transported by ambulance by type of accident and severity of their injury / illness (During 2018)

						(2 4
Category Type of incident	Death	Serious (Lengthy hospitalization)	Moderate (Hospitalization)	Minor (Outpatient care)	Other	Total
Sudden illness	63,122	292,868	1,640,085	1,893,680	1,285	3,891,040
	(1.6)	(7.5)	(42.2)	(48.7)	(0.0)	(100)
Traffic accident	1,871	17,061	88,206	334,124	320	441,582
	(0.4)	(3.9)	(20.0)	(75.7)	(0.1)	(100)
General injury	5,635	57,615	312,755	535,862	479	912,346
	(0.6)	(6.3)	(34.3)	(58.7)	(0.1)	(100)
Other	7,511	119,869	440,972	145,880	1,095	715,327
	(1.1)	(16.8)	(61.6)	(20.4)	(0.2)	(100)
Total	78,139	487,413	2,482,018	2,909,546	3,179	5,960,295
	(1.3)	(8.2)	(41.6)	(48.8)	(0.1)	(100.0)

(Notes) 1 Prepared based on "The Annual Report on Ambulance Service".

2 The severity of injuries or illnesses at the time of the initial medical examination are classified as follows.

(1) Dead: Persons confirmed to be dead at the time of the initial medical examination

(2) Severe condition (lengthy hospitalization): Persons whose injury or illness is so severe that they require hospitalization lasting three weeks or longer

(3) Moderate condition (hospitalization): Persons whose injury or illness are neither severe nor mild

(4) Mild condition (outpatient care): Persons whose injury or illness does not require hospitalization

(5) Other: Persons who have not been diagnosed by a physician, persons for whom the extent of their injury or illness is not clear, or persons who were transported to another location

* Since the extent of injuries or illnesses are categorized by using the amount of hospitalization required as the criteria, mild condition includes persons who required treatment at a hospital in the early stages and persons who required treatment at a hospital on a regular basis.

3 The numbers in parentheses show the proportion, and their unit is %.

4 Digits in the second decimal place were rounded off, so in some cases the totals may not be consistent.

the previous year). (Fig. 2-5-1, Attachment 2-5-3, untranslated)

Furthermore, elderly people accounted for the largest percentage of the people transported by ambulance for sudden illnesses (2,411,050 people, or 62.0%), while the largest percentage transported for traffic accidents consisted of adults (270,309 people, or 61.2%) and the largest percentage for general injuries consisted of elderly people (621,929 people, or 68.2%). (Attachment 2-5-3, untranslated)

(4) Time Required to Arrive at the Scene

Looking at a breakdown of the 6,605,213 cases in which ambulances were dispatched in 2018 by the time required to arrive at the scene (time it took to arrive at the scene after the 119 report was received) reveals that in the majority of cases it took between five and ten minutes (4,071,362 cases, or 61.6% of the total). (Fig. 2-5-2)

Additionally, the average time required to arrive at the scene came to 8.7 minutes (8.6 minutes, the previous year), and 1.0 minutes longer than it was ten years ago (2008). (**Fig. 2-5-4**)

(5) Time Required to Check the Patient into a Hospital

Looking at a breakdown of the 5,960,295 people transported by ambulance in 2018 by the time required to check the patient into a hospital (time required to check the patient into a hospital after the 119 report was received) reveals that the majority of people were checked in between 30 and 60 minutes at 3,757,152 people (63.0%). (Fig. 2-5-3)

In addition, the average time required to check the patient into a hospital came to 39.5 minutes (39.3 minutes, the previous year), and 4.5 minutes longer than it was ten years ago (2008). (Fig. 2-5-4)

(6) First-aid Treatment Administered by Ambulance Team Members

Of the 5,960,295 people transported by ambulances in 2018, ambulance team members administered first-aid treatment to 5,837,390 patients (97.9%). This brings the total number of cases in which ambulance crew members administered first-aid treatment to 22,549,804. (Table 2-5-4)




Fig. 2-5-1 Trends in the composition rate for people transported by age group

(Notes) 1 Prepared based on "The Annual Report on Ambulance Service".

The age groups are divided up as follows:

2

(1) Newborn infants: People who are less than 28 days old


(2) Young children: People between the ages of 28 days and 7 years

- (3) Adolescents: People between the ages of 7 and 18 years
- (4) Adults: People between the ages of 18 and 65 years
- (5) Elderly people: People age 65 or older

3 Digits in the second decimal place were rounded off, so in some cases the totals may not be consistent.

Furthermore, the total number of cases in which first-aid treatment was administered by ambulance crew members since their expansion in 1991 (items with * symbol in **Table 2-5-4**) came to 16,003,545 (a 5.1% increase year-on-year (YoY)). Of these, the number of cases in which EMTs administered first-aid treatment in order to resuscitate a patient (defibrillation^{*1} (including cases administered

Fig. 2-5-2 No. of dispatch by time required for the ambulance to arrive at the scene




(Notes) 1 Prepared based on "The Annual Report on Ambulance Service".

2 Digits in the second decimal place were rounded off, so in some cases the totals may not be consistent.


by non-EMT ambulance crews), tracheal intubation,^{*2} ensuring respiratory tracts using laryngeal masks, etc.,^{*3} ensuring intravenous channels,^{*4} drug administration,^{*5} Use of self-injectable adrenaline preparations,^{*6} measuring blood sugar,^{*7} and administration of grape sugar^{*8}) came to 235,749 (an increase of 19,928 from the previous year), which is a roughly 9.2% increase year on year.

Fig. 2-5-3 No. of people transported by ambulance by time it took to check them into a hospital



⁽Notes) 1 Prepared based on "The Annual Report on Ambulance Service".

Fig. 2-5-4 Trends in the amount of time it takes ambulances to arrive at the scene and the time it takes to check the patient into a hospital



(Notes) 1 Prepared based on "The Annual Report on Ambulance Service".

2 Due to the effects of the Great East Japan Earthquake, the figures were totaled by excluding data from the Kamaishi Ootsuchi District Administrative Office Fire Department and the Rikuzentakata City Fire Department from 2010 and 2011.

*6 Measuring blood sugar: The measurement of blood sugar levels in sick or injured patients with impaired consciousness.

² Digits in the second decimal place were rounded off, so in some cases the totals may not be consistent.

^{*1} Defibrillation: This refers to the application of electrical shock to lethal arrhythmia (ventricular fibrillation) whereby minor tremors in the heart, such as heart spasms, make it impossible for blood to flow, as a means of dispelling said tremors.

^{*2} Tracheal intubation: A process of securing the airway via the larynx with endotracheal tube.

^{*3} Laryngeal mask: This is a type of ventilation tube used to ensure the openness of the respiratory tract. It is fastened in place so as to cover the larynx to ensure open breathing channels.

^{*4} Ensuring intravenous channels: A process of securing transfusion channels by inserting needles or tubes intravenously. Ensuring intravenous channels makes it possible to administer medications intravenously right away when they are needed.

^{*5} Drug administration: This refers to administering adrenaline (also called epinephrine; simply called "adrenaline" hereinafter) under the specific instructions of a doctor.

^{*7} Administration of grape sugar: This refers to the act of administering grape sugar under the specific instructions of a doctor.

^{*8} Use of self-injectable adrenaline preparations: In cases where sick or injured patients whose lives are at risk from anaphylactic shock have been prescribed self-injectable adrenaline formulations in advance, EMTs will administer said adrenaline via self-injectable adrenaline preparations.

	Type of incident	Sudden illness	Traffic accident	Ordinary injury	Other	(During 20 ⁻ Total
of ne	cople transported who were given first-aid treatment	3,820,761	428,738	888,235	699.656	5,837,39
<u> </u>		22,087	20,835	77,563	16,816	137,3
Sta	nching bleeding	(0.1)	(1.2)	(2.4)	(0.6)	(0
Con	rering	26,623	77,540	192,338	37,602	334,1
000		(0.2)	(4.6)	(5.9)	(1.4)	(1
Imn	nobilization	41,199	184,495	161,734	46,631	434,0
-		(0.3)	(11.0)	(4.9)	(1.8)	(1
Kee	ping warm	1,076,830 (7.2)	80,902 (4.8)	225,293 (6.9)	175,735 (6.6)	1,558,7 (6
		792,990	33,022	56,633	192,888	1,075,5
Oxy	rgen inhalation	(5.3)	(2.0)	(1.7)	(7.3)	(4
Arti	ficial respiration	32,730	851	3,395	4,917	41,8
		(0.2)	(0.1)	(0.1)	(0.2)	(0
Pre	ssure on sternum	9,214 (0.1)	296 (0.0)	1,086 (0.0)	1,151 (0.0)	11,7 (0
	*Cases involving automatic chest compression device	2,731	53	328	286	3,3
-	Cases involving automatic cliest compression device	100,473	2,836	11,180	11,280	125,7
Car	diopulmonary resuscitation	(0.7)	(0.2)	(0.3)	(0.4)	125,7
	*Cases involving automatic chest compression device	14,097	312	1,662	1,421	17,4
*0-		38,112	315	3,367	3,734	45,5
-00	ntinuation of home medical treatment	(0.3)	(0.0)	(0.1)	(0.1)	(0
*Me	dical Anti-shock trousers	43	8	8	10	
		(0.0)	(0.0)	(0.0)	(0.0)	(0
*Me	asuring blood pressure	3,509,181 (23.5)	410,322 (24.5)	820,301 (25.0)	641,804 (24.3)	5,381,6 (23
		1,206,130	132,701	171,813	152,373	1,663,0
*Lis	tening for heartbeat/sounds of breathing	(8.1)	(7.9)	(5.2)	(5.8)	1,003,0
***	envirente la conservation la colo	3,612,250	416,322	850,811	668,508	5,547,8
⁻ Me	asuring blood oxygenation levels	(24.2)	(24.8)	(26.0)	(25.3)	(24
*EC	G measurements	2,337,629	121,823	284,396	344,829	3,088,6
		(15.6)	(7.3)	(8.7)	(13.0)	(13
Ens	uring respiratory tracts	163,154 (1.1)	4,560 (0.3)	16,580 (0.5)	19,167 (0.7)	203,4 ((
	*Cases involving nasal airways	8,077	134	815	1,040	10,0
	*Cases involving laryngoscope, forceps, etc.	6,326	123	3,131	470	10,0
	*Cases involving laryngeal mask, etc.	35,534	679	2,819	2,620	41,6
	*Cases involving tracheal intubation	7,097	153	2,334	868	10,4
		11,425	188	526	782	12,9
*De	fibrillation	(0.1)	(0.0)	(0.0)	(0.0)	(0
*En	suring intravenous lines	60,009	2,038	5,837	4,633	72,5
		(0.4)	(0.1)	(0.2)	(0.2)	(0
	*Cases before CPA	20,900	1,218	1,232	1,158	24,5
	*Cases after CPA	39,149	826	4,608	3,479	48,0
*Dru	ug administration	24,887	574	2,850	2,212	30,5
<u> </u>		(0.2)	(0.0)	(0.1)	(0.1)	((
*Me	asuring blood sugar	55,703 (0.4)	458 (0.0)	1,388 (0.0)	1,001 (0.0)	58,5 (0
-		8,731	34	34	57	8,8
*Ad	ministration of grape sugar	(0.1)	(0.0)	(0.0)	(0.0)	(0
*90	If-injectable adrenaline preparation	197	6	40	35	2
Se		(0.0)	(0.0)	(0.0)	(0.0)	(0
Oth	er treatments	1,821,846	187,090	391,187	316,620	2,716,7
-		(12.2)	(11.2)	(11.9)	(12.0)	(12
	Total	14,951,443 (100)	1,677,216 (100)	3,278,360 (100)	2,642,785 (100)	22,549,8 (1)
		(100)	(100)	(100)	(100)	(1)

Table 2-5-4 First-aid Treatment Administered by Ambulance Team Members

(Notes) 1 Prepared based on "The Annual Report on Ambulance Service".

Prepared based on "The Annual Report on Ambulance Service".
 Since there are cases in which several types of first-aid treatment were administered to one person, the totals for the number of people transported who received first-aid treatment and the items on first-aid treatment by type of incident do not align.
 The numbers in parentheses show the proportion, and their unit is %.
 The * symbol indicates first-aid treatment items that were expanded in 1991.
 Shows the first-aid treatments administered to sick and injured patients transported by ambulance.

Table 2-5-5	Trends in the	number of r	municipalities	offering	ambulance services
-------------	---------------	-------------	----------------	----------	--------------------

Table 2-5-5 Trend	able 2-5-5 Trends in the number of municipalities offering ambulance services (As of April 1 of each year															ch year)
Category Group	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
No. of municipalities	3,048	2,352	1,784	1,769	1,753	1,742	1,692	1,689	1,685	1,685	1,686	1,689	1,690	1,690	1,690	1,690
Municipal implementation rate (%)	98.3	98.2	98.0	98.0	98.0	98.0	97.9	97.9	98.0	98.0	98.0	98.3	98.3	98.3	98.3	98.3
Population coverage rate (%)	99.9	99.9	99.9	99.9	99.9	99.9	99.9	99.9	99.9	99.9	99.9	99.9	99.9	99.9	99.9	99.9

(Note) Prepared based on "The Annual Report on Ambulance Service".

2. Implementation Structure for Ambulance Services

(1) Number of Municipalities Offering Ambulance Services

The number of municipalities offering ambulance services as of April 1, 2019 totaled 1,690 municipalities (793 cities, 736 towns, and 161 villages) (the special wards of Tokyo were counted as one city; the same hereinafter).

Ambulance services are offered in 98.3% of municipalities (same as last year), and cover 99.9% of the total population (same as last year; the population used is from the 2015 national census; the same hereinafter), which means that ambulance services can be received in virtually every region. (**Table 2-5-5**)


When viewed by the configuration through which said ambulance services were offered, 437 municipalities offered them independently, 143 did so by outsourcing them, and 1,110 did so through special district authorities and extended associations. (Fig. 2-5-5, Attachment 2-5-3, untranslated)

(2) Number of Ambulance Teams, Ambulance Team Members and Associate Ambulance Team Members

As of April 1, 2019, 5,215 ambulance teams (an increase of 36 YoY) had been established. (**Fig. 2-5-6**)

Since ambulance team members are engaged in the important duty of saving people's lives, they must complete at least 135 hours worth of training courses on ambulance services (the former Ambulance I Course).

As of April 1, 2019, the number of firefighters who fulfilled this eligibility requirement came to 127,622 (an increase of 3,193 YoY). Of these, 63,723 were





engaged in ambulance services as ambulance team members (including not only full-time ambulance team members, but also ambulance team members who have been appointed as such and who concurrently serve on firefighting vehicles such as pump vehicles by riding along with them). (**Fig. 2-5-7**)

Furthermore, of the firefighters who fulfilled the eligibility requirements to be ambulance team members, the number who had completed 250 hours' worth of ambulance courses to enable them to provide even more advanced first-aid treatment (including the former Ambulance Standard Course and former Ambulance




Fig. 2-5-6 Trends in the number of ambulance teams

(Note) Prepared based on "The Annual Report on Ambulance Service".

⁽Note) 1 Prepared based on "The Annual Report on Ambulance Service".

² Digits in the second decimal place were rounded off, so in some cases the totals may not be consistent.




Fig. 2-5-7 Trends in the number of ambulance team members

(Note) Prepared based on "The Annual Report on Ambulance Service".

II Course) totaled 85,437 people (an increase of 1,940 YoY) nationwide as of April 1, 2019. Of these, 34,136 are engaged in ambulance services as ambulance team members.

As of April 1, 2019, 18 associate ambulance team member are engaged in ambulance services nationwide. In December 2018, the FDMA promulgated an ordinance

to partially revise the Order for Enforcement of the Fire Services Act, and from April 1, 2017, when a municipality establishes a plan (implementation plan) that describes the matters specified in an ordinance of the Ministry of Internal Affairs and Communications as measures to ensure appropriate ambulance services in depopulated areas and remote islands, it will be possible



Fig. 2-5-8 Trends in the number of ambulance teams with EMTs

(Note) Prepared based on "The Annual Report on Ambulance Service".




Fig. 2-5-9 Trends in the number of EMTs



to form an ambulance team with two ambulance team members and one associate ambulance team member. An associate ambulance team member is defined as a full-time firefighter, etc. who has completed a basic training course (92 hours) on ambulance services. For example, a government employee who has completed the aforementioned course and also serves as a full time firefighter qualifies as an associate ambulance team member. In addition, it also stipulates that those who have the same or higher level of knowledge and experience as those who have completed the above-mentioned courses may be designated as associate ambulance team members. They are doctors, public health nurses, nurses, associate nurses, EMTs, and those who have completed the Ambulance class.

(3) Trends in the Number of EMTs and Ambulance Teams with EMTs

As a result of the increasing sophistication of ambulance services, the FDMA is promoting the training of EMTs and the development of an operational system where the objective is to have at least one EMT stationed with every ambulance team.

As of April 1, 2019, 725 fire departments out of 726 fire departments in Japan are making use of EMTs, and the usage rate is 99.9% (same as the previous year). The number of ambulance teams with EMTs came to 5,178 (an increase of 46 YoY), which corresponds to 99.3% of the 5,215 ambulance teams throughout Japan (an increase of 0.2% from the previous year), with this rising year by year. Furthermore, there were 38,388 fire departments personnel with EMT qualifications (an increase of 1,245 people YoY). Of these, 27,387 had been put to use as EMTs (an increase of 806 people YoY), with this number steadily increasing year by year. (Fig. 2-5-8, Fig. 2-5-9)

(4) Number of Ambulances

The number of ambulances owned by fire departments throughout Japan as of April 1, 2019 totaled 6,364 (an

increase of 35 YoY), including those for emergency use. Of these, the number of high-standard ambulances was 6,179 (an increase of 74 YoY), which corresponds to 97.1% of the total.

(5) Ambulance Services along National and Other Expressways

When it comes to ambulance services along national expressways, the Seto-Chuo Expressway, and the Kobe-Awaji-Naruto Expressway (hereinafter referred to as "national and other expressways"), the East Nippon Expressway Company, Central Nippon Expressway Company, West Nippon Expressway Company, and Honshu-Shikoku Bridge Expressway Company (hereinafter referred to as "expressway companies") are responsible for road management operations and offering centralized, independent ambulance services. Moreover, the municipalities along said expressways are responsible for handling ambulance services as per the provisions of the Fire Service Act. So it has been stipulated that both parties are to work together to properly and efficiently safeguard human life.

As of April 1, 2019, ambulance services along national and other expressway were provided by municipal firefighting agencies over every section of the 9,155km of the length of expressway currently in use. The expressway companies bear a certain extent of the financial burden that is placed on the municipalities providing ambulance services.

3. Promoting Coordination between Firefighting and Medical Care

(1) Acceptance of People Using Ambulance Transport at Medical Institutions

Reports were received on cases in which problems arose in choosing medical institutions to receive patients during ambulance transport in regions all over Japan. Based on these, in October 2007 the FDMA performed the first survey on the actual state of acceptance for pregnant or perinatal patients transported from 2004 to 2006. Moreover, for the survey on the actual acceptance status regarding ambulance transport in 2007, the survey was carried out not only on pregnant and perinatal patients, but also focused on patients with severe conditions or worse, young patients, and patients transported to emergency medical care centers.

The results of the "Survey of Medical Institution Acceptance of Ambulance Transports in 2018" were compared with the results of the same survey from 2017, and while the number of cases decreased for incidents with four or more inquiries, cases in which the ambulance stayed at the scene for 30 minutes or more, and for cases involving children with serious injuries, the number of cases involving transporting the seriously injured, women with pregnancy related and perinatal conditions, and cases of transporting patients to emergency medical care centers increased. The proportion of cases involving children with serious injuries remained the same, while the proportion of cases involving the seriously injured, women with pregnancy related and perinatal conditions, and cases of transporting patients to emergency medical care centers increased. (Table 2-5-6, Table 2-5-7)

(2) Standards on Patient Transport and Their Acceptance

In light of the occurrence of cases in which it was difficult to select a medical institution that would accept the patient during ambulance transport, in 2009 the FDMA worked together with the Ministry of Health, Labour and Welfare to enact the Standards on Patient Transport and Their Acceptance (hereinafter referred to as the "acceptance standards") for the prefectures. The revised Fire Service Act, enacted on October 30, 2009, includes content mandating the establishment of committees concerning the acceptance standards (hereinafter referred to as "legally-mandated committees"). At present, committees have been established in every prefecture, and acceptance standards have been formulated as well. The hope is that through the legally-mandated committees, the prefectures will survey and verify the transport of patients and their acceptance status based on the acceptance standards. Then, based on this, it is hoped that they will tie the results of this in with making improvements to the acceptance standards and so forth.

For its part, the FDMA works to follow up by working to understand the efforts and challenges faced by each prefecture, as well as by introducing examples of efforts that are operating effectively in certain regions.

Table 2-5-6 Trends in the number of cases in which four or more acceptance inquiries were made to medical institutions

	20	14	2015		20	16	20)17	20	18
	No.	Percentage								
cases in which patients with severe conditions or worse were transported	14,114	3.2%	11,754	2.7%	10,039	2.3%	9,834	2.2%	10,861	2.4%
cases in which pregnant or perinatal patients were transported	617	3.8%	549	3.7%	540	3.5%	475	3.3%	545	3.6%
cases in which young patients(under 15) were transported	8,708	2.4%	8,570	2.4%	7,527	2.0%	6,442	1.7%	6,368	1.7%
cases in which patients were transported to emergency medical care centers	26,740	3.6%	25,411	3.3%	20,248	2.6%	20,262	2.5%	23,116	2.6%

(Notes) 1 Prepared based on "The Survey on the Actual Acceptance Status at Medical Institutions for Emergency Transport in 2017".

2 There is some overlap.

3

The percentage is the percentage versus the total number of people transported from each respective category.

Table 2-5-7 Trends in the number of cases where the time spent at the scene was 30 minutes or longer

	20	14	20	2015		16	20	17	2018	
	No.	Percentage								
cases in which patients with severe conditions or worse were transported	23,500	5.3%	22,379	5.2%	22,104	5.0%	22,620	5.0%	23,643	5.1%
cases in which pregnant or perinatal patients were transported	1,267	7.8%	1,194	7.9%	1,161	7.5%	1,112	7.8%	1,257	8.2%
cases in which young patients(under 15) were transported	11,423	3.2%	12,039	3.4%	12,237	3.2%	11,515	3.1%	11,494	3.1%
cases in which patients were transported to emergency medical care centers	45,208	6.1%	47,030	6.1%	40,213	5.1%	42,491	5.2%	47,455	5.3%

(Notes) 1 Prepared based on "The Survey on the Actual Acceptance Status at Medical Institutions for Emergency Transport in 2017".

2 There is some overlap.

3 The percentage is the percentage versus the total number of people transported from each respective category.

Fire departments and medical institutions (including institutions without emergency services) in each prefecture and region are to cooperate with one another, and furthermore, it is important that in accordance with the region's local circumstances, the public health centers, welfare services, and police are to assemble and thoroughly discuss the actual state of the acceptance of transported patients and share awareness of any issues while simultaneously building "face-to-face relationships" on a daily basis and making concrete and effective rules regarding the smooth acceptance of transported patients (revisions to acceptance standards, etc.), and each organization is required to promote further efforts in those areas. For its part, the FDMA has resolved to continue carrying out the necessary surveys and providing information to contribute to improving the application of the acceptance standards at the prefectural committees and to discuss revisions to them.

In light of the revisions to the Fire Service Act and the fact that emergency transport is carried out based upon the acceptance standards, local governmental financial measures are being taken through special tax grants with respect to the costs entailed by the assistance rendered to private secondary ambulance institutions^{*9} by local public bodies in an effort to enhance ambulance medical care structures in local regions.

(3) Ambulance Medical Care Structure

With regard to the notification status of emergency hospitals and emergency clinics, which constitute the primary destinations to which patients are taken, as of April 1, 2019 there were 4,172 such locations throughout Japan. (Attachment 2-5-5, untranslated)

There are 575 weekend and nighttime ambulance care centers (as of April 1, 2019) that ensure that initial medical care can be received on weekends and at nights, which serve as the initial ambulance medical care structure. 2,873 hospitals make up the rotating hospital group and joint-use hospitals that comprise the secondary medical care system (as of April 1, 2019), and (as of July 1, 2019) 291 emergency medical care centers make up the tertiary medical care system. Additionally, among the emergency medical care centers capable of handling patients with specific illnesses or injuries, such as extensive burns, severed digits and limbs, and acute poisoning, of which 42 locations have been set in place (as of July 1, 2019).

The approval of emergency hospitals and emergency clinics under the emergency notification system, and the development of initial, secondary, and tertiary medical care systems are implemented in a centralized fashion under the medical care plan approved by the prefectural governor.

Under these emergency care systems and through the acceptance standards enacted by the prefectures in accordance with the provisions of the Fire Service Act, a list of medical institutions that can provide medical care according to patients' conditions has been compiled. Firefighting agencies use this list when carrying out ambulance transport operations.

4. Promotion of More Sophisticated Ambulance Services

(1) Promotion of Education for Ambulance Service Personnel

On August 15, 1991, in order to enhance pre-hospital care (first aid treatment at the scene of an emergency and during transportation to a hospital or clinic) and improve the lifesaving rate in Japan, the Emergency Medical Technicians Act was enforced and a new qualification system was set up to make EMTs who are responsible for performing certain first-aid treatment under the direction of physicians until the ambulance team members arrive at the hospital or clinic after having arrived at the scene.

In the case of firefighters, the EMT qualification can be obtained by completing an ambulance services course, engaging in ambulance services for 5 years or at least 2,000 hours, and then completing an EMT training course for at least 6 months before passing a national examination. After obtaining the qualification, in order for EMTs to engage in ambulance services, they are required to take at least 160 hours of hospital training according to the hospital training guidelines. It is recommended that after that, they subsequently take at least 128 hours of further training every two years (of which, hospital training should be at least 48 hours).

Based on expanding their first aid content, the FDMA has been promoting various measures to smoothly implement first aid courses and provide steady training to EMTs. As the education and training in order to acquire EMT qualifications (1) includes advanced and specialized contents, (2) requires securing an instructor related to ambulance medical care, and (3) requires consideration be given to the efficiency of the education and training, etc., the enactment of the Emergency Medical Technicians Act lead to the establishment of the Foundation for Ambulance Service Development was established in 1991 with the investment of 47 prefectures nationwide for the purpose of training EMTs for fire departments. It has since been engaged in the training of EMTs.

In FY2018, 794 EMTs at the EMT Training Center of the Foundation for Ambulance Service Development and 397 EMTs at the EMT training centers in the designated cities completed the training course and took the national examination.

In the context of almost 30 years having passed since the enactment of the Emergency Medical Technician Act and the promotion of educating personnel to guide other EMTs, because it is thought that having EMTs with a wealth of experience who can instruct others on field exercises at emergency scenes, an environment different from the inside of a hospital, will improve the quality of emergency services and secure the trust of the public, as well as lessen the educational burden on fire departments and medical institutions, the role of EMTs in leadership positions (hereinafter referred to as "supervisory EMTs") is increasing..

As the requirements for supervisory EMTs and the educational curriculum necessary for their training were expressed at the "Investigative Committee on the State of Emergency Services" held by the FDMA in 2013, the Emergency Lifesaving Kyushu Training Center opened its

^{*9} Among secondary medical institutions, ambulance service notice institutions (excluding national and public medical institutions and public institutions).

doors in May 2014 and in September the same year, the Emergency Department of the FDMA's Fire and Disaster Management College Emergency started the education necessary to receive certification as an EMT. Additionally, some fire academy schools conduct their own training of EMTs.

Furthermore, in November 2015, the FDMA created the "EMT Training Textbook" as a nationwide standard that expanded the curriculum to more specific educational content in order to facilitate further training of EMTs.

In addition, the promotion of national exchanges among ambulance team members and the improvement of skills relating to emergency efforts are being done through training and research opportunities such as the National Ambulance-Crew Symposium and the Japanese Society for Emergency Medicine.

(2) Increase in the Treatment Scope of EMTs

The treatment scope of EMTs has, on the premise of establishing the medical control system described in (3), gradually increased as shown in [Increase in treatment scope over time] [1] to [4].

The most recent example of increasing the treatment scope of EMTs is [4], and its backstory is as follows.

-From 2011, in the "Research on the treatment scope of EMTs", in order to improve the lifesaving rate of the injured and sick and reduce prognostic symptoms, tests of the clinical efficacy, safety, and effectiveness of the three acts of (1) blood glucose measurement and administration of glucose solution for cases of hypoglycemic attacks, (2) use of an inhaled beta-adrenoceptor stimulant for patients with severe asthma, and (3) intravenous catheterization and infusion for cardiopulmonary arrests were conducted at 129 fire departments nationwide.

-As a result of analysis and consideration of this empirical study, it was concluded that (1) and (3) of the three acts in the report, "Examination Meeting on the Work of EMTs" published by the Ministry of Health, Labour and Welfare in August 2013, should be added to the scope of treatment of EMTs. In response to this, from April 1, 2014, intravenous catheterization and infusion for patients suffering from a severe cardiopulmonary arrest and blood glucose measurement and administration of glucose solution for cases of hypoglycemic attacks were added to the scope of EMT treatment.

[Increase in treatment scope over time] [1] Defibrillation

Since April 2003, defibrillation, which has been carried out by EMTs under the specific instructions of physicians since the Emergency Medical Technicians Act was enforced in 1991, can be carried out by an EMT under the comprehensive instructions of a physician, On the condition that a medical control system is established pre and post defibrillation, and the establishment of a posttreatment verification system in accordance with protocol, the implementation of a necessary short course in line with the course curriculum, and the creation and dissemination of said protocols.

[2] Tracheal intubation

From July 2004, on the condition that the medical control system is established before and after tracheal intubation, tracheal intubation can be performed by an EMT who has been recognized as completing the specific course and hospital training. As of April 1, 2019, of ambulance team members who are qualified EMTs, 15,137 of them can perform tracheal intubation.

When using an endotracheal tube to secure the airway, because using a video laryngoscope will increase the safety and certainty of securing the airway, from August 2011, EMTs who have completed the specified training and hospital training and have been certified are allowed to use a video laryngoscope, and therefore it is expected that the regional medical control councils will continue to consider its operation. As of April 1, 2019, of ambulance team members who are qualified EMTs, 5,480 of them can perform treatment with a video laryngoscope.

[3] Drug administration (adrenaline)

From April 2006, on the condition that the medical control system is established before and after drug administration, drug administration can be performed by an EMT who has been recognized as completing the specific course and hospital training. As of April 1, 2019, of ambulance team members who are qualified EMTs, 26,230 of them can administer drugs (adrenaline).

Furthermore, from March 2009, If the patient's life is at risk due to anaphylactic shock, and they have been administered an epipen in advance, the EMT may use the epipen to administer the adrenaline.

[4] Intravenous catheterization and infusion for patients suffering from severe cardiopulmonary arrest, and blood glucose measurement and administration of glucose solution

From April 2014, on the condition that the medical control system is established before and after drug administration, drug intravenous catheterization and infusion for patients suffering from a severe cardiopulmonary arrest and blood glucose measurement and administration of glucose solution for cases of hypoglycemic attacks can be performed by an EMT who has been recognized as completing the specific course and hospital training. As of April 1, 2019, among the ambulance team members who are qualified as EMTs, 22,891 of them can perform intravenous catheterization and infusion for patients suffering from a severe cardiopulmonary arrest, and 22,924 of them can take blood glucose measurements and administer a glucose solution.

(3) Enhancement of Medical Control System

The medical control system in pre-hospital care is a system that ensures the quality of first aid, etc. performed by ambulance team members, including EMTs, from a medical point of view. Specifically, it is a system that, in collaboration with fire departments and medical institutions, [1] creates various protocols according to the characteristics of the region based on medical grounds, [2] enables emergency personnel to promptly request instruction, guidance, or advice from physicians at any time from a scene of an emergency, [3] has physicians conduct a medical and objective post-verification of emergency efforts, and feeds back the results of said postverification, as well as [4] conducting further education, etc. The Medical Control Council, which is a forum for discussions between fire departments and medical institutions, is established in each prefecture and each region. As of August 1, 2019, the number of Medical

Control Councils across all regions is 251. The Medical Control Council is actively working to improve the quality of emergency services through post-verification, etc. In order to improve the quality of first aid, etc. performed by ambulance team members, including EMTs, and make emergency services more sophisticated, such as by increasing the scope of EMT treatment, it is necessary to further enhance and strengthen the medical control system.

The FDMA regularly holds the "National Medical Control Council Liaison Meeting", which was established in May 2007, together with the Ministry of Health, Labour and Welfare with the purpose of enhancing and strengthening the National Medical Control Council and sharing information among related parties nationwide.

In addition, the Medical Control Council can also be used for legal counsel on implementation standards based on the Fire Service Act which was revised in 2009.

Furthermore, recently, the roles required of the Medical Control Council have diversified. For example, as the number of elderly people requesting emergency services is increasing, there are cases in which emergency services are requested by the families of patients to stop performing cardiopulmonary resuscitation (CPR). Based on this background, the "Investigative Committee on the Implementation of CPR at the Scene of an Emergency in Line with the Wishes of the Sick or Injured Person" was established in the "2018 Investigative Committee on the State of Emergency Services" to conduct a fact-finding survey of the status of efforts by fire departments, etc. and organize and examine issues. At the investigative committee, experts indicated a basic awareness that 'the person's choices' should be respected' in cases where the patient's family communicates at the scene of an emergency that the patient does not want CPR treatment. At scenes of emergencies, which consist of all kinds of scenarios and are urgent situations and in many cases

there is no physician present, usually, the ambulance crew has time and information-related restrictions such as the wishes of the injured or sick person are not shared with them beforehand. Therefore, the committee concluded that it is necessary to clarify the actual situation of the cases and through verification in each place, to increase knowledge about the response of the ambulance crew by accumulating all cases. The Investigative Committee introduced the example of a region that has a policy of using the Medical Control Council to discontinue CPR after sufficient discussion, contacting one's doctor, and receiving a notice to discontinue CPR, once again recognizing the importance of Medical Control Councils.

(4) Use of Emergency Resuscitation Statistics (Utstein data)

In Japan, the Utstein Style^{*10} has been introduced across all fire departments nationwide since January 2005. This unified introduction across the entire country is a first of its kind anywhere in the world and is an innovative initiative. The FDMA also operates an online system for collecting and analyzing the results of research done via the Utstein Style, and has accumulated 14 years' worth of data from 2005 to 2018. On an application basis, the data is provided to related academic societies so that the accumulation of this data can be used appropriately and effectively. The data is also used for constructing measures and systems for improving the lifesaving rate.

In the past, the Utstein Style was published as "Utstein statistics" and "Status of lifesaving rate of patients suffering from cardiopulmonary dysfunction", but the name has been changed to "Emergency Resuscitation Statistics" since 2009 in order to make it easier to understand that the statistics are for patients suffering from cardiopulmonary dysfunction who were transported to a hospital by an ambulance.

^{*10} Utstein Style: This is a survey and statistical approach for classifying cases of cardiopulmonary arrest according to the cause, whether it was witnessed or not, whether bystanders performed CPR or not, etc., and recording the prognosis (survival rate after one month, etc.) of the injured or sick in each category. It was proposed at an international conference held at Utstein Monastery in Norway in 1990 and is recommended worldwide.



Japanese Original P.230

1. Implementation Status for Rescue Activities

(1) Number of Rescue Activities and Number of People Rescued

The life-saving rescues performed by firefighting agencies refer to activities whereby human or machinepower is used to extricate people from dangerous situations and transport the victims to safe locations. Examples of such dangerous situations include fires, traffic accidents, water accidents, natural disasters, and accidents due to machines.

As for the implementation status for rescue activities throughout Japan in 2018, 61,507 rescue activities were carried out (an increase of 5,192, or 9.2% increase, YoY) and 63,836 people were rescued (this refers to the number of people rescued through rescue activities; an increase of 6,172, or 10.7% increase, YoY). (Table 2-6-1, Attachment 2-6-1, untranslated)

The main reason for this increase was the increase in the number of rescue activities (up 3,386 cases, or 14.9%, YoY) and the number of people rescued (up 2,744, or 12.9%, YoY) in "accidents involving buildings, etc.," and the increase in the number of rescue activities (up 691 cases, or 215.9%, YoY) and the number of people rescued (up 3,084, or 248.3%, YoY) in "accidents involving natural disasters such as windstorms."

(2) Implementation Status of Rescue Activities by Type of Incident

Looking at the status of rescue activities by type of incident reveals that the numbers for accidents caused by buildings and traffic accidents remain high in terms of both the number of rescue activities and the number of people rescued.

Accidents caused by buildings has been the type of incident with the greatest number of rescue activities since 2008. In terms of the number of people rescued, accident caused by buildings has been the type with the most people rescued since 2013.


Table 2-6-1 Trends in the number of rescue activities and number of people rescued

Category	No. of rescu	ue activities	No. of people rescued			
Year	No.	Change YoY (%)	No.	Change YoY (%)		
During 2014	56,695	△ 0.4	57,809	0.3		
During 2015	55,966	△ 1.3	59,190	2.4		
During 2016	57,148	2.1	57,955	△ 2.1		
During 2017	56,315	△ 1.5	57,664	△ 0.5		
During 2018	61,507	9.2	63,836	10.7		

(Notes) 1 Prepared based on "The Survey on the Implementation Status of Rescue Activities".


2 This includes the number of activities by volunteer fire corps in municipalities where fire departments/fire stations have not been established. The same holds true for the following data in this section.

Fig.2-6-1 Number of rescue activities by type of incident



(Note) Prepared based on "The Survey on the Implementation Status of Rescue Activities".

Fig.2-6-2 Number of people rescued by type of incident



(Note) Prepared based on "The Survey on the Implementation Status of Rescue Activities".

Year	Category		Traffic accidents	Water accidents	Storms, floods, and other	Accidents due to machines	Accidents due to buildings	Gas/lack of oxygen accidents	Rupture accidents	Other	Total
No. of rescue activities		4,067	14,261	2,806	1,011	1,227	26,135	391	2	11,607	61,507
		(6.6)	(23.2)	(4.6)	(1.6)	(2.0)	(42.5)	(0.6)	(0.0)	(18.9)	(100.0)
No. of people rescued		1,430 (2.2)	18,813 (29.5)	2,919 (4.6)	4,326 (6.8)	1,488 (2.3)	24,086 (37.7)	335 (0.5)	1 (0.0)	10,438 (16.4)	63,836 (100.0)
No. of rescue workers	136,131	332,724	83,130	20,231	25,199	427,611	12,511	124	373,647	1,411,308	
dispatched	(9.6)	(23.6)	(5.9)	(1.4)	(1.8)	(30.3)	(0.9)	(0.0)	(26.5)	(100.0)	
Firefighters	No. of people who engaged	57,609	140,967	41,285	14,454	11,923	209,667	3,854	9	102,644	582,412
	in rescue activities	(9.9)	(24.2)	(7.1)	(2.5)	(2.0)	(36.0)	(0.7)	(0.0)	(17.6)	(100.0)
Volunteer	No. of rescue workers dispatched	49,768 (62.4)	1,322 (1.7)	4,141 (5.2)	3234 (4.1)	78 (0.1)	2,275 (2.9)	138 (0.2)	0 (0.0)	18,803 (23.6)	79,759 (100.0)
firefighters	No. of people who engaged	7,041	109	3,099	2663	3	3	7	0	3,340	16,265
	in rescue activities	(43.3)	(0.7)	(19.1)	(16.4)	(0.0)	(0.0)	(0.0)	(0.0)	(20.5)	(100.0)
No. of peop activities pe	le who engaged in rescue r incident	15.9	9.9	15.8	16.9	9.7	8.0	9.9	4.5	9.1	9.7

Table 2-6-2 Number of dispatches and status of activities by type of incident

(Notes) 1 Prepared based on "The Survey on the Implementation Status of Rescue Activities".

2 The numbers in parenthesis show the proportion (%). Less than whole units were rounded up, so in some cases the totals may not be consistent.

3 "No. of rescue workers dispatched" refers to the total number of people dispatched in order to carry out rescue activities.

4 "No. of people who engaged in rescue activities" refers to the number of people who actually engaged in rescue activities out of the number dispatched.

5 "Accidents due to buildings" refer to accidents caused by the collapse of buildings, gates, fences, walls, and other facilities ancillary to buildings or equivalent structures; accidents in which people were trapped within buildings; and accidents from people being caught between buildings.

6 "Other" refers to accidents other than the types listed above that necessitated rescue by firefighting agencies.

The number of rescue workers dispatched (which refers to the total number of people dispatched in order to carry out rescue activities) came to 1,491,067 in total. Of these, the number of firefighters dispatched was 1,411,308 in total, of which 30.3% were dispatched for "Accidents due to buildings", while 23.6% were dispatched due to "Traffic accidents". At the same time, the number of volunteer firefighters dispatched totaled 79,759, of which 62.4% were dispatched on account of fires.

Next, the number of people who engaged in rescue activities (this refers to the number of people who actually engaged in rescue activities out of the number dispatched) totaled 598,677. This means that 9.7 people on average took part in each individual rescue activity. Furthermore, in terms of the number of people engaged in each individual rescue activity by type of incident except storms, floods and other natural incidents which will increase or decrease year by year depending on the dispatch of National Fire-Service Team, fires had the greatest number at 15.9 people on average, followed by water-related accidents at 15.8 people. (Fig. 2-6-1, Fig. 2-6-2, Table 2-6-2)

2. Implementation Structure for Rescue Activities

(1) Number of Rescue Crews and Number of Rescue Crew Members

Rescue crews are established in municipalities that have fire departments and fire stations pursuant to the Ministerial Ordinance Establishing Standards for the Organization, Outfitting, and Establishment of Rescue Crews (Ministerial Ordinance No. 22 of the Ministry of Home Affairs from 1986; hereinafter referred to as the "Rescue Ordinance"). They consist of members who have received specialized education related to lifesaving (140 hours' worth), as well as rescue and relief supplies and the rescue vehicles equipped with these needed for rescue activities. They are categorized into four classifications: rescue crews, special rescue crews, advanced rescue crews, and special advanced rescue crews.^{*1}

(During 2018)

As of April 2019, 1,432 crews had been established at 709 fire departments, and the number of rescue crew members came to 24,684 people. This means that on average, roughly 2.0 rescue crews have been established at each fire departments, with an average of 17.2 rescue crew members in each crew. The number of fire departments have been dropping as they spread out to cover broader areas, but the number of rescue crews have been trending upward.

(2) Possession of Rescue Equipment for Rescue Activities

Rescue equipment for rescue activities includes equipment for removing heavy objects such as hydraulic spreaders, cutting equipment like hydraulic cutters, detection and measurement equipment such as inflammable gas measuring instruments, and more. Advanced, specialized equipment has been deemed necessary for them to guard against the large-scale earthquake disasters and NBC terrorist disasters that could potentially occur. As such, the FDMA makes efforts to promote the establishment and maintenance of rescue work vehicles and rescue equipment by taking advantage

¹ The Rescue Ordinance stipulates that municipalities with a population of 100,000 people or more and a standing fire defense structure must establish a special rescue crew. Core cities and the like must have one or more special rescue crews that serve as advanced rescue crews, and the Tokyo Fire Department and ordinance-designated cities must have one or more advanced fire crews that serve as special advanced rescue crews.

	١	Ministerial ordinance	Three Part ladders	Lifeline throwing guns	Hydraulic spreader	Hydraulic cutters	Portable winches	Engine cutters	Chainsaws	Gas cutters	Inflammable gas measuring instruments	Breathing apparatus	Simple image search machines
	Maior	annex 1	7,801	1,816	2,117	2,023	4,397	6,510	7,078	1,296	5,730	50,430	926
		Ministerial ordinance	Mat air jacks	Large hydraulic spreaders	Large hydraulic cutters	Rock drills	Air saws	Rope climbing machines	Hammers/ drills	Ventilators	Oxygen masks		
dailou		annex 2	2,736	2,247	2,258	1,727	1,908	3,173	1,684	2,288	3,354		
1011	Ministerial ordinance	Image search equipment	Underground noise detectors	Thermal imaging devices	Night vision equipment	Earthquake alarms	Electromagnetic wave detectors	Carbon dioxide detectors	Underwater probes				
		annex 3	626	329	1,558	361	223	122	64	86			
в	loarc	ling vehicles	Rescue work vehicles	Ladder-equipped vehicles	Folding ladder- equipped vehicles	Fire pump vehicles	Fire cistern- equipped vehicles	Chemical vehicles	Special disaster vehicles	Other	Total		
			1,243	397	111	237	390	120	28	481	3,007		

 Table 2-6-3
 Possession status of rescue equipment for rescue activities and board vehicles for carrying

 rescue crews
 (As of April 1, 2019)

(Note) Prepared based on "The Survey on the Implementation Status of Rescue Activities".

of grants for equipping National Fire-Service Teams, as well as tax measures allocated to local governments and more. (Table 2-6-3)

3. Holding National Firefighting and Rescue Skills Meets

The National Firefighting and Rescue Skills Meet has been held every year since 1972 (sponsored by the Japan Firefighters Association, with the backing of the FDMA and others). Its goal is to foster the physical strength, mental toughness, and technical capabilities needed for rescue activities, as well as to gather rescue crew members from throughout Japan together to cultivate crew members who can serve as examples to others through competition and learning. The National Firefighting and Rescue Skills Meet is divided up into a land division and a water division. For each division, there is "Basic training" where individual crew members practice basic skills, "Coordinated training" where crew members practice their individual skills together by cooperating with other crew members, and "Skills training" where participating crew members demonstrate everything from training assumptions to rescue methods using creativity and ingenuity without stipulations as to the equipment or training skills that will be used.

The 48th meet was held on August 25, 2019 in Okayama City, Okayama Prefecture. Here, 700 crew members took part in the land division and 228 took part in the water division. The 49th meet will be held in Kitakyushu City Fukuoka Prefecture.

Section Integrated Fire Service Support and National Fire-Service Team for Disaster Response

Japanese Original P.241

1. Integrated Support System for Fire Service

(1) Mutual Support Agreement for Fire Services

As municipalities are obliged to make efforts to support each other as and when necessary regarding firefighting efforts (Article 39, Paragraph 1 of the Fire Organization Act), by concluding agreements on mutual firefighting support, it is now possible to respond appropriately to large-scale disasters and special disasters.

Currently, in all prefectures, there are firefighting mutual support agreements (including agreements for only municipalities where firefighting services are on hand) in which all municipalities under each prefecture and firefighting administrative associations and so on participate.

(2) Establishment of Integrated Support System for Fire Service

To respond to large-scale disasters and special disasters, it is necessary for firefighting capabilities to operate extensively beyond the districts of municipalities or prefectures. For this reason, the FDMA has both enhanced and strengthened the National Fire-Service Teams described in section 2, as well as formulated the "Guidelines for the Implementation of Wide-Area Aerial Firefighting Support Teams in the Event of a Large Scale Special Disaster" in order to efficiently implement the use of helicopters as, in the event of a forest fire or other large scale disaster, helicopters excel in all areas of firefighting and disaster prevention, such as aerial firefighting, rescue activities, emergency operations, information gathering, and emergency transportation. The guidelines clarify the procedures for requesting support based on article 44 of the Firefighting Agency Organization Act, and promote the active use of firefighting helicopters owned by firefighting agencies and prefectures for wide-area support (Table 2-8-1). In response to a series of large-scale forest fires, the Fire and Disaster Management Agency notified each fire department of the "Strengthening of Vigilance against Forest Fires and the Active Use of Aerial Fire Fighting" (Notice No. 104 from the Manager of the Special Disaster Management Office at the FDMA and Notice No. 157 from the Manager of the Mutual Aid Management Office at the FDMA, dated May 10, 2017). It clarified the request scheme to establish a system to prevent the spread of damage at an early stage through the deployment of a large number of helicopters. In the event that the

Table 2-8-1 Actual track record regarding dispatches of wide-area aerial medical support teams based on the Implementation Guidelines for Wide-area Aerial Firefighting Support Teams during Large-scale and Special Disasters (past 20 years)

		u				(As of October 1, 2019; Onit: Case)						
					By type of	f dispatch						
Year	Dispatch track record	Fires in forests and fields	Fires in locations other than forests and fields	Storms and floods	Explosion disaster	Earthquake disaster	Volcano disaster	Accidents involving aircraft	Other disasters			
2000	23	21				1	1					
2001	32	31						1				
2002	38	38										
2003	24	18	2	1		2			1			
2004	27	21		5		1						
2005	20	18				1			1			
2006	8	6	2									
2007	13	12		1								
2008	10	10										
2009	21	18		2					1			
2010	16	12		2				1	1			
2011	28	23		5								
2012	7	5		2								
2013	20	17		2		1						
2014	36	19							17			
2015	10	10										
2016	5	3		1		1						
2017	6	4		1				1				
2018	13	12						1				
2019	9	9										
Total	366	307	4	22	0	7	1	4	21			

firefighting helicopters within the jurisdiction of the prefectures are unable to respond to the disaster, support from firefighting helicopters from other prefectures will be requested quickly, and Japan Self-Defense Forces (JSDF) helicopters will also be requested as soon as possible. In 2019, there were 9 forest fires that led to requests for wide-area aerial firefighting support by the end of September, but early requests for support and cooperation with JSDF helicopters helped minimize the damage.

To continue to utilize fire and disaster prevention helicopters effectively across a wide area, it is necessary to further enhance and strengthen the nationwide Integrated Support System for Fire Service in the event of a largescale disaster by setting up an aviation operation and coordination team at each prefecture's disaster response headquarters, promoting the development of a helicopter system and helicopter video transmission system for prompt information-gathering activities, and utilizing a helicopter dynamic management system for ascertaining the positional information of fire and disaster prevention helicopters and performing efficient adjustments to operations.

2. National Fire-Service Teams for Disaster Response

(1) Creation of National Fire-Service Teams for Disaster Response and Their Enshrinement in Law via Revisions to the Fire Organization Act

A. Creation of National Fire-Service Teams

National Fire-Service Teams were created in June 1995 through the cooperation of fire departments from throughout Japan in order to create an assistance structure through the mutual cooperation of firefighting agencies from around the country. This was based on the lessons from the Great Hanshin-Awaji Earthquake on January 17, 1995, and designed to make it possible to carry out lifesaving rescue activities when large-scale disasters such as earthquakes occur within Japan in a faster, more effective manner.

The system is structured so that during times of normalcy, National Fire-Service Teams focus all of their energies on carrying out firefighting duties in their respective local regions. But once a large-scale disaster occurs somewhere in Japan, firefighting teams dispatch in a concentrated manner to the afflicted region from throughout the country to respond to said disaster at the request or instructions of the Commissioner of the FDMA. There they engage in firefighting activities, including lifesaving and rescue activities.

When they were first launched, National Fire-Service Teams consisted of 376 teams registered with the FDMA to provide domestic assistance for firefighting. They were comprised of rescue crews, ambulance crews, and more. There were also 891 out-of-prefecture assistance teams that engaged in activities between neighboring prefectures, which consisted of firefighting teams and others. This brought the total to 1,267 teams. In January 2011, a registration system for fire teams was introduced in order to enhance the dispatch structure for National Fire-Service Teams and response capabilities for various disasters.

In addition, a number of new types of teams were established in order to handle increasingly complicated and diverse disasters. These included special disaster teams with the capacity to respond to special disasters such as oil and chemical disasters, as well as those involving toxic or hazardous substances, or radioactive materials, as well as air teams that use fire and disaster prevention helicopters and water teams that use firefighting boats. This brought the types of teams to 8, and the number of teams to 1,785.

B. Enshrinement in Law through the 2003 Revisions to the Fire Organization Act

It has been pointed out that potential earthquakes like a Tokai Earthquake, Tonankai/Nankai Earthquake, or Tokyo in Land Earthquake are imminent, and the dangers of NBC terrorism disasters. As such, scenarios can be envisioned where it would be difficult to respond to such disasters promptly and precisely solely through the firefighting capabilities of the municipalities in the afflicted region or those found in the afflicted prefecture. Therefore, the Commissioner of the FDMA has been vested with the necessary authority to work to enhance and strengthen emergency response structures from a national perspective. In conjunction with this, the Act for the Partial Revision of the Fire Organization Act was drafted in 2003 and entered into force in 2004. This act included provisions for national financial measures, etc.

(a) Main content of the revised law

The main content of the revised law consists of staking out a clear legal position for National Fire-Service Teams, establishing the authority of the Commissioner of the FDMA to order dispatches, formulating basic plans relating to National Fire-Service Teams, and the financial measures of the national government.

(b) Legal position and dispatch orders by the Commissioner of the FDMA

National Fire-Service Teams, which have been put to use based on certain guiding principles since they were established, were given a clear legal position within the Fire Defense Organization Act through the revisions to this law. In addition, in the event that a Tokai Earthquake or other large-scale disaster extends over two or more prefectures or an NBC disaster were to occur, the Commissioner of the FDMA shall be able to issue the orders to take the necessary measures to dispatch National Fire-Service Teams. This authority to order dispatches was established based on the thinking that the national government bears responsibility for deploying firefighting capabilities to afflicted regions in the form of ordering the dispatch of National Fire-Service Teams for large-scale disasters that should be handled from a truly nationwide perspective. The unprecedented, enormous disaster of the Great East Japan Earthquake was the first time this authority was exercised since it was established. Later, it was also implemented in the July 2018 torrential rains. The Plan on Basic Items concerning the Organization and Outfitting of Facilities for National Fire-Service Teams (see below, hereinafter referred to as the "Basic Plan") revised in March 2019 stipulates the concept of dispatch orders for large-scale disasters, and dispatch orders were given for the disaster caused by Typhoon No. 19 in FY2019.

		Prior to the revisions	After the revisions
Position of	the National Fire-Service Teams	Guidelines for National Fire-Service Teams	Fire Defense Organization Act
Standards plans	for organization and equipment, basic dispatch	Guidelines for National Fire-Service Teams	Basic Plan established by the Minister for Internal Affairs and Communications
Involvemer	nt of the Commissioner of the FDMA	Requests for measures	(1)Requests for measures (2)Orders (Tokai Earthquake and other large-scale earthquakes, NBC disasters)
Financial measures,	Activity expenses	Special tax grants, etc. Treasury expenses as when said activities were ordered	
etc.	Facilities and equipment	Encouragement subsidies(general subsidy rate of 1/3)	Mandatory subsidies (subsidy rate of 1/2)
	Use of government-owned assets and goods	Paid loans, etc.	Permission to use free of charge

Table 2-8-2 Enshrining National Fire-Service Teams into law through the 2003 revisions to the Fire Organization Act Image: Comparization Comparization Comparison Compariso

(c) Enactment of the Basic Plan pertaining to National Fire-Service Teams

It has been legally mandated that the Minister for Internal Affairs and Communications is to enact the Basic Plan.

This Basic Plan, enacted in February 2004, established matters such as standards for equipping and organizing the crews that comprise National Fire-Service Teams, dispatch plans, and targets for setting in place the necessary facilities. When initially enacfted, it set a target of registering 3,000 National Fire-Service Teams by FY2008.

(d) Financial measures by the national government for National Fire-Service Teams

The dispatch of National Fire-Service Teams has been legally mandated in cases where they have been ordered to dispatch by the Commissioner of the FDMA. Therefore, the expenses that are newly required as a result of said dispatches are to be borne by the national government as treasury expenses as per Article 10 of the Local Government Finance Act.

Furthermore, the establishment of facilities pursuant to the Basic Plan were clarified in a legal sense as constituting "expenses to be subsidized by the national government." In addition, the eligible facilities and the subsidy rate (one-half) have been established through government ordinance. (Table 2-8-2)

(e) Free use of equipment for National Fire-Service Teams

Regarding the equipment and materials deemed necessary for the activities of the National Fire-Service Team, it would be difficult to expect progress in the maintenance of vehicles and equipment, even with government subsidies, if the maintenance and possessions of such equipment is not efficient in terms of cost-effectiveness. There is some equipment that needs to be provided quickly in order to fulfill the national government's responsibilities when it comes to largescale and specialized disasters. As such, it was stipulated that this equipment is to be set in place by the national government, but provided for use free of charge to the prefectures or municipalities to which the personnel who are active as National Fire-Service Team members belong.

C. Enhancing mobility through the 2008 revisions to the Fire Organization Act

In 2008 the Act for the Partial Revision of the Fire Organization Act was drafted and entered into force. This included content such as enhancing the mobility of National Fire-Service Teams in an effort to further strengthen fire and disaster defense structures for largescale earthquakes such as a Tokai Earthquake, Tonankai/ Nankai Earthquake, or Tokyo in Land Earthquake.

(a) Main content of the revised law

The main content of the revised law consists of establishing the authority for prefectural governors to order the dispatch of National Fire-Service Teams that are already active in municipalities where disasters have occurred, the establishment of coordination headquarters for firefighting support activities, and revisions to the requirements for the orders to dispatch National Fire-Service Teams by the Commissioner of the FDMA.

(b) Establishment of the authority for prefectural governors to order dispatches

This stipulated that prefectural governors can order the dispatch of National Fire-Service Teams active in municipalities where they normally operate. This can be done in cases where a disaster has occurred in two or more municipalities within a prefecture, and where it is deemed necessary for the sake of urgently providing firefighting support for municipalities where a disaster has occurred that lie outside of the municipalities in which said National Fire-Service Teams normally operate. This structure was set in place based on the fact that teams spanning across municipal borders within the same prefecture were mobilized for the 2004 torrential rain disasters in Niigata and Fukushima, as well as the Mid Niigata Prefecture Earthquake in 2004. In cases spanning across prefectural borders, it has been stipulated that the Commissioner of the FDMA shall coordinate this, since said coordination will span across two or more prefectures.

(c) Establishment of coordination headquarters for firefighting support activities

To ensure that the prefectural governor's orders from (b) are carried out smoothly, the prefectural governors are to establish coordination headquarters for firefighting support activities (hereinafter referred to as "coordination headquarters") in order to carry out the general coordination for measures like lending support for firefighting when National Fire-Service Teams are dispatched for this purpose. The coordination headquarters are tasked with handling tasks related to coordinating with the Japan Self-Defense Forces, police, and other relevant organizations. This is done in an effort to ensure that tasks related to general coordination over measures designed to support the firefighting activities carried out by the prefecture and municipalities within the prefecture in question are carried out smoothly. (Fig. 2-8-1)

(d) Revisions to the requirements for the Commissioner of the FDMA to order the dispatch of National Fire-Service Teams


The dangers of earthquakes causing enormous damage in a localized manner as a result of active faults have been pointed out. It was stipulated that the Commissioner of the FDMA can order the governors of prefectures aside from the prefecture where the municipality in which the disaster occurred is located or the mayors of municipalities within the prefecture in question to take the necessary measures to dispatch their National Fire-Service Teams. Where this was previously limited to cases where the disaster was regarded as a large-scale disaster spanning two or more prefectures, now it can be done when it has been acknowledged that there is a special need to respond to the disaster in question, even when it is a large-scale disaster that has occurred solely within a single prefecture.

Fig 2-8-1 Organization of coordination headquarter for firefighting support activities

Coordination headquarters perform overall coordination for the movement of teams within the prefecture. They also gather information on the afflicted region, liaise and coordinate over the activities of the relevant organizations, and assist prefectural governors in reaching appropriate decisions.



Fig 2-8-2 Organization of teams comprising National Fire-Service Teams



Name	Mission	Comprising unit
Integrated Mobile Unit	After a request or instruction by the Director-General to mobilize, to mobilize promptly, to conduct firefighting activities urgently in the disaster area, and to collect and provide information that contributes to the smooth activities of the prefectural battalion in the case that the prefectural battalion follows.	Comprehensive Mobile Command Unit, some 3 Firefighting Units, some 3 Rescue Units, some 3 First-aid Units, Logistical Support Unit, and Communication Support Unit
National Fire-Service Team for Energy/Industrial Disaster	To conduct advanced and specialized firefighting activities quickly and accurately in response to special disasters in areas where energy and industrial infrastructure such as petroleum complexes and chemical plants are located.	Command Unit of National Fire-Service Team for Energy/Industrial Disaster, Special Disaster Company (equipped with large elevated water truck, hose extension vehicle with a large water cannon, chemical fire truck, large elevated water truck, and foam solution transport vehicle), Firefighting Company (equipped with chemical fire truck) In addition to the above Special Equipment Unit, Logistical Support Unit, Communications Support Unit, and Water Unit are added depending on local conditions.
NBC Disaster Battalion	To conduct advanced and specialized firefighting activities against NBC disasters in a prompt and accurate manner.	NBC Disaster Command Unit, Toxic and Hazardous Unit In addition to the above, Logistical Support Units etc. are added depending on local conditions.
Mobile Support Battalion for Landslide, Storm and flood	In response to landslides or wind and flood disasters, conduct firefighting activities using heavy equipment, etc., in cooperation with other prefectural battalions, etc., in a prompt and accurate manner.	Mobile Support Command Unit for Landslide, Storm and flood, Rescue unit (equipped with response vehicle for handling tsunamis and large-scale storm and flood damage and rescue work vehicle), Special Equipment Unit (equipped with heavy machinery and heavy machinery transport vehicle, amphibian motor vehicle and amphibian motor vehicle transport vehicle), Logistical Support Unit In addition to the above, necessary units are added depending on local conditions.

Table 2-8-3 Tasks and organizations of special battalions

(2) Organization of and Dispatch Plans for National Fire-Service Teams

Issues like the organization of and dispatch plans for National Fire-Service Teams are established within the Basic Plan set by the Minister of Internal Affairs and Communications. An overview of these issues is provided below.

A. Organization of National Fire-Service Teams

(A) Command Support Battalion

The Command Support Battalion is tasked with the duty of urgently heading to afflicted regions via helicopter or the like when large-scale disasters or special disasters occur to gather information related to the disaster and convey this to the Commissioner of the FDMA, the governors of the relevant prefectures, and others. In addition, it has also been tasked with the duty of carrying out support activities to ensure that commands pertaining to National Fire-Service Teams are carried out smoothly within the afflicted region. The Command Support Battalion is comprised of Integrated Command Support unit, Command Support unit, and Air Command Support unit.

(B) Prefectural Battalions

The Prefectural Battalion is a group of basic companies which are comprised of the teams required to aid with firefighting undertaken in afflicted regions from among a number of different companies. These include the Prefectural Battalion Command Unit, Firefighting company, Rescue company, Ambulance company, Logistic company, Communication company, Air company, Water company, Special Disaster company, and Special Equipment company established within the prefecture in question or municipalities within said prefecture. (Fig. 2-8-2)

(C) Air Battalion

The Air battalion is tasked to conduct aviation-related firefighting activities in the disaster area. It is composed of air units and, if necessary, air logistics support units. (D) Special Battalions

Besides the prefectural battalions, there are special task forces: Integrated Mobile Unit, National Fire-Service Team for Energy/Industrial Disaster, NBC Disaster Battalion, Mobile Support Battalion for Landslide, Storm and flood. (Table 2-8-3)

B. Dispatch Plans

(A) Basic Dispatch Plans

When large-scale disasters occur, the Commissioner of the FDMA makes efforts to gather information and closely coordinate with the prefectural governor of the afflicted prefecture and other officials. They also decide on whether or not it is necessary to dispatch National Fire-Service Teams, and take the measures to request or order their dispatch based on Article 44 of the Fire Defense Organization Act. Dispatch plans are to be established ahead of time to enable their prompt and precise dispatch in such cases.


Specifically, for each prefecture in which a disaster occurs, they designate prefectural battalions that dispatched to provide support with a primary focus on neighboring prefectures as "first response prefectural battalions" and prefectural battalions that provide additional support according to the scale of the disaster as "reserve response prefectural battalions."

(B) Rapid Dispatch Standards for when Large-scale Earthquakes Occur

When large-scale earthquakes occur, communications infrastructure is disrupted and a considerable length of time is needed in order to determine the overall extent of the damage, and it is possible that requests for dispatch may not be implemented quickly.

For this reason, the Commissioner of the FDMA has prefectural governors and municipal mayors from around the country prepare Requests for the Dispatch of National Fire-Service Teams pursuant to Article 44 of the Fire Organization Act in advance. The Implementation Guidelines on Rapid Dispatch of National Fire-Service Teams for Large-scale Earthquakes, enacted in July 2008,

Fig 2-8-3 Basic dispatch and action plans for National Fire-Service Teams



contained content on matters like dispatching teams the instant a large-scale earthquake occurs. Then, in March 2015, these implementation guidelines were provided in the Guidelines on Requests for Assistance from National Fire-Service Teams.

(C) Dispatch Plans for a Tokai Earthquake and Other Potential Earthquakes

It is envisioned that a Tokai Earthquake, the Nankai Trough Earthquake, or Tokyo in Land Earthquake would produce considerable damage that would extend over multiple prefectures. The thinking is that the firefighting capabilities of just the first response prefectural battalions and reserve response prefectural battalions alone would be insufficient for this. Therefore, it has been decided that National Fire-Service Teams would be dispatched at a national scale for these.

Therefore, the FDMA has formulated guidelines and action plans for using National Fire-Service Teams for each of these disasters should they occur. This was done by envisioning a Tokai Earthquake, the Nankai Trough Earthquake, and Tokyo in Land Earthquake, and is based on the response guidelines, estimates of the damage from such disasters, and other data from the Central Disaster Management Council. (Fig. 2-8-3)

For example, there is a National Fire-Service Team action plan for the Nankai Trough Earthquake that was formulated in March 2016. This plan determines sites to receive assistance in 37 other prefectures aside from the 10 prefectures designated to receive priority assistance, to which every National Fire-Service Team capable of providing assistance would be simultaneously and promptly deployed.

In addition, the action plan for Tokyo in Land Earthquake, enacted in March 2017, decides on assistance providers from the 43 prefectures (excluding 4 prefectures designated as the prefectures receiving support), and states that every National Fire-Service Teams that can provide support is to promptly devote personnel to this all at once.

For an earthquake along the Nankai Trough, the report by the Working Group to Review Disaster Responses based on Seismic Observations and Evaluations for the Nankai Trough Earthquake from September 2017 indicated the course for a disaster response in the event that abnormal phenomena were observed along the Nankai Trough. Therefore, the entire policy for deploying National Fire-Service Teams for the Tokai Earthquake was revised and changed to the action plan until a new disaster response for the Nankai Trough is determined.

(D) Operational plan for NBC disaster

When a large number of people are injured due to an NBC disaster, the firefighting capability of the firefighting organization with jurisdiction over the disaster area and the firefighting organization in the prefecture to which the disaster area belongs alone is considered to be insufficient, and it is necessary to implement advanced and specialized firefighting activities quickly and accurately. For this reason, a special operation plan has been established and NBC disaster response units will be dispatched promptly.

(E) Assistance Plans by the Prefectures

Each prefecture formulates its own Implementation Plans for Assistance from National Fire-Service Teams based on the registration status of National Fire-Service Teams within the prefecture in question. These plans are based on consultations with the firefighting agencies of each prefecture in question with regard to the organization of prefectural battalions and other teams, meeting locations, information communication structures, and other necessary items concerning the prompt dispatch of National Fire-Service Teams to afflicted regions.

C. Plans for Receiving Assistance

Each prefecture formulates Plans for Receiving Assistance from National Fire-Service Teams by hypothesizing situations in which said prefecture itself falls victim to a disaster. This is done through consultations with the firefighting agencies within the prefecture over necessary matters regarding the acceptance of National Fire-Service Teams, such as how to manage the Coordination Headquarters for Firefighting Support Activities and the Air Operations Coordination Team, as well as how to utilize advance bases, camping sites, and fuel supply bases.

And the fire departments must likewise formulate plans for receiving assistance while striving for consistency with the contents of the plans for receiving assistance formulated by the prefectures and the prefecture's local disaster management plans for the sake of receiving National Fire-Service Teams in their region.

(3) Number of National Fire-Service Teams Registered and Their Equipment

A. Number of teams registered

The stipulations of Paragraph 4, Article 45 of the Fire Defense Organization Act states that the Commissioner of the FDMA must register National Fire-Service Teams based on applications to do so from the prefectural governors or municipal mayors.

Since the launch of the 1,267 National Fire-Service Teams in September 1995, there has been a growing recognition of the importance of their activities during disasters. As a result, the number of teams registered has been on the rise, and as of April 1, 2019, 6,258 teams have been registered from 723 fire departments nationwide (roughly 99% of the fire departments nationwide). This is almost 5 times more than its launch. (Attachment 2-8-1, untranslated, Fig. 2-8-4)

In March 2019, the basic plan was revised and a target for the number of teams registered was set for the end of FY2023 that would substantially increase the number of teams from its current level of roughly about 6,000 to roughly 6,600 teams. This is to be done because it is crucial to set in place a structure for deploying teams




Fig 2-8-4 Trends in registration number of National Fire-Service Teams

FY of Illocation	Allocated vehicle, etc.	No. allocated		Operation Base Vehicle	4 vehicles
2005	Helicopter	1 helicopter		Tsunami/Large-Scale Water Disaster Countermeasure Vehicle	2 vehicles
	Vehicle equipped with large blower	5 vehicles	2014	Water system for firefighting capable of handling	
2006	Vehicle equipped with water cutter	5 vehicles		disasters at energy and industrial infrastructure	2 systems
2007	Vehicle equipped with large decontamination system	5 vehicles		Helicopter movement management system	4 systems
0000	Special elevated work vehicle	5 vehicles		Operation Base Vehicle	2 vehicles
2008	Fuel supply vehicle	6 vehicles		Tsunami/Large-Scale Water Disaster Countermeasure Vehicle	2 vehicles
	Helicopter movement management system	8 systems		System for firefighting capable of handling disasters at	
	Special disaster response vehicle	10 vehicles	2015	energy and industrial infrastructure	2 systems
2009	Special elevated work vehicle	9 vehicles	2015	Drone for firefighting activities	2 systems
2003	Vehicle equipped with large decontamination system	8 vehicles		Heavy machinery and heavy machinery transport vehicle	3 pairs
	Fuel supply vehicle	2 vehicles		Vehicle equipped with large decontamination system	1 vehicle
	Firefighting system that uses ocean water	2 systems		Helicopter movement management system	6 systems
	Helicopter movement management system	2 systems		Operation Base Vehicle	2 vehicle
2010	Infrared camera	1 system		Tsunami/Large-Scale Water Disaster Countermeasure	3 vehicles
2010	Type 1 support vehicle	47 vehicles		Vehicle	
	Firefighting system that uses ocean water	3 systems	2016	Water system for firefighting capable of handling disasters at energy and industrial infrastructure	2 system
2011	Helicopter	2 helicopters		Vehicle equipped with large decontamination systems	1 vehicle
	Personnel transport vehicle	47 vehicles		Helicopter movement management system	5 system
	Equipment transport vehicle	46 vehicles		Operation Base Vehicle	2 vehicle
	All-terrain response vehicle	1 pair		Water system for firefighting capable of handling	2 avetom
	Radio relay vehicle	21 vehicles		disasters at energy and industrial infrastructure	2 system
	Elevated rescue vehicle for large-scale earthquake disasters	3 pairs	2017	Radio relay vehicle	3 vehicle
	Heavy machinery and heavy machinery transport vehicle	19 pairs		Vehicle equipped with large decontamination systems	1 vehicle
	Prefectural command team vehicle	45 vehicles		Fuel supply vehicle	9 vehicle
2012	Fuel supply vehicle	30 vehicles		Helicopter video transmission receiver	23 system
	Type 1 support vehicle	17 vehicles		Operation Base Vehicle	6 vehicle
	Firefighting system that uses ocean water	1 system		Tsunami/Large-Scale Water Disaster Countermeasure Vehicle	6 vehicle
	Special disaster response vehicle	1 vehicle		Water system for firefighting capable of handling	
	Special disaster work vehicle	2 vehicles	2018	disasters at energy and industrial infrastructure	4 system
	Vehicle equipped with large decontamination system	4 vehicles		All-terrain response vehicle type II and transport vehicle	2 pairs
	Helicopter movement management system	11 systems		Information gathering drone	18 sets
	Heli-Sat system	1 system		Chemical agent remote sensing equipment	3 vehicle
	Operation Base Vehicle	6 vehicles		Tsunami/Large-Scale Water Disaster Counter measure	14 vehicle
	Tsunami/Large-Scale Water Disaster Countermeasure Vehicle	15 vehicles		Vehicle Amphibian motor vehicle and amphibian motor vehicle	5 pairs
	Mobile communication vehicle	33 vehicles	2019*	transport vehicle	1 vehicle
2013	Helicopter	2 helicopters		Operation Base Vehicle	i venicie
	Helicopter movement management system	4 systems		Heavy machinery and heavy machinery transport vehicles	19 pairs
	Heli-Sat system	4 systems		High-performance lifeboats	36 vehicle

Table 2-8-4 Main allocation of vehicles and other equipment via the system for using equipment free of
charge stipulated in Article 50 of the Fire Defense Organization Act

quickly and at a large scale in preparation for large-scale disasters such as the Nankai Trough Earthquake or Tokyo in Land Earthquake, for which damage that is worse than that from the Great East Japan Earthquake is envisioned.

B. Equipment

Since they were first launched, the FDMA has formulated standards for the equipment for National Fire-Service Teams. Moreover, since their enshrinement into law in 2003, it has included provisions for this in its basic plan as it has worked to round-out their line-up of equipment. Starting from 2006, government subsidy measures have been taken through a subsidy for outfitting National Fire-Service Teams with facilities and equipment. Through this, progress has been made in equipping them with special disaster-response fire pump vehicles, rescue work vehicles, special disaster-response ambulances, as well as the support vehicles active teams need to act in a self-contained manner in afflicted regions, and also fiberscopes and other sophisticated rescue equipment and supplies.

Furthermore, the stipulations in Article 50 of the Fire Defense Organization Act provide for a system for using equipment free of charge. Under this system, some of the equipment needed by National Fire-Service Teams for their team activities and logistical activities is allocated to fire departments and other sites throughout Japan. Such equipment includes systems for water sources for firefighting capable of handling disasters at energy and industrial infrastructure, response vehicles for handling tsunamis and large-scale storm and flood damage, vehicles that can function as mobile bases, and more. (Table 2-8-4)

Moreover, the emergency and disaster prevention and reduction business debentures (100% allocations, 70% tax grant rate) that were established in FY2011 were expanded in FY2013 to newly encompass "Equipment for vehicles for the functional enhancement of National Fire-Service Teams" and "Facilities to serve as bases for rescue and other activities for National Fire-Service Teams."

In FY2014, base facilities for rescue activities and the like were added to the list of facilities eligible for aid

via subsidies for the costs of outfitting fire and disaster prevention equipment. Such facilities consist of helicopter landing pads, facilities for storing equipment and supplies, and private refueling facilities. Through this, progress has been made with setting in place base facilities that will allow National Fire-Service Teams to carry out rescue and other activities in a self-reliant manner.

The FDMA will continue working to round-out and enhance the equipment of National Fire-Service Teams in a systematic manner to ensure that they can effectively carry out their activities.

Tapanese Original P.324

Attachment 1-1-2 Extent of fire damage by prefecture

(During 2018)

Classification				No. of fires					No. o	f buildings b		
	Total	Buildings	Forests	Vehicles	Ships	Aircraft	Other	Total	Totally	Half	Partially	Minor fire
Prefecture Hokkaido	1,685	1,062	31	270	3	0	319	1,379	destroyed 336	destroyed 113	destroyed 392	538
Aomori	456	285	24	48	1	0	98	466	171	31	147	117
Iwate	384	205	33	40 57	1	0	87	391	169	27	147	79
Miyagi	650	369	15	78	0	0	188	570	103	33	110	232
Akita	291	166	14	39	1	0	71	307	124	14	107	62
Yamagata	305	154	8	25	0	0	118	241	86	10	72	73
Fukushima	632	321	56	67	2	0	186	557	219	32	144	162
Ibaraki	1,158	557	57	104	0	0	440	1,031	397	54	259	321
Tochigi	636	327	31	78	0	0	200	557	209	32	165	151
Gunma	717	374	20	78	0	0	245	661	234	40	176	211
Saitama	1,819	1,006	14	206	0	0	593	1,550	313	72	438	727
Chiba	1,924	960	86	175	3	0	700	1,426	372	82	327	645
Tokyo	4,025	2,725	4	227	3	0	1,066	3,052	104	102	552	2,294
Kanagawa	1,886	1,148	10	173	3	0	552	1,505	209	66	354	876
Niigata	571	377	22	70	1	0	101	642	180	42	193	227
Toyama	170	115	5	29	0	0	21	147	41	10	43	53
Ishikawa	243	134	14	38	0	0	57	205	53	8	60	84
Fukui	199	108	4	33	1	0	53	185	44	15	52	74
Yamanashi	349	147	17	44	0	0	141	261	95	21	79	66
Nagano	941	382	36	85	0	0	438	570	195	50	145	180
Gifu	725	336	33	56	0	0	300	543	176	34	153	180
Shizuoka	1,045	557	25	113	3	0	347	791	178	54	200	359
Aichi	2,082	1,118	37	228	5	0	694	1,473	230	89	432	722
Mie	738 406	326 205	31 10	81 44	2	0	298	521 303	160 73	31 17	134 66	196 147
Shiga Kyoto	406 551	334	10	44 53	0	0	147 153	458	73	31	114	236
Osaka	2,030	1,440	8	153	2	0	427	1,866	186	87	479	1,114
Hyogo	1,762	901	76	133	5	0	610	1,161	200	50	330	581
Nara	454	210	16	35	0	0	193	310	73	20	91	126
Wakayama	336	162	15	29	3	0	130	224	61	17	51	95
Tottori	223	102	9	17	0	0	97	158	51	15	28	64
Shimane	309	118	47	21	1	0	122	182	64	3	42	73
Okayama	751	369	70	76	1	0	235	647	231	46	183	187
Hiroshima	881	426	83	75	2	0	295	628	153	36	174	265
Yamaguchi	518	214	34	40	5	0	225	383	135	20	104	124
Tokushima	275	135	16	32	0	0	92	197	59	13	60	65
Kagawa	338	163	26	29	1	0	119	236	66	23	87	60
Ehime	411	256	14	30	2	0	109	429	129	29	116	155
Kochi	308	151	19	23	0	0	115	219	75	12	52	80
Fukuoka	1,354	750	29	111	2	0	462	981	197	56	251	477
Saga	311	133	25	33	0	1	119	201	68	8	50	75
Nagasaki	537	225	38	37	8	0	229	340	102	21	87	130
Kumamoto	705	298	58	77	0	0	272	463	115	17	131	200
Oita	372	170	36	23	3	0	140	412	242	9	72	89
Miyazaki	444	219	30	47	0	0	148	321	96	20	100	105
Kagoshima	605	316	24	48	3	0	214	508	207	32	136	133
Okinawa Profostural total	27.091	209 20,764	42	55 3,660	2 69	0	161 12,124	304 29,962	35	14	132	123
Prefectural total Sapporo city	37,981 435	20,764	1,363 0	3,660	69 0	0	12,124	29,962	7,138 27	1,658 20	7,833 103	13,333 217
Sapporo City Sendai City	254	162	0	24	0	0	68	190	17	20	39	127
Saitama City	319	175	0	31	0	0	113	245	35	14	66	127
Chiba City	261	173	3	37	0	0	84	165	15	7	43	100
Special wards	2,913	2,049	0	161	3	0	700	2,215	31	77	388	1,719
Yokohama City	702	421	0	63	3	0	215	498	38	23	123	314
Kawasaki City	324	210	0	24	0	0	90	239	15	5	50	169
Sagamihara City	142	86	4	17	0	0	35	110	17	10	22	61
Niigata City	124	94	0	15	1	0	14	165	43	11	64	47
Shizuoka City	177	111	1	18	1	0	46	143	10	14	24	95
Hamamatsu City	206	112	7	20	0	0	67	177	50	14	54	59
Nagoya City	569	367	1	59	1	0	141	423	23	12	144	244
Kyoto City	230	173	3	13	0	0	41	240	25	20	66	129
Osaka City	741	555	0	52	1	0	133	648	17	29	187	415
Sakai City	194	133	0	12	0	0	49	158	7	7	41	103
Kobe City	460	276	8	43	2	0	131	314	28	9	74	203
Okayama City	166	88	5	20	1	0	52	145	37	12	39	57
Hiroshima City	244	155	6	18	0	0	65	214	29	14	56	115
Kitakyushu City	237	133	1	22	0	0	81	168	28	10	42	88
Fukuoka City	309	206	5	19	1	0	78	253	13	9	74	157
Kumamoto City	181	118	4	19	0	0	40	164	23	7	41	93
21 city total	9,188	6,071	48	749	14	0	2,306	7,241	528	331	1,740	4,642

(Note) The "21 city total" is found within the prefectural total.

Attachment 1-1-2	Extent of fire dan	hage by prefecture	(continued)
------------------	--------------------	--------------------	-------------

(During 2018)

Classification Prefecture Hokkaido Aomori Iwate Miyagi Akita Yamagata	58,962	Area burned Building surface area(m)	Forests (a)	No. of ca Fatalities	Injured	Total	No. of househ Totally	Half	Minor	No. of people
Hokkaido Aomori Iwate Miyagi Akita	58,962		1 010313 (d)	i atantico						affected
Aomori Iwate Miyagi Akita	,	F 004				Total	destroyed	destroyed	destruction	4
lwate Miyagi Akita	00.070	5,391	5,835	68	299	827	145	81	601	1,638
Miyagi Akita	22,873	2,642	1,532	29	84	267	92	23	152	639
Akita	27,446	4,268	5,897	28	53	169	65	14	90	418
	22,486	1,325	345	26	134	340	82	21	237	814
Yamagata	17,087	1,712	1440	18	46	140	51	4	85	320
unasala	11,495	1,305	48	13	54	121	38	4	79	317
Fukushima	27,864	3,034	1,336	42	123	275	84	17	174	631
Ibaraki	39,639	3,154	702	34	164	535	188	34	313	1,168
Tochigi	27,245	2,043	616	29	89	315	104	18	193	679
Gunma	30,620	2,040	550	36	99	302	101	21	180	661
Saitama	51,802	5,603	642	65	281	979	182	52	745	2,288
			-							
Chiba	38,710	3,086	342	75	298	804	184	58	562	1,774
Tokyo	20,297	12,460	442	88	808	2,225	180	170	1,875	4,282
Kanagawa	43,913	6,290	29	73	352	1,170	181	74	915	2,528
Niigata	31,303	2,552	351	33	133	377	94	31	252	933
Toyama	6,770	1095	34	13	49	88	22	10	56	232
Ishikawa	6,375	793	119	15	31	105	28	7	70	220
Fukui	26,527	564	29	15	26	118	32	10	76	305
Yamanashi	10,560	1,301	1,723	8	38	143	51	6	86	305
Nagano	25,907	1,672	2,467	47	151	304	95	23	186	722
Gifu	21,389	1,946	175	24	96	263	80	21	162	619
Shizuoka	23,526	5,742	380	40	143	422	96	34	292	1,007
Aichi	52,120	7,454	278	40 70	287	980	183	76	721	2,203
Mie	28,587	2,041	290	22	87	248	71	24	153	576
Shiga	11,627	1739	252	17	60	166	33	12	121	392
Kyoto	15,127	1,550	129	22	101	303	42	30	231	611
Osaka	40,366	6,545	112	85	501	1,586	232	92	1,262	3,212
Hyogo	31,505	4,493	907	72	297	785	175	46	564	1,631
Nara	17,218	1,857	487	10	71	176	45	7	124	438
Wakayama	11,809	332	361	13	46	137	36	6	95	295
Tottori	8,427	158	254	6	36	74	22	9	43	203
Shimane	8,039	403	1187	12	38	79	24	3	52	200
Okayama	27,957	1,815	1582	28	143	331	119	22	190	735
Hiroshima	22,429	1,934	2416	35	145	418	81	30	307	886
		670	404	23	71		67	<u>30</u> 9		
Yamaguchi	18,284					188			112	439
Tokushima	9,701	952	580	10	32	114	31	7	76	243
Kagawa	7,860	737	203	13	34	146	42	12	92	318
Ehime	18,652	1,361	175	18	56	230	69	11	150	519
Kochi	8,157	436	326	4	33	115	35	5	75	254
Fukuoka	33,861	3,199	1,933	36	195	607	124	36	447	1,343
Saga	10,047	469	103	10	39	101	34	8	59	261
Nagasaki	13,742	606	168	27	57	215	60	15	140	537
Kumamoto	15,704	2,337	21056	17	83	253	59	9	185	600
Oita	10,754	1,079	219	9	34	110	37	5	68	214
Miyazaki	14,811	1,597	1,306	13	46	167	54	8	105	403
Kagoshima	28,172	2,221	503	23	68	254	108	5	141	487
Okinawa	5,831	1,937	359	13	32	108	20	13	75	258
Prefectural total	1,063,583	117,981	60,624	1,427	6,114	18,180	3,978	1,233	12,969	39,758
					-					
Sapporo city	6,947	1,455	0	30	120	313	33	21	259	569
Sendai City	2,982	68	0	11	64	125	18	3	104	252
Saitama City	5,406	1090	0	9	46	154	38	7	109	364
Chiba City	2,237	624	15	2	48	94	22	2	70	198
Special wards	11,024	4,734	0	63	515	1,611	120	131	1,360	3,002
Yokohama City	6,478	2,055	0	23	118	409	48	26	335	882
Kawasaki City	2,582	654	0	13	71	246	27	13	206	500
Sagamihara City	2,661	208	2	9	37	99	14	7	78	204
Niigata City	6,918	692	0	6	40	136	31	5	100	283
Shizuoka City	2,336	134	0	11	20	113	19	16	78	233
Hamamatsu City	5,939	4558	52	6	30	86	22	7	57	211
	5,335	1,106	2	21	115	362	39	20	303	726
Nagoya City										
Kyoto City	5,850	523	16	12	60	190	22	26	142	358
Osaka City	5,042	2,852	0	31	189	604	43	45	516	1,094
Sakai City	1,985	596	0	4	36	136	29	5	102	257
Kobe City	3,854	868	126	18	68	237	48	12	177	457
Okayama City	4,569	270	50	5	24	89	20	10	59	185
Hiroshima City	3,699	1232	399	8	48	209	29	13	167	416
Kitakyushu City	4,733	406	1,700	5	30	96	20	5	71	215
	2,213	711	10	10	66	177	22	9	146	324
		1032	11	4	27	119	14	6	99	263
Fukuoka City Kumamoto City	3,302									

(Note) The "21 city total" is found within the prefectural total.

Attachment 1-1-2 Extent of fire damage by prefecture (continued)

(During 2018) (Unit: 1,000 yen)

Classification					Amount of	damages		(24		iit. 1,000 yeii)
Prefecture	Total	Subtotal	Building Buildings	Contents	Forests	Vehicles	Ships	Aircraft	Other	Explosions
Hokkaido	2,934,379	2,427,939	1,749,400	678,539	8127	159,993	11,094	0	313,091	14135
Aomori	2,257,161	2,023,420	757,685	1,265,735	3,176	23,034	1,276	0	15,566	190,689
Iwate	1,318,464	1,106,907	932,616	174,291	47,829	45,092	28772	0	51,054	38,810
Miyagi	1,545,862	1,375,690	993,553	382,137	1,619	78,139	0	0	89,391	1023
Akita	611,156	573,819	421,567	152,252	11,673	16,704	5400	0	3,556	4
Yamagata	652,521	621,736	498,253	123,483	6,973	14,817	0	0	8,995	0
Fukushima	1,331,728	1,161,892	687,878	474,014	1,491	120,849	5703	0	41,793	0
Ibaraki	3,740,465	3,436,830	2,487,199	949,631	552	58,451	0	0	240,362	4270
Tochigi	1,683,332	1,606,887	947,439	659,448	5006	51,864	0	0	19,077	498
Gunma	1,760,373	1,681,756	1,124,311	557,445	1828	48,095	0	0	22,423	6,271
Saitama	5,163,161	5,004,094	2,693,691	2,310,403	13,096	110,095	0	0	30,560	5,316
Chiba	3,266,907	2,795,972	2,217,975	577,997	760	140,528	603	0	328,315	729
Tokyo	6,116,531	5,870,756	3,285,376	2,585,380	9150	93,155	27515	0	112,765	3,190
Kanagawa	4,873,484	4,653,750	2,164,936	2,488,814	0	88,905	4537	0	75,677	50,615
Niigata	1,383,082	1,289,083	987,764	301,319	50	47,984	28968	0	10,867	6130
	717,373	706,259	365,370	340,889	0	8,165	20300	0	2,949	0130
Toyama					5310		0	0		0
Ishikawa	410,339	364,271	265,860	98,411		8,366			32,392	0
Fukui	2,635,130	2,341,471	1,238,106 447,294	1,103,365 249,196	578 2,448	32,053 47.570	116 0	0	260,912 40,708	0
Yamanashi	787,216	696,490				7			,	-
Nagano	1,265,815	1,178,312	937,419	240,893	24,334	39,861	0	0	15,934	7,374
Gifu	1,659,085	1,606,056	841,895	764,161	394	33,772	0	0	18,863	0
Shizuoka	2,876,733	2,625,006	1,764,296	860,710	1,059	79,820	131540	0	38,686	622
Aichi	4,978,328	4,727,648	2,926,647	1,801,001	359	151,217	1548	0	82,639	14,917
Mie	1,442,387	1,389,285	862,275	527,010	909	37,779	1,327	0	12,777	310
Shiga	791,731	715,370	527,684	187,686	1271	61,094	0	0	11,926	2,070
Kyoto	1,099,774	1,076,014	753,112	322,902	258	12,405	0	0	10,675	422
Osaka	6,061,516	5,191,358	3,025,809	2,165,549	160	49,348	102	0	810,404	10,144
Hyogo	2,785,734	2,568,860	1,934,921	633,939	963	151,667	9,131	0	43,283	11,830
Nara	1,481,635	1,465,985	786,193	679,792	1,143	11,438	0	0	3,069	0
Wakayama	658,658	627,899	379,532	248,367	471	6,659	8151	0	13,870	1608
Tottori	282,086	274,802	221,167	53,635	16	4,950	0	0	771	1547
Shimane	374,963	345,147	258,466	86,681	2689	13,227	55	0	5,900	7945
Okayama	1,445,201	1,336,085	938,626	397,459	2,441	42,831	243	0	63,481	120
Hiroshima	1,846,105	1,632,655	1,071,941	560,714	1020	63,324	3592	0	145,514	0
Yamaguchi	868,156	832,255	603,652	228,603	167	22,627	964	0	12,112	31
Tokushima	841,959	801,947	464,272	337,675	3474	19,497	0	0	17,041	0
Kagawa	562,573	540,817	355,271	185,546	0	5,259	3162	0	13,335	0
Ehime	877,452	801,699	544,453	257,246	263	14,016	22	0	58,218	3234
Kochi	327,017	312,480	229,029	83,451	224	10,346	0	0	3,967	0
Fukuoka	2,681,586	1,919,339	1,436,356	482,983	76	52,156	9,615	0	16,257	684143
Saga	1,210,260	459,280	374,357	84,923	236	18,459	0	730000	2,280	5
Nagasaki	1,318,206	718,534	565,682	152,852	57	16,955	570,942	0	11,613	105
Kumamoto	795,112	731,054	474,177	256,877	11,122	37,598	0	0	15,129	209
Oita	344,800	329,667	262,417	67,250	308	6,693	666	0	6,543	923
Miyazaki	714,568	646,852	444,401	202,451	27,074	36,815	0	0	3,812	15
Kagoshima	1,239,885	1,199,786	675,441	524,345	1,666	19,374	1,356	0	14,673	3030
Okinawa	607,252	559,325	336,138	223,187	547	14,219	2500	0	18,660	12001
Prefectural total	84,627,241	76,352,539	48,261,902	28,090,637	202,367	2,227,265	858,900	730,000	3,171,885	1,084,285
Sapporo city	483,322	460,273	318,657	141,616	0	9,199	0	0	643	13207
Sendai City	297,459	273,681	194,654	79,027	0	23,216	0	0	562	0
Saitama City	526,722	507,249	409,039	98,210	0	13,698	0	0	5,775	0
Chiba City	363,240	242,975	218,036	24,939	0	28,902	0	0	91,279	84
Special wards	2,344,853	2,238,979	1,583,150	655,829	0	69,029	27515	0	7,648	1,682
Yokohama City	605,195	564,390	465,370	99,020	0	22,411	4507	0	13,832	55
Kawasaki City	263,427	241,373	189,512	51,861	0	4,477	0	0	17,577	0
Sagamihara City	262,991	209,894	157,202	52,692	0	2,034	0	0	1,138	49925
Niigata City	414,699	373,479	296,688	76,791	0	7,184	28968	0	5,068	0
Shizuoka City	230,428	210,763	172,016	38,747	0	14,184	0	0	5,309	172
Hamamatsu City	588,441	542,171	429,507	112,664	50	29,209	0	0	17,011	0
Nagoya City	619,529	596,487	428,303	168,184	0	21,347	0	0	1,695	0
Kyoto City	479,618	472,959	412,949	60,010	226	2,948	0	0	3,063	422
Osaka City	511,311	485,414	293,359	192,055	0	17,893	1	0	6,351	1652
Sakai City	1,017,119	1,003,401	150,049	853,352	0	5,133	0	0	8,344	241
Kobe City	424,519	374,094	269,677	104,417	0	14,388	3534	0	32,503	0
	727,313	296,746	177,380	119,366	543	3,661	243	0	2,152	0
Okavama City	303 345		177,300			16,648	243	0		0
Okayama City	303,345		109 705	100 205						
Hiroshima City	512,295	389,000	198,795 103 778	190,205	410				106,237	
Hiroshima City Kitakyushu City	512,295 176,499	389,000 164,613	103,778	60,835	0	8,317	0	0	3405	164
Hiroshima City Kitakyushu City Fukuoka City	512,295 176,499 126,658	389,000 164,613 120,497	103,778 90,291	60,835 30,206	0 0	8,317 1,500	0 1,615	0 0	3405 2,816	164 230
Hiroshima City Kitakyushu City	512,295 176,499	389,000 164,613	103,778	60,835	0	8,317	0	0	3405	164

(Note) The "21 city total" is found within the prefectural total.

S Japanese Original P.360

Attachment 1-2-1 Trends in the number of facilities for hazardous material

(As of March 31 of each year)

Norma Norma <th< th=""><th></th><th>1</th><th></th><th colspan="6"></th><th></th><th colspan="6"></th></th<>		1															
n n	manufacturing	Net total			Indoor						Outdoor		Fuel	Class 1	Class 2	Transfer	Coporal
1990 213.00 23.00 14.00 51.00 61.70 42.47 20.00 1.71 1.91 51.00 50.70 1.92 34.00 2.71 1.71 0.81.67 0.90.50 1.90.50 <td></td> <td></td> <td>facilities</td> <td>Subtotal</td> <td></td> <td>storage</td> <td></td> <td></td> <td>storage</td> <td>storage</td> <td></td> <td>Subtotal</td> <td></td> <td>handling</td> <td>handling</td> <td></td> <td></td>			facilities	Subtotal		storage			storage	storage		Subtotal		handling	handling		
1986 940.70 3.391 1970 3.930 9.900 2.924 4.70 1.728 6.172 6.172 6.172 6.172 6.172 6.172 6.172 6.172 6.172 6.170 0.255 6.100 2.264 6.153 1.337 5.000 2.274 6.153 1.337 5.000 2.274 6.153 1.337 5.000 2.274 6.153 1.337 5.000 2.274 6.153 1.337 5.000 2.274 6.153 1.337 5.000 7.27 7.284 6.274 7.00 3.07 7.01 2.275 4.270 7.03 3.06 6.227 7.00 3.07 7.07 7.01 7.00 5.000 7.000 5.000 7.000 5.000 7.000 5.000 7.000 5.000 7.000 5.000 7.000 5.000 7.000 5.000 7.000 5.000 7.000 5.000 7.000 5.000 7.000 5.000 7.000 5.000 7.000 5.000 7.000	1959	95,207	2,523	63,303	23,566	19,090	2,048	5,484	7,237	3,527	2,351	29,381	19,937	1,702			7,742
1996 27512 3.369 17.510 39.369 40.70 4.370 4.370 4.580 7.701 10.300 4.500 2.771 2.58 37.71 3.580 2.570 1.510 3.580 2.570 1.510 3.580 2.570 1.510 3.580 2.570 1.510 3.580 2.570 1.510 3.580 2.570 1.510 3.570 3.537 <t< td=""><td>1967</td><td>213,526</td><td>3,008</td><td>140,842</td><td>34,163</td><td>48,975</td><td>8,863</td><td>23,891</td><td>4,648</td><td>15,190</td><td>5,112</td><td>69,676</td><td>42,347</td><td>2,059</td><td></td><td></td><td>25,270</td></t<>	1967	213,526	3,008	140,842	34,163	48,975	8,863	23,891	4,648	15,190	5,112	69,676	42,347	2,059			25,270
1970 930.76 94.25 94.36 74.30 94.80 4.80 <	1968	246,767	3,164	157,456	36,523	53,938	9,993	28,243	4,731	17,856	6,172	86,147	49,041	2,478			34,628
9971 94.11 54.81 47.32 77.20 77.30 47.32 77.30 47.30 77.30	1969	279,012	3,309	175,150	38,880	59,504	11,172	33,142	4,793	20,556	7,103	100,553	54,060	2,907			43,586
9772 97.12 97.92 91.92	1970	308,784	3,459	192,155	40,709	64,693	12,334	38,852	4,767	22,645	8,155	113,170	58,096	3,274			51,800
1972 277.12 379.8 213.97 44.07 70.91 70311 1973 410.16 3.389 251.372 46.78 13.388 15.57 64.013 47.47 30.40 30.381 16.60 16.3 77.348 1974 410.56 3.661 3.661 75.48 77.64 7.664 4.583 3.280 16.861 7.140 3.76 5.80 9.80 1975 55.27 4.518 3.240 17.78 8.066 4.426 4.230 10.374 7.80 3.77 3.98 1.255 6.261 1.257 7.99.9 7.77 3.98 1.258 1.258 1.258 1.258 1.258 1.258 1.258 1.258 1.258 1.258 1.251 1.258 1.258 1.258 1.258 1.258 1.258 1.258 1.258 1.258 1.258 1.258 1.258 1.258 1.258 1.258 1.258 1.258 1.258 1.259 1.259 1.259 1.259	1971	346,113	3,684	213,883	43,254	71,320	13,611	45,880	4,849	25,396	9,573	128,546	62,749	3,553			62,244
1974 40.50 40.07 28.77 6.28 9.78 7.78 2.88 1.99.74 1076 61.675 40.08 32.80 51.40 9.401 17.98 80.96 43.98 18.98 17.91 17.98 17.93 <th17.93< th=""> <th17.93< th=""> <th17.93< td="" th<=""><td>1972</td><td>377,123</td><td>3,789</td><td>231,972</td><td>44,872</td><td>76,090</td><td>14,667</td><td>52,132</td><td>4,805</td><td>28,484</td><td>10,922</td><td>141,362</td><td>66,638</td><td>3,722</td><td>91</td><td></td><td>70,911</td></th17.93<></th17.93<></th17.93<>	1972	377,123	3,789	231,972	44,872	76,090	14,667	52,132	4,805	28,484	10,922	141,362	66,638	3,722	91		70,911
1976 485.101 3.980 32.200 63.200 67.304 7.704 7.704 7.704 7.704 7.701 7.711	1973	410,158	3,929	251,372	46,769	81,388	15,575	58,913	4,748	32,139	11,840	154,857	71,049	3,697	163		79,948
9176 512.57 61.00 32.827 51.40 92.90 14.90 12.90 14.93 <t< td=""><td>1974</td><td>461,500</td><td>4,037</td><td>288,771</td><td>50,253</td><td>91,596</td><td>16,840</td><td>68,423</td><td>4,774</td><td>36,049</td><td>20,836</td><td>168,692</td><td>74,697</td><td>3,763</td><td>258</td><td></td><td>89,974</td></t<>	1974	461,500	4,037	288,771	50,253	91,596	16,840	68,423	4,774	36,049	20,836	168,692	74,697	3,763	258		89,974
1976 512.07 40.0 32.8.07 51.00 94.00 17.390 44.00 44.300 24.370 18.370 37.77 37.47 17.44 14.225 100.380 1977 552.30 41.12 31.41.31 57.115 40.141 30.777 58.28 94.48 18.28 0.724 44.84 44.205 24.201 18.085 53.33 54.51 17.316 10.311 10.3	1975	495,161	3,961	312,009	53,239	97,846	17,534	75,642	4,578	39,364	23,806	179,191	76,879	3,727	319	1,148	97,118
1977 527.18 4.104 53.73 4.104 54.77 98.78 4.488 24.70 98.77 98.78 4.68 12.28 10.708 1979 52.357 4.181 347.71 58.28 98.88 10.344 10.341 10.341 10.341 10.341 10.341 10.341 10.341 10.341 10.341 10.341 10.341 10.341 10.341 10.341 10.341 10.341 10.341 10.355 4.76 4.848 3.481 4.648 5.557 20.428 4.848 3.481 6.67 1.381 17.75 17.24 10.948 12.4558 6.767 3.28 10.67 1.328 12.267 12.578 4.548 4.488 4.4	1976	512,675	4,035	323,827	55,140	99,401	17,936	80,906	4,540	41,909	23,995	184,813	78,508	3,717	374	1,225	
1978 539.52 4.124 91.341 97.39 99.469 19.324 4.266 4.333 24.091 19.407 19.208 55.33 64.51 1.738 107.391 1979 552.57 4.128 34.377 76.526 96.956 10.158 11.751 14.71 35.255 2.724 85.657 4.272 35.657 4.272 35.657 4.272 35.657 4.343 373.75 2.2709 70.07 20.013 11.308 17.12 3.281 6.2769 3.381 6.671 1.302 12.088 1982 59.576 4.458 307.47 8.640 6.339 12.51 12.549 12.549 1.302 12.549 1.302 12.549 1.301 12.539 1.301 12.549 1.301 12.549 1.301 12.549 1.301 12.549 1.301 12.549 1.301 12.549 1.301 12.549 1.301 12.549 1.301 12.549 1.301 12.549 1.301 12.549 1.551	1977	527,118		333,440	56,772	99,626	18,236	85,874			24,170	189,574	79,998	3,675	464	1,229	104,208
1979 52.597 4.144 94.777 98.282 98.984 18.29 95.823 4.144 94.947 23.82 98.683 8.200 3.38 541 1.316 10.311 1981 57.376 4.243 57.386 61.554 57.91 1932 1935 65.51 47.95 49.86 55.637 24.748 63.683 4.64 4.73 57.37 57.38 57.37 57.37 57.37 57.37 57.37 57.37 57.37 57.37 57.37 57.37 57.37 57.37 57.37 57.37 57.37 57.37 <t< td=""><td>1978</td><td>539,532</td><td></td><td>341,341</td><td></td><td>99,456</td><td>18,632</td><td>90,734</td><td></td><td></td><td></td><td>194,067</td><td>81,288</td><td>3,626</td><td>513</td><td>1,251</td><td></td></t<>	1978	539,532		341,341		99,456	18,632	90,734				194,067	81,288	3,626	513	1,251	
1980 575,376 4.272 368,386 60,165 103,373 19,451 104,120 41,177 52,360 25,637 204,748 61,568 3.446 1.14,777 1981 567,576 4.348 37,278 2.748 57,182 2.748 68,056 3.416 64,71 1.368 1.17,756 1984 607,007 4.013 118,724 3.871 53,862 2.4221 21,555 81,843 3.284 706 1.301 125,973 1984 607,040 4.4477 386,466 63,888 66,856 19,811 117,715 3.742 61,018 24,397 16,882 3,444 14,001 124,127 1986 67,720 4.567 397,763 63,868 43,431 194,612 122,593 43,81 22,042 124,59 124,23 124,28 13,882 3,404 1,400 124,493 1987 62,736 7,737 4,853 124,49 122,49 42,854 124,59 1,484 <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td<>																	
1981 507.02 4.346 37.3465 61.564 97.007 20.013 113.388 39.753 77.78 62.789 97.007 20.013 113.388 39.753 67.78 25.468 21.436 60.565 3.381 667 1.382 10.006 1984 607.040 4.447 38.406 63.389 63.567 115.74 3.371 65.662 21.430 61.384 3.284 77.67 1.381 112.793 1986 617.364 4.566 30.628 6.339 143.49 19.212.24 3.331 66.398 22.302 88.82 3.404 7.30 1.402 15.400 1986 677.67 37.667 63.80 94.341 19.465 12.294 3.331 65.397 22.142 17.358 88.80 2.384 7.86 13.89 13.89 13.89 13.89 13.89 13.89 13.89 13.89 13.89 13.89 13.89 13.89 13.89 13.89 13.89 13.89 13.89																	
1982 595.75 4.383 373732 62.789 97.007 20.013 113.388 3.853 57.18 25.468 21.430 86.662 3.381 66.77 1.3281 113.298 1984 607.005 4.447 36.866 55.58 60.571 19.571 17.74 3.881 21.619 24.977 83.82 3.212 723 13.91 122.733 1985 61.334 4.560 39.878 63.881 19.831 119.749 3.838 64.339 22.939 21.652 9.458 21.930 48.82 2.938 758 21.930 82.85 21.930 82.85 21.931 11.937 22.248 88.80 2.838 758 1737 1737 1737 1737 1737 1737 1737 1737 1737 1737 1737 1737 1737 1737 1737 1737 1737 1737 1738 1738 1738 1738 1738 1738 1738 1738 1738 1738 </td <td></td> <td>-</td> <td></td>		-															
1983 601.905 4.435 382.914 63.440 96.341 19.856 11.724 3.8.71 58.662 24.921 21.456 67.678 3.284 7.055 11.819 13.818 11.819 13.83 11.819 13.83 14.819 11.819 53.851 21.797 88.82 3.144 7.44 1.44 124.123 1986 617.540 4.589 30.841 9.458 11.819 53.851 12.857 13.84 14.84 14.44 14.01 124.123 1987 620.737 68.587 63.380 9.347 13.84 12.420 3.511 12.857 13.88 14.72 14.743 12.326 88.88 2.040 1.781 11.872 11.871 12.824 12.851 12.851 13.86 13.83 13.82 13.88 13.82 13.84 88.84 2.784 13.851 12.851 88.84 2.865 1.781 11.783 98.84 2.850 1.373 1.382 1.381 1.382 1.381			-														
1984 607.040 4.4.77 308.40 63.588 96.087 19.878 117.715 3.7.42 61.919 24.397 21.6157 88.143 3.221 7.23 1.391 12.2873 1986 617.304 45.663 30.625 63.779 96.858 19.331 112.744 3.581 66.989 2.305 27.379 88.582 3.44 7.44 1.400 12.247 1986 677.470 4.677 95.877 63.893 94.381 19.245 12.240 3.681 69.976 22.18 20.204 88.898 2.806 7.88 13.39 16.265 1989 574.70 4.777 90.597 63.428 97.901 19.237 12.437 2.384 76.541 2.284 7.589 18.821 17.048 89.88 2.580 4.776 1.380 7.373 7.387 1995 561.20 4.773 85.750 7.770 12.850 17.821 17.104 89.66 2.6647 1.380 7.729		-															
1985 613.344 4.560 30.022 63.878 96.865 19.331 119.749 3.638 64.333 23.651 21.797 88.582 3.144 7.44 1.400 124.129 1986 617.540 4.585 85.877 63.808 94.349 19.62 122.59 3.458 69.576 22.380 21.328 28.882 0.300 7.58 1.387 126.265 1988 574.720 4.677 397.687 63.683 93.497 19.34 12.402 3.61 72.957 21.423 17.326 89.080 2.84 7.66 1.387 73.76 7.67 7.370 7.301 7.327 7.3151 1999 561.184 4.774 365.97 61.360 87.980 17.70 12.557 2.560 7.111 18.282 17.043 89.382 2.640 4.567 1.337 7.63.67 1991 561.38 30.307 60.862 8.522 1.710 12.552 2.300 1.7103 8.561		-					-										
1986 617,540 4.589 393,419 64,081 94,988 19,621 121,254 3,531 66,987 22,178 210,220 88,882 3,040 738 1,402 125,460 1986 677,70 4.577 39,577 63,980 94,473 13,287 13,387 122,326 21,382 122,386 23,988 24,676 13,387 122,326 1989 576,881 4,722 400,597 63,562 93,105 124,374 3,288 76,451 20,667 173,558 88,814 2,666 776 1,330 76,387 1990 652,280 4,177 403,577 63,462 97,790 125,587 2,563 3,199 79,308 2,021 174,385 88,814 2,666 776 1,330 76,387 1991 61,024 4,977 88,567 1568 12,264 71,131 1,382 72,307 1,728 1,71,78 9,477 1,380 76,377 1993 65,129 5,043																	
1987 60.783 4.657 395.877 63.980 94.334 19.465 122.502 3.435 69.976 22.178 220.249 88.890 2.837 758 1.337 126.265 1989 578.811 4.777 397.687 65.633 93.105 191.05 124.437 32.88 76.641 20.0617 73.552 95.065 2.788 76.8 1.337 73.377 1990 562.911 4.774 305.77 61.326 97.950 17.970 125.89 2.266 71.11 18.261 17.144 98.916 2.554 640 1.380 76.737 1992 562.260 4.971 383.979 60.862 86.272 17.178 125.33 17.128 17.128 99.644 652 1.380 76.737 1994 560.790 5.013 383.879 60.862 86.372 17.178 125.33 17.178 90.647 2.385 647 1.380 76.757 1995 561.046 5.138																	
1988 574/20 4.677 397,87 63,89 9,347 19,354 12,340 3,361 72,957 21,423 172,356 89,068 2,445 766 1,381 78,276 1989 576,881 4,775 403,577 63,426 92,778 18,356 12,530 31,98 79,308 20,281 174,558 89,814 2,680 667 61 1,380 79,913 1990 55,114 47,75 403,577 63,426 92,756 17,710 126,589 2,664 71,104 89,816 2,554 640 1,380 76,785 1992 562,290 4,917 386,022 61,288 67,710 11,718 162,763 12,286 171,238 89,966 2,464 662 1,377 76,764 1994 560,705 50,103 83,399 60,826 62,727 17,188 12,633 2,069 77,207 17,238 89,96 2,464 4,510 1,300 72,777 1995 <th< td=""><td></td><td>-</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></th<>		-															
1889 578,801 4.722 400,597 63,562 93,105 19,150 124,374 32,88 76,451 20,667 173,562 99,508 2.768 776 1,300 79,913 1991 561,114 4,774 403,577 61,300 67,360 17,999 125,630 3.199 72,036 80,388 2,630 657 1,373 76,637 1992 562,290 4,471 385,975 61,300 67,529 17,710 125,890 2,266 71,111 18,261 171,044 89,368 2,635 464 1,380 76,729 1995 561,004 5,071 383,99 0,682 62,27 17,168 126,552 2,040 76,575 16,286 17,178 90,447 2,325 647 1,382 76,771 1996 561,04 5,071 382,491 59,824 85,114 16,586 2,049 76,575 16,228 17,478 12,373 71,583 2,96 660 1,377 76,751																	
1990 582.911 4.775 40.3.577 61.3.60 97.78 18.955 125.830 3.199 79.308 20.281 17.4,559 88.814 2.606 776 1.300 79.913 1991 561.184 4.774 385.775 61.3.50 87.950 17.909 125.874 2.5.54 71.506 18.852 170.435 89.388 2.630 667 1.373 75.387 1992 562.250 4.977 38.022 61.28 87.038 10.620 72.631 17.101 125.59 2.666 73.111 11.528 89.960 2.444 652 1.377 76.744 1994 560.701 383.941 50.828 60.904 85.74 16.880 126.532 2.000 76.575 16.806 172.569 91.418 2.216 652 1.387 76.798 1996 561.094 5.016 332.491 59.837 16.831 12.617 19.583 172.579 91.583 12.966 661 2.196 661		-															
1991 561,184 4.774 385,975 61,390 87,960 17,999 125,874 2.354 71,596 18,852 170,435 88,388 2.630 6677 1.373 76,387 1992 562,980 4.917 387,016 61,522 87,550 17,710 126,598 2.212 73,699 17,623 171,213 89,996 2.464 652 1,377 76,764 1993 562,250 4.977 383,83 60,304 85,764 16,843 2,169 77,304 17,261 17,179 0,647 1,382 76,729 1995 561,295 5.046 383,83 60,304 85,764 16,508 126,572 16,238 17,308 92,037 2,256 660 1,376 76,771 1996 561,047 51,50 382,409 59,221 84,53 16,513 126,218 1,966 77,816 152,597 17,151 92,023 2,264 64,11 1,397 76,779 1999 561,371 <td></td>																	
1992 562,380 4,917 387,019 61,522 87,550 17,710 128,569 2,266 73,111 18,261 171,044 89,616 2,554 640 1,369 76,865 1993 562,250 4,975 386,022 61,285 87,038 17,459 126,076 2,112 73,009 17,628 171,281 171,283 89,996 2,464 652 1,377 76,764 1996 561,094 5.013 383,683 60,044 55,764 16,880 126,552 2,040 75,575 16,228 171,151 90,647 2,286 660 1,378 76,7171 1996 561,094 5.016 51,28 382,409 59,221 84,553 16,315 126,617 1,965 77,811 15,857 172,573 91,583 2,196 652 1,330 76,757 1997 560,105 51,63 37,227 14,281 16,849 16,757 71,111 19,265 17,161 19,2297 1,350		-															
1993 562.25 4.973 386.02 61.28 87.03 17.453 126.70 17.123 17.123 89.99 2.464 652 1.377 76.764 1994 560.790 5.013 333.979 60.822 67.718 126.543 2.169 73.704 17.261 171.788 90.647 2.385 647 1.382 75.798 1995 561.295 5.046 38.894 60.304 85.744 16.880 126.552 2.040 76.507 16.288 17.253 9.164 6.221 6.655 1.365 77.771 1998 56.647 5.158 38.033 58.697 83.302 16.13 126.218 1.906 77.814 15.287 17.151 90.26 2.146 644 1.359 76.779 1999 551.371 5.166 377.291 5.647 1.548 1.547 1.228 76.88 3.382 1.567 1.522 1.238 1.552 1999 51.371 <th5.168< th=""> 36.037<</th5.168<>																	
1994 560,790 5.013 383,879 60.862 86,272 17,168 126,543 2,169 73,704 17,261 17,17,96 90.647 2,395 647 1,380 76,729 1995 561,295 5.046 333,883 60.304 85,764 16,880 126,532 2.040 75,575 16,238 172,566 91,418 2.321 647 1,382 76,751 1996 561,094 5.073 382,409 59,221 44,553 16,617 1,966 77,881 15,857 172,573 91,583 2,196 6621 1,350 77,777 1999 551,371 5,156 377,225 58,073 82,877 15,648 1,261 1,006 78,144 1,527 17,17151 90,226 2,146 641 1,330 76,534 2000 564,647 5,158 39,037 56,807 16,301 72,451 1,208 78,404 1,47,178 168,986 88,382 2,075 66,201 7,643 1,																	
1995 561.29 5.0.4 383.883 60.304 85.764 16.800 126.533 2.0.89 75.307 16.806 172.566 91.418 2.321 64.7 1.382 76.788 1996 561.094 5.071 382.941 59.824 85.114 16.588 126.552 2.040 76.757 16.238 173.082 92.037 2.256 660 1.378 76.751 1997 560.108 5.126 382.499 59.221 84.553 16.31 126.617 1.965 77.81 15.557 172.573 91.583 2.166 642 1.382 76.777 1998 556.647 5.156 377.225 58.073 82.877 15.848 125.461 1.828 78.404 47.18 16.896 88.382 2.075 64.55 1.303 76.579 2000 546.043 5.145 374.04 56.722 80.200 15.311 123.964 1.703 79.27 14.292 16.686 86.166 2.017 63.883 1.876 65.57 85.182 1.963 63.14 1.331 76.540																	
1996 561.094 5.07.1 382.941 59.824 85.114 16.598 126.552 2.040 76.575 16.233 173.082 92.037 2.2.56 660 1.378 76.751 1997 560.108 5.1.26 382.409 59.211 84.553 16.315 126.617 1.965 77.881 15.857 171.51 90.226 2.146 641 1.359 76.771 1998 551.371 5.166 377.229 58.047 15.848 128.481 1.828 78.144 168.986 88.382 2.075 64.5 1.300 76.530 2000 546.043 5.160 371.351 56.72 80.100 79.44 14.708 79.027 14.292 166.864 86.616 2.017 6.33 1.333 76.250 2000 54.783 388.29 5.178 77.631 14.709 12.1795 1.586 80.194 12.736 16.157 85.182 1.663 1.312 76.380 2003 530.445 </td <td></td>																	
1997 560.108 5.126 382.409 59.221 84.553 16.315 12.6617 1.965 77.881 15.857 172.573 91.583 2.196 662 1.365 76.777 1998 556.647 5.159 380.337 58.697 83.902 16.133 126.218 1.906 78.184 15.297 171.151 90.226 2.146 6441 1.359 76.779 1999 551.371 5.165 377.229 58.073 82.877 15.848 125.481 1.822 78.404 14.718 168.966 83.382 2.075 645 1.360 76.534 2000 546.043 5.163 374.04 57.46 15.467 17.639 12.306 11.646 80.366 13.167 164.081 83.889 1.867 625 1.322 76.399 2003 530.484 5.065 358.282 5.178 77.6147 14.368 11.948 15.88 80.194 12.376 164.051 82.371 1.801 12																	
1998 556,647 5,159 380,337 58,697 83,902 16,133 126,218 1,906 78,184 15,297 71,151 90.226 2,146 641 1,359 76,779 1999 551,371 5,168 377,229 58,073 82,877 15,848 125,481 1,828 78,404 14,718 168,968 88,382 2.075 645 1,330 76,534 2000 546,043 5,145 374,034 57,228 81,646 15,497 124,558 1,768 79,027 14,292 166,864 86,616 2.017 638 1,343 76,520 2002 537,825 5,183 386,61 56,010 79,264 15.022 12,096 1,646 80,356 13,167 164,081 33,869 1,876 625 1,322 76,389 2003 530,484 5,083 368,277 76,147 14,308 119,981 1,454 78,683 12,105 15,968 79,104 1,681 10,20 76,42			-														
1999 551,371 5,156 377,229 58.073 82.877 15.848 125.481 1.828 78.404 14.718 168.986 88.382 2.075 6.45 1,350 76.534 2000 546,043 5,145 374.034 57.246 81.646 15,497 124,558 1,768 79.027 14.292 166.864 86.616 2.017 638 1,343 76,250 2001 542,068 5,160 371.351 56,722 80.260 15,311 123,964 1,703 79,802 13,589 165,557 85,182 1,963 631 1,311 76,450 2002 537,825 5,133 368,66 56,77 76,147 14,368 119,988 1,514 79,804 12,238 159,479 80,814 1,737 611 1,222 76,389 2006 506,245 5,050 352,872 54,337 74,724 14,086 11,7491 1,446 76,340 11,953 164,655 77,642 1,632 5		-															
2000 546,043 5,145 374,034 57,246 81,646 15,497 124,558 1,768 79,027 14,292 166,864 86,616 2,017 638 1,343 76,250 2001 542,068 5,160 371,351 56,722 80,260 15,311 123,964 1,703 79,802 13,589 165,557 85,182 1,963 631 1,311 76,450 2002 537,825 5,183 368,651 56,010 79,264 15,022 123,09 1,646 80,356 13,167 164,081 83,869 1,876 625 1,322 76,389 2003 530,484 5,065 363,829 55,178 77,631 14,709 121,795 1,586 80,194 12,736 61,157 82,371 1,807 618 1,222 75,355 2005 514,990 5,050 32,632 53,777 76,147 14,368 17,491 1,446 76,863 12,105 15,103 1,241 73,549 <tr< td=""><td></td><td>-</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr<>		-															
2001 542.068 5.160 371.351 56.722 80.260 15.311 123.964 1,703 79,802 13.589 165.557 85,182 1.963 6631 1.311 76,450 2002 537,825 5,188 366,561 56,010 79,264 15,022 123,096 1.646 80,356 13.167 164,081 83,869 1.876 6625 1,322 76,389 2003 530,484 5,065 363,829 55,178 77,631 14,709 121,795 1,586 80,194 12,388 159,479 80,814 1,737 611 1,262 75,055 2005 514,990 5,050 352,872 54,337 74,724 14,066 117,491 1,446 78,683 12,105 157,068 79,104 1,681 600 1,250 74,433 2006 506,245 5,058 346,52 53,770 73,428 112,04 1,307 76,262 11,659 15,154 1,632 567 1,212 71,13																	
2002537,8255,183368,56156,01079,26415,022123,0961,64680,35513,167164,08183,8691,8766221,32276,389200350,4845,085363,82955,17877,63114,709121,7951,58680,19412,736161,57082,3711,8076181,28875,4862004523,3415,076358,78654,57776,14714,368119,9881,51479,80412,388159,47980,8141,7376111,26275,0552005514,9905,050352,87254,33774,72414,066117,4911,44678,68312,105157,06879,1041,6816001,26774,4332006506,2455,058346,53253,77073,42813,803114,5641,38477,63011,953154,65577,6421,6325911,21473,5492007496,7895,107339,72853,77072,21313,363111,2041,30776,26211,659151,95476,3101,5845531,21571,1392008486,8125,121332,85953,47370,98812,274108,20212,24774,51311,471148,83274,3881,5235671,21571,1392009475,9895,154318,56252,63768,60612,287102,4171,17070,23211,213141,59570,0051,428551																	
2003 530.484 5.085 363.829 55.178 77.631 14.709 12.1795 1.586 80.194 12.735 161.570 82.371 1.807 618 1.288 75.486 2004 523.341 5.076 358.786 54.577 76.147 14.388 119.988 1.514 79.804 12.388 159.479 80.814 1.737 611 1.262 75.055 2005 514.990 5.050 352.872 54.337 74.724 14.066 117.491 1.446 78.683 12.105 151.966 79.104 1.681 600 1.250 74.433 2006 506.245 5.058 346.532 53.770 73.428 13.803 114.564 1.3.84 77.630 11.954 76.310 1.584 583 1.2.26 72.251 2007 496.789 5.107 339.728 53.720 72.213 13.363 11.204 1.307 76.32 11.483 145.92 74.38 1.523 567 1.2.17																	
2004523.3415.076358.78654,57776,14714,368119,9881,51479,80412,388159,47980,8141,7376111,26275,0552005514,9905.050352,87254,33774,72414,066117,4911,44678,68312,105157,06879,1041,6816001,25074,4332006506,2455.058346,53253,77073,42813,803114,5641,38477,63011,953154,65577,6421,6325911,24173,5492007496,7895,107339,72853,72072,21313,363111,2041,30776,62211,659151,95476,3101,5845831,22672,2512008486,8125,121332,85953,47370,89812,965108,2921,24774,51311,471148,83274,3881,5235671,21571,1392009475,8995,154325,59053,18269,75612,574105,2061,20472,32711,281145,24572,2111,4805541,20869,8522010465,6855,164318,56252,63768,60612,287102,4171,17070,22211,213141,95970,0051,4285511,10968,7852011455,6855,164318,56252,19361,47011,92399,3831,14168,79910,953136,15266,4701,333537<																	
2005514.9905.050352.87254.33774.72414.066117.4911.44678.68312.105157.06879.1041.6816.001.25074.4332006506.2455.058346.53253.77073.42813.803114.5641.38477.63011.953154.65577.6421.6325911.24173.5492007496.7895.107339.72853.72072.21313.363111.2041.30776.26211.659151.95476.3101.5845831.22672.2512008486.8125.121332.85953.47370.98812.965108.2921.24774.51311.471148.83274.3881.5235671.21571.1392009475.9895.154325.59053.18269.75612.574105.2061.24173.8711.121141.85272.1211.4805541.20869.8822010465.6855.164318.56252.63768.06612.287102.4171.17070.23211.121141.95970.0051.4285511.19068.7852011455.8295.152311.99652.21967.47011.92399.3831.14168.74611.114138.68167.9901.3815421.17967.5892014447.2775.150305.97551.5166.29411.69996.1201.11468.29910.953136.15266.4701.333537 <th< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></th<>																	
2006506,2455.058346,53253,77073,42813,803114,5641,38477,63011,953154,65577,6421,6325911,24173,5492007496,7895.107339,72853,72072,21313,363111,2041,30776,26211,659151,95476,3101,5845831,22672,2512008486,8125.121332,65953,47370,98812,965108,2921,24774,51311,471148,83274,3881,5235671,21571,1392009475,9895.154325,59053,18269,75612,574105,2061,20472,38711,281145,24572,1211,4805541,20869,8822010465,6855,164318,56252,63768,60612,287102,4171,17070,23211,211141,95970,0051,4285511,10968,7852011455,8295,152311,99652,21967,47011,92399,3831,14168,74611,114138,68167,9901,3815421,17967,5892012447,2775,150305,97551,51666,29411,62991,2551,10167,91610,793132,61664,5931,29353,831,15165,0412014428,5415,164299,14251,24550,88864,20611,29687,8311,00067,66510,59812,94363,2221,245 <td></td> <td></td> <td>-</td> <td></td>			-														
2007 496,789 5,107 339,728 53,720 72,213 13,363 111,204 1,307 76,262 11,659 151,954 76,310 1,584 583 1,226 72,251 2008 486,812 5,121 332,859 53,473 70,898 12,965 108,292 1,247 74,513 11,471 148,832 74,388 1,523 567 1,215 71,139 2009 475,989 5,154 325,590 53,182 69,756 12,277 105,206 1,204 72,387 11,281 145,245 72,121 1,480 5554 1,208 69,882 2010 465,685 5,164 318,562 52,637 66,606 12,287 102,417 1,170 70,232 11,213 141,593 70,055 1,428 551 1,190 66,783 2011 455,829 5,152 311,996 52,219 67,707 11,923 99,383 1,111 68,769 1,331 537 1,153 66,593 <tr< td=""><td></td><td>-</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr<>		-															
2008 486,812 5,121 332,859 53,473 70,898 12,965 108,292 1,247 74,513 11,471 148,832 74,388 1,523 567 1,215 71,139 2009 475,989 5,154 325,590 53,182 69,756 12,574 105,206 1,204 72,387 11,281 145,245 72,121 1,480 554 1,208 69,882 2010 465,685 5,164 318,562 52,637 68,606 12,287 102,417 1,170 70,232 11,213 141,959 70,005 1,428 551 1,190 68,785 2011 455,829 5,152 311,996 52,219 67,470 11,923 99,383 1,141 68,746 11,114 138,681 67,990 1,381 542 1,179 67,589 2012 447,277 5,150 305,975 51,516 66,293 1,152 91,255 1,111 68,793 1,233 533 1,151 66,673																	
2009 475,989 5,154 325,590 53,182 69,756 12,574 105,206 1,204 72,387 11,281 145,245 72,121 1,480 554 1,208 69,882 2010 465,685 5,164 318,562 52,637 68,066 12,287 102,417 1,170 70,232 11,213 141,599 70,005 1,428 551 1,190 68,785 2011 455,829 5,152 311,996 52,219 67,470 11,923 99,383 1,141 68,746 11,114 138,681 67,900 1,381 542 1,179 67,589 2012 447,277 5,150 305,975 51,516 66,294 11,629 91,255 1,111 68,799 13,8152 66,70 1,333 537 1,153 66,659 2013 436,918 5,160 299,142 51,424 65,330 11,502 91,255 1,101 67,656 10,598 129,843 63,222 1,245 529 1,142 </td <td></td>																	
2010 465,685 5,164 318,562 52,637 68,606 12,287 102,417 1,170 70,232 11,213 141,959 70,005 1,428 551 1,190 68,785 2011 455,829 5,152 311,996 52,219 67,470 11,923 99,383 1,141 68,746 11,114 138,681 67,990 1,381 542 1,179 67,589 2012 447,277 5,150 305,975 51,516 66,294 11,679 96,120 1,114 68,299 10,953 136,152 66,470 1,333 537 1,153 66,593 2013 436,918 5,160 299,142 51,245 65,330 11,502 91,255 1,101 67,616 10,793 136,152 66,470 1,333 537 1,142 63,705 2014 428,541 5,154 293,544 50,888 64,206 11,296 87,831 1,060 67,655 10,598 129,843 63,222 1,245 529<		-															
2011 455,829 5,152 311,996 52,219 67,470 11,923 99,383 1,141 68,746 11,114 138,681 67,990 1,381 542 1,179 67,589 2012 447,277 5,150 305,975 51,516 66,294 11,679 96,120 1,114 68,746 11,114 138,681 67,990 1,381 542 1,179 67,589 2013 436,918 5,160 299,142 51,245 65,330 11,502 91,255 1,101 67,655 10,593 136,152 66,703 1,233 538 1,151 66,593 2014 428,541 5,154 293,544 50,888 64,206 11,296 87,831 1,060 67,655 10,598 129,843 63,222 1,245 529 1,142 63,705 2015 420,292 5,106 289,034 50,553 63,033 11,021 85,499 10,351 127,889 62,269 1,029 518 1,127 62,766 </td <td></td> <td></td> <td>5,154</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>1,204</td> <td></td> <td>11,281</td> <td></td> <td></td> <td></td> <td></td> <td>1,208</td> <td></td>			5,154						1,204		11,281					1,208	
2012 447,277 5,150 305,975 51,516 66,294 11,679 96,120 1,114 68,299 10,953 136,152 66,470 1,333 537 1,163 66,659 2013 436,918 5,160 299,142 51,245 65,330 11,502 91,255 1,101 67,916 10,793 132,616 64,593 1,293 538 1,151 65,041 2014 428,541 5,154 293,544 50,888 64,206 11,296 87,831 1,006 67,665 10,598 129,843 63,222 1,245 529 1,142 63,705 2015 420,29 5,106 289,034 50,553 63,093 11,021 85,499 1,019 67,498 10,351 127,889 62,269 1,209 518 1,127 62,766 2016 416,234 5,088 284,849 50,201 62,120 10,802 83,341 1,002 67,170 10,213 126,297 61,401 1,178 510 <td>2010</td> <td>465,685</td> <td>5,164</td> <td>318,562</td> <td>52,637</td> <td>68,606</td> <td>12,287</td> <td>102,417</td> <td>1,170</td> <td>70,232</td> <td>11,213</td> <td>141,959</td> <td>70,005</td> <td>1,428</td> <td>551</td> <td>1,190</td> <td>68,785</td>	2010	465,685	5,164	318,562	52,637	68,606	12,287	102,417	1,170	70,232	11,213	141,959	70,005	1,428	551	1,190	68,785
2013 436,918 5,160 299,142 51,245 65,330 11,502 91,255 1,101 67,916 10,793 132,616 64,593 1,293 538 1,151 65,041 2014 428,541 5,154 293,544 50,888 64,206 11,296 87,831 1,000 67,655 10,598 129,843 63,222 1,245 529 1,142 63,705 2015 422,029 5,106 289,034 50,553 63,093 11,021 85,499 1,019 67,498 10,351 127,889 62,269 1,209 518 1,127 62,766 2016 416,234 5,088 284,849 50,201 62,120 10,802 83,341 1,002 67,170 10,213 126,927 61,401 1,178 510 1,111 62,097 2017 410,651 5,096 280,863 50,023 61,124 10,586 81,417 986 66,733 9,994 124,692 60,585 1,138 499	2011	455,829	5,152	311,996	52,219	67,470	11,923	99,383	1,141	68,746	11,114	138,681	67,990	1,381	542	1,179	67,589
2014 428,541 5,154 293,544 50,888 64,206 11,296 87,831 1,060 67,665 10,598 129,843 63,222 1,245 529 1,142 63,705 2015 422,029 5,106 289,034 50,553 63,093 11,021 85,499 1,019 67,665 10,598 129,843 63,222 1,245 529 1,142 63,705 2016 416,234 5,088 284,849 50,201 62,120 10,802 83,341 1,002 67,170 10,213 126,927 61,401 1,178 510 1,111 62,076 2017 410,651 5,096 280,863 50,023 61,124 10,586 81,417 986 66,733 9,994 124,692 60,585 1,138 499 1,098 61,372 2018 405,238 5,093 276,879 49,811 60,360 79,723 961 65,806 9,832 12,326 59,715 1,107 493 1,084	2012	447,277	5,150	305,975	51,516	66,294	11,679	96,120	1,114	68,299	10,953	136,152	66,470	1,333	537	1,153	66,659
2015 422,029 5,106 289,034 50,553 63,093 11,021 85,499 1,019 67,498 10,351 127,889 62,269 1,209 518 1,127 62,766 2016 416,23 5,088 284,849 50,201 62,120 10,802 83,341 1,002 67,170 10,213 126,997 61,401 1,178 510 1,111 62,070 2017 410,651 5,096 280,863 50,023 61,124 10,586 81,417 986 66,733 9,994 124,692 60,585 1,138 499 1,098 61,372 2018 405,238 5,093 276,879 49,811 60,360 79,723 961 65,806 9,832 12,326 59,715 1,107 493 1,084 60,877 2018 405,238 5,093 276,879 49,811 60,360 79,723 961 65,806 9,832 12,326 59,715 1,107 493 1,084 60,877	2013	436,918	5,160	299,142	51,245	65,330	11,502	91,255	1,101	67,916	10,793	132,616	64,593	1,293	538	1,151	65,041
2016 416,234 5,088 284,849 50,201 62,120 10,802 83,341 1,002 67,170 10,213 126,297 61,401 1,178 510 1,111 62,097 2017 410,651 5,096 280,863 50,023 61,124 10,586 81,417 986 66,733 9,994 124,692 60,585 1,138 499 1,098 61,372 2018 405,238 5,093 276,879 49,811 60,360 79,723 961 65,806 9,832 123,266 59,715 1,107 493 1,084 60,873	2014	428,541	5,154	293,544	50,888	64,206	11,296	87,831	1,060	67,665	10,598	129,843	63,222	1,245	529	1,142	63,705
2017 410,651 5,096 280,863 50,023 61,124 10,586 81,417 986 66,733 9,994 124,692 60,585 1,138 499 1,098 61,372 2018 405,238 5,093 276,879 49,811 60,360 10,386 79,723 961 65,806 9,832 123,266 59,715 1,107 493 1,084 60,867	2015	422,029	5,106	289,034	50,553	63,093	11,021	85,499	1,019	67,498	10,351	127,889	62,269	1,209	518	1,127	62,766
2018 405,238 5,093 276,879 49,811 60,360 10,386 79,723 961 65,806 9,832 123,266 59,715 1,107 493 1,084 60,867	2016	416,234	5,088	284,849	50,201	62,120	10,802	83,341	1,002	67,170	10,213	126,297	61,401	1,178	510	1,111	62,097
	2017	410,651	5,096	280,863	50,023	61,124	10,586	81,417	986	66,733	9,994	124,692	60,585	1,138	499	1,098	61,372
2019 400,639 5,098 273,641 49,717 59,699 10,170 77,988 940 65,425 9,702 121,900 58,865 1,078 482 1,077 60,398	2018	405,238	5,093	276,879	49,811	60,360	10,386	79,723	961	65,806	9,832	123,266	59,715	1,107	493	1,084	60,867
	2019	400,639	5,098	273,641	49,717	59,699	10,170	77,988	940	65,425	9,702	121,900	58,865	1,078	482	1,077	60,398

(Notes) 1 Prepared based on "The Survey on Regulation Work of Hazardous Materials".

2 1959 is as of September 30.

3 With regard to the numbers in 2011 and 2012, because of the influence of the Great East Japan Earthquake, the numbers for the Rikuzentakata City Fire Department in Iwate Prefecture and the Futaba Fire Department in Fukushima Prefecture were calculated based on the numbers at the time of last fiscal year's survey (as of March 31, 2010).

S Japanese Original P.373

Category			Fire departments		Volunteer fire corps					
FY	Fire departments	Unions among these	Fire stations	Branch offices	Firefighters	Volunteer fire corps	Divisions	Standing volunteer fire corps	Volunteer firefighters	
1956	383	6	465	713	31,864	5,332	-	101	1,830,222	
1957	406	6	488	735	32,745	4,484	-	107	1,737,319	
1958	429	6	507	778	33,729	4,304	-	104	1,677,555	
1959	438	6	533	831	35,168	4,153	-	93	1,633,792	
1960	445	3	562	833	36,627	4,016	-	102	1,591,053	
1961	461	3	578	889	38,489	3,957	35,463	96	1,542,406	
1962	484	3	597	919	40,948	3,909	35,377	100	1,488,495	
1963	511	3	617	961	43,169	3,852	34,323	116	1,445,508	
1964	544	4	641	996	45,357	3,835	33,825	117	1,413,285	
1965	620	4	735	1,024	48,075	3,826	31,653	123	1,330,995	
1966	640	4	755	1,072	50,806	3,818	30,940	125	1,301,702	
1967	671	5	817	1,110	53,957	3,764	29,926	107	1,283,003	
1968	700	9	851	1,155	56,681	3,748	29,451	94	1,258,277	
1969	734	26	892	1,242	60,486	3,743	28,998	89	1,234,696	
1970	756	58	937	1,308	64,230	3,699	28,482	71	1,210,839	
1971	782	129	986	1,470	70,077	3,682	27,732	61	1,189,675	
1972	805	221	1,094	1,769	79,092	3,659	27,638	23	1,166,625	
1973	829	304	1,155	2,120	88,754	3,696	27,392	25	1,148,567	
1974	848	359	1,230	2,407	98,329	3,682	27,081	22	1,131,723	
1975	859	378	1,258	2,590	105,005	3,668	26,805	22	1,118,036	
1976	869	387	1,286	2,665	107,632	3,673	26,650	22	1,105,299	
1977	878	398	1,321	2,742	110,618	3,669	26,463	17	1,094,367	
1978	887	408	1,336	2,771	114,249	3,669	26,324	18	1,087,269	
1979	895	419	1,366	2,840	117,657	3,666	26,281	12	1,078,536	
1980	906	427	1,425	2,883	120,460	3,641	26,084	11	1,069,140	
1981	914	435	1,462	2,930	123,204	3,645	25,995	11	1,063,761	
1982	923	441	1,470	3,001	125,335	3,656	26,115	9	1,057,404	
1983	927	445	1,476	3,063	126,959	3,653	26,002	8	1,050,271	
1984	932	451	1,483	3,111	128,087	3,658	25,858	8	1,042,463	
1985	933	454	1,496	3,132	128,914	3,641	25,798	7	1,033,376	
1986	933	454	1,501	3,151	129,610	3,650	25,701	7	1,026,224	
1987	931	455	1,514	3,152	130,463	3,648	25,667	7	1,017,807	
1988	930	456	1,526	3,170	131,407	3,649	25,606	6	1,008,998	
1989	931	458	1,535	3,160	132,437	3,649	25,620	6	1,002,371	
1990	933	464	1,554	3,166	133,610	3,654	25,639	6	996,743	
1991	935	468	1,589	3,175	135,157	3,648	25,559	2	991,566	
1992	935	467	1,602	3,181	137,388	3,642	25,574	1	986,996	
1993	932	466	1,618	3,200	141,403	3,642	25,575	1	983,014	
1994	931	465	1,615	3,207	144,885	3,641	25,561	1	979,737	
1995	931	467	1,631	3,207	147,016	3,637	25,506	-	975,512	
1996	925	470	1,636	3,219	148,989	3,636	25,480	-	972,078	
1997	923	471	1,654	3,224	150,626	3,641	25,455	-	968,081	
1998	920	473	1,662	3,232	151,703	3,643	25,393	-	962,625	
1999 2000	911 907	473 472	1,670 1,682	3,239 3,230	152,464 153,439	3,641 3,639	25,351 25,322	-	957,047 951,069	
2000	907	472	1,682	3,230	153,439	3,639	25,322 25,268	-	951,069	
2001	904	475	1,687	3,225	153,952	3,636	25,268	-	944,134	
2002	894	475	1,690	3,220	154,407	3,598	25,238	-	928,432	
2003	894	472	1,696	3,207	155,016	3,598	25,064 24,852	-	928,432	
2004	886	385	1,699	3,207	155,524	2,963	24,852	-	919,105	
2005	811	305	1,704	3,225	156,758	2,963	24,364	-	908,043	
2006	811	329	1,706	3,221	156,758	2,584	23,946	-	892,893	
2007	807	320	1,705	3,230	157,860	2,474	23,005	-	888,900	
2008	807	310	1,700	3,210	157,000	2,380	23,180	-	885,394	
2009	803	305	1,710	3,197	158,809	2,336	22,997	-	883,698	
2010	798	303	1,710	3,186	159,354	2,273	22,920	-	879,978	
2011	790	305	1,706	3,180	159,334	2,203	22,039	-	874,193	
2012	791	305	1,700	3,164	160,392	2,234	22,755	-	868,872	
2013	770	296	1,700	3,153	161,244	2,224	22,578	-	864,347	
2014	752	290	1,703	3,135	162,124	2,221	22,500	-	859,995	
2015	733	293	1,703	3,145	163,043	2,200	22,349	-	856,278	
2010	733	291	1,714	3,130	163,814	2,211	22,404	-	850,331	
2017	732	289	1,719	3,117	164,873	2,209	22,430		843,667	
2018	726	289	1,719	3,117	165,438	2,209	22,422	-	831,982	
2013	720	209	1,/19	5,115	100,400	2,130	22,000	-	001,002	

Attachment 2-1-2 Trends in the number of firefighting agencies and volunteer firefighter (As of April 1 of each year)

(Note) Prepared based on "The Survey of the Current Status of Fire Prevention and Earthquake Countermeasures" and "The Report on Personnel Changes concerning Fire Defense Headquarters and Volunteer Fire Corps".